

I CARE ABOUT THE WORLD I AM ECO -FRIENDLY

ON OUR WEBSITE PORTA.COM.PL/DO-POBRANIA YOU CAN FIND ALL OF OUR CATALOGUES, ALWAYS UP TO DATE





FP

OPEN UP TO ECOLOGY WITH US, CHOOSE MOBILE VERSION OF THE CATALOGUE

WE CARE ABOUT THE ENVIRONMENT WE PRODUCE RESPONSIBLY

Table of contents

01 PAINTED INTERIOR DOORS

MINIMAX	12	
LONDON, VIENNA	14	
Porta ROYAL Premium, Porta SKANDIA Premium		
Porta VECTOR Premium	18	
Porta FOCUS Premium Porta DESIRE Porta GRANDE	20	
Porta DESIRE	22	COLLECTO
Porta GRANDE	24	
Porta DUO	26	_
Porta DUO Porta HIDE	28	TO

02 FRAME AND PANEL INTERIOR DOORS

SYNTHETIC VENEER		
Porta Verte HOME B	30	
Porta Verte HOME C	32	TOP
Porta Verte HOME D	34	
Porta Verte HOME E	36	
Porta Verte HOME G	38	
Porta Verte HOME H	40	TOP
Porta Verte HOME J	42	
Porta Verte HOME L, N	44	
Porta Verte PREMIUM A, D	46	
Porta Verte PREMIUM B, C	48	
Porta Verte PREMIUM E	50	
Porta CONCEPT, group A and B	52	
Porta CONCEPT, group C	54	
Porta CONCEPT, group H and K	56	
Porta BALANCE	58	
Porta HARMONY	60	
Porta INSPIRE, group A and B	62	
Porta INSPIRE, group C	64	

03 FLUSH INTERIOR DOORS

SYNTHETIC VENEER

66	
68	
70	
72	
74	
76	
78	
80	
82	
84	
86	TOP
88	
90	
	 66 68 70 72 74 76 78 80 82 84 86 88 90

04 INTERIOR DOORS. NATURAL VENEER

Nature CLASSIC	92
Nature LINE	94
Nature VECTOR	96
Nature LOFT	98
Nature GRANDE	100
Nature SPACE	102
Nature CONCEPT	104
SEVILLA	106
MADRID, CORDOBA, TOLEDO	106
Villadora RETRO	110

05 FOLDING AND SLIDING DOORS

Folding doors ALFA, BETA	112
Sliding system PORTA, ALU	114
Sliding system COMPACT	116
Sliding system BLACK, SLIDE	118
Sliding system EFEKT	120
FRAMELESS sliding system	122

06 TECHNICAL DOORS

Entrance and technical doors - summary of the models	126	
Acoustic 27 dB, 32 dB	128	
INNOVO 37 dB	130	
SILENCE 37dB, EI30	132	
INNOVO 42 dB		1
Acoustic 42 dB	136	
PURE 57 dB	138	
Fire-rated EI 30, EI 60	140	h
ENDURO	142	μ
AQUA	144	

07 APARTMENT ENTRANCE DOORS

AGATE, OPAL – class RC 2	146	
EXTREME - class RC 2	148	
Steel SECURE – class RC 3 – NEW	150	
QUARTZ - class RC 2		
EXTREME – Anti-burglary class RC 3	154	TOP
EXTREME – Anti-burglary class RC 4	156	
GRANITE – Anti-burglary class C	158	

			I
09	STEEL TECHNICAL DOORS		TA STEEL
	Doors for utility rooms, storage rooms	162	1
	Steel BASIC, Steel exterior BASIC PLUS	164	
	Steel SOLID	166	
	Steel El 30, El 60	168	

10 DOOR FRAMES

MINIMAX	172
Porta SYSTEM, Porta SYSTEM GK	174
Porta SYSTEM ELEGANCE	176
Porta SYSTEM ELEGANCE 90 degrees	176
Porta SYSTEM with a reversed rebate	178
LEVEL	180
Porta RENOVA	182
Villadora RETRO	184

11 STEEL DOOR FRAMES	PORT	A STEEL
Steel Porta SYSTEM ELEGANCE	PRODUCT	
SLEEP POILD STSTEM ELEGANCE		
Steel Porta SYSTEM	186	
Non-rebated, Adjustable steel frame		
Adjustable, Adjustable PS with , sharp edges'	188	
Corner profile, non-rebated – LARGE		
Corner profile frame SMALL PLUS, LARGE	190	
PROJECT BIS, PROJECT Premium	192	

12 ACCESSORIES, DIMENSIONS, ADDITIONAL INFORMATION

Handles – NEW	196
Hinges, locks, other accessories	206
Skirting-boards and ventilation	207
Technical drawings, Door dimensions	209
Durability levels of Porta finishes, finishes charts	219
Glass panels	227

02

03

тор

PORTA STEEL PRODUCT 8

90

12

The most popular PORTA collections

Characteristics of our products

MEANING OF THE SYMBOLS THAT DESCRIBES OUR PRODUCTS' FEATURES



Please note ...

OUR DOORS ARE ANTI-BULGLARY

(RC 2) class - resistance class to provide basic protection against break-in attempts with use of simple tools e.g. a screwdriver, a wedge, pincers, a hammer.



(RC 3) class - resistance class to provide protection against break-in attempts with use of tools e.g. a crowbar, a cotter pin driver, a mechanical drill.



RC-resistance class it's the ability of certain product to withstand violent intrusion in protected rooms or areas.

Before purchasing a door you need to decide on the opening direction



SINGLE DOOR LEFT DOOR LEAF



PASSIVE LEAF ACTIVE LEAF

SINGLE DOOR RIGHT DOOR LEAF





PRODUCTION TIME* Check on www.portadoors.com

*prodution time may differ as it depends on the quantity and type of ordered products.

P

PLEASE NOTE



SEVILLA see page 106



Porta SYSTEM door frame with reversed rebate see page 176




Black glass panel in chosen models



Porta EFEKT see page 120

NEW SOLUTION

New door leaf height 220 cm is available in chosen collections: Porta VECTOR Porta DESIRE Nature CLASSIC Nature LINE Nature VECTOR





Porta SYSTEM

Porta SYSTEM ELEGANCE

NEW



Grey, Portadecor, available in many collections.



Steel SECURE see page. 150



Porta SYSYTEM ELEGANCE 90 degrees

Porta SYSYTEM with reversed rebate



Frameless sliding system see page 122



Matt oak available in many collections



Steel Porta SYSTEM



7

P

MANY ADVANTAGES OF A STEEL DOOR FRAME

VERSATILITY

Thanks to their durability and attractive look, steel door frames are the perfect choice for the most demanding areas. Their versatility make them a good choice for both new and older buildings that require thoughtful renovation and give them a unique style and design. Possibility of customisation and a lot of contract options, including any RAL or NCS colour, opens up many options.



INVISIBLE JOINTS

Steel door frames have welded and ground joints. Next they are painted with our Premium polyester paint. Thanks to this process, joint lines are invisible and very durable at the same time.





HIGH DURABILITY

High-precision manufacturing and first-rate materials guarantee long-term quality. Their high resistance to mechanical damages and corrosion make them great, long-lasting products. Steel door frame is a good choice, especially for rooms with increased humidity, e.g. kitchens or bathrooms.

HUMIDITY RESISTANCE

Our steel door frames are made out of galvanized steel sheet and additionally secured with passivation layer. Then, a layer of polyester powder paint is applied on the surface. This all together results in increasing corrosion resistance for many years and in protecting frames against water, e.g during floor cleaning.

Ρ



01 INTERIOR DOORS

We would like to invite you to be inspired by our diverse range of doors to suit your interior design requirements.

We supply various styles from wooden doors, to give that warm and cosy feel ,or the more sleek, modern and designer styles which are more on trend.

As we offer a wide and versatile range of products we feel confident that you will be able to find your perfect choice.





MINIMAX



MINIMAX P, White



MINIMAX P, White







model L



Standard paint ★★★☆☆☆

White





TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Honeycomb or hollow chipboard core reinforced with rails and stiles. The construction is skinned with HDF.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- Two or three standard barrel hinges or PRIME hinges (optionally, at extra charge)
- Lock: key lock, WC lock, or cylinder lock
- · 'Chinchilla' glass or frosted tempered glass (optionally, extra charge)
- Round pull handle (for sliding doors)

DOOR FRAMES

Recommended rebated door frames:

- · Porta SYSTEM in Portadecor veneer see p. 174
- MINIMAX in Portadecor veneer see p. 172
- STEEL see p. 186-191

NOTES

- Norm PN EN 14351-2:2018-12.
- · Door leaves available in, paint yourself' option are in the same price as MINIMAX white.
- · Hollow chipboard core and chipboard core have preparation for shortening as a standard
- Size'110' is available only with hollow chipboard. Glazing size is the same as for size'100'
 Double doors are available in any door leaf size combinations. • Passive door leaves (side panels) in sizes '30', '40', '50' available only in solid option (without glazing or decorative mouldings).
- · Magnetic lock is not available for a double door.

- Size '80' and '90' in investment norm (clear opening width 800, 900 mm) available as a standard- without extra charge.
- Sizes,100' and,110' require third hinge
- Reinforcement for door closer requires third hinge.
- Due to various materials use, there might be a slight colour difference between door leaf and a glazing bead
- · PRIME hinges packed with a door frame.

EXTRA CHARGES

- size '100', '110'
- hollow chipboard core
- chipboard core inverse glazing
- · automatic threshold seal
- · ventilation grille, ventilation sleeves or ventilation undercut
- · PRIME hinges (apply to dedicated door frames)
- PRIME lock with glossy faceplate (silver or gold)
- magnetic lock with stainless steel face plate
- preparation for shortening (maximum 60 mm)
- reinforcement for door closer (third hinge is required)
- stainless steel porthole
- hook lock with side pull handles (sliding doors) oblong pull handle for sliding doors
- caps for standard hinges
- frosted tempered glass model M
- frosted tempered glass model D
- frosted tempered glass model L
- · handle with an escutcheon

LONDON, VIENNA



VIENNA B, White



VIENNA P, White





VIENNA P



VIENNA O




VIENNA B

LONDON B



LONDON C

VIENNA C





Standard paint ★★★☆☆☆

White



LONDON, VIENNA wood grains

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Stabilising infill skinned with embossed HDF.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- Two or three standard barrel hinges or PRIME hinges (optionally, at extra charge)
- Lock: key lock, WC lock, or cylinder lock
- 'Chinchilla' glass
- Round pull handle (for sliding doors)

DOOR FRAMES

Recommended rebated door frames:

- Porta SYSTEM in Portadecor veneer see p. 174
- MINIMAX in Portadecor veneer see p. 172
- STEEL see p. 186-191

NOTES

- Norm PN EN 14351-2:2018-12.
- Double doors are available in any door leaf size combinations.
- We recommend handle and escutcheon, Royal' see p.195
- · Magnetic lock is not available for a double door.
- · Reinforcement for door closer requires third hinge
- Due to various materials use, there might be a slight colour difference between doornleaf and a glazing bead/muntin.
- PRIME hinges packed with a door frame

EXTRA CHARGES

- ventilation sleeves or ventilation undercut
- preparation for shortening (maximum 60 mm)
- magnetic lock with stainless steel faceplate
- PRIME hinges (applies to dedicated door frames)
- PRIME lock with glossy faceplate (silver or gold)
- preparation for shortening (maximum 60 mm)
- reinforcement for door closer (third hinge is required)
- hook lock with side pull handles (sliding doors)
- oblong pull handle for sliding doors
- caps for standard hinges
- handle with an escutcheon

Porta ROYAL Premium, **Porta SKANDIA Premium**



Porta ROYAL Premium A, White



Porta ROYAL Premium A, White







Premium paint ★★★★☆☆

White



perfectly smooth surface



relief, model R.0

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Stabilising infill or chipboard core (extra charge) skinned with embossed HDF.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- · Rebated doors: two or three standard barrel hinges or PRIME hinges (optionally at
- extra charge); non-rebated: two 3D hinges Lock: key lock, WC lock, or cylinder lock
- Round pull handle (for sliding doors)

DOOR FRAMES

Recommended rebated door frames:

- Porta SYSTEM in Premium veneer see p. 174
- MINIMAX in Premium veneer see p. 172
- STEEL see p. 186-191

Recommended non-rebated door frames:

- Porta SYSTEM ELEGANCE finished with Premium veneer see p. 176
- Porta SYSTEM ELEGANCE 90 degrees finished with Premium veneer see p. 176
- LEVEL finished with Premium veneer see p. 180

NOTES

- Norm PN EN 14351-2:2018-12.
- · Double doors are available in any door leaf size combinations.
- We recommend handle and escutcheon, Royal' see p.195
- · Magnetic lock is not available for a double door
- Reinforcement for door closer requires third hinge
- PRIME hinges or 3D hinges packed witha a door frame

EXTRA CHARGES

- · ventilation sleeves or ventilation undercut
- chipboard core Royal
- · hollow chipboard core Skandia
- automatic threshold seal
- preparation for shortening (maximum 60 mm)
- · magnetic lock with stainless steel faceplate
- magnetic lock: white, black (for non-rebated door leaves)
- OFFER PRIME set
- gold 3D hinges (extra charge added to door frame price)
- third 3D hinge silver (extra charge added to door frame price)
 third 3D hinge gold (extra charge added to door frame price)
 reinforcement for door closer (third hinge is required)
- hook lock with side pull handles (sliding doors)
- · oblong pull handle for sliding doors
- caps for standard hinges
- · handle with an escutcheon

REVERSED REBATE

Porta VECTOR, FORM Premium



Porta VECTOR Premium E, White




Porta VECTOR Premium V, White

18





VECTOR W



UV acrylic paint is highly resistant to:

Guarantee of colour permanence for years. For the door leaf we recommend door

- dirt (coffee, alcohol, grease)

frame in UV acrylic paint.

Premium paint ★★★★☆☆



UV acrylic paint ★★★★★☆



Give free rein to your imagination! Do you have your own door concept? You can order any milling with Porta CONTRACT, details regarding bespoke orders, see page 230.



NOTE

- abrasion - scratches - impacts.

See Porta VECTOR collection: www.porta.com.pl/dm/portavector.wmv





decorative milling close up

automatic threshold seal

NOTE

If you're looking for a glazed door that matches this collection, check Porta FOCUS Premium see p. 20

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Honeycomb or hollow chipboard core reinforced with rails and stiles (at an extra charge). The construction is skinned with HDF.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- · Rebated doors: two or three standard barrel hinges, or PRIME hinges; non-rebated: two 3D hinges
- · Lock: key lock, WC lock, or cylinder lock
- · Round pull handle (for sliding doors)

DOOR FRAMES

Recommended rebated door frames:

- Porta System finished with Premium veneer or UV acrylic paint, see p. 174
- MINIMAX finished with Premium veneer or UV acrylic paint, see p. 172 Recommended non-rebated door frames:
- Porta SYSTEM ELEGANCE finished with Premium veneer or UV acrylic paint see p. 176 · Porta SYSTEM ELEGANCE 90 degrees finished with Premium veneer or UV acrylic paint see p. 176
- LEVEL finished with Premium veneer or UV acrylic paint see p. 180
- Recommended door frames with reversed rebate:
- · Porta SYSTEM with reversed rebate finished with Premium veneer or UV acrylic paint see p. 176

NOTES

- Norm PN FN 14351-2.2018-12
- Height, 220': available models A, B, C, E, T, U, V; core hollow chipboard, 3 hinges as standard
- Double doors are available in any door leaf size combinations. Passive door leaves (side panels) in sizes '30', '40', '50' available only in solid option (without decorative applications)

- · Magnetic lock is not available for a double door
- · Reinforcement for door closer requires third hinge
 - Size '100' requires third hinge
 - · PRIME or 3D hinges packed with a door frame

EXTRA CHARGES

- · reversed rebate extra charge added to door leaf price
- reversed rebate third 3D hinge, silver, white, black (extra charge added to door frame price)
- size '100'
- hollow chipboard core
- chipboard core
- height 220
- ventilation sleeves or ventilation undercut
- preparation for shortening (maximum 60 mm)
- automatic threshold seal
- OFFER prime set
- gold 3D hinges (extra charge added to door frame price)
- third 3D hinge silver, white, black (extra charge added to door frame price)
- third 3D hinge gold (extra charge added to door frame price)
- magnetic lock with stainless steel faceplate
- magnetic lock: white, black, for non-rebated door leaves
- reinforcement for a door closer (third hinge is required)
- hook lock with side pull handles (sliding doors)
- oblong pull handle for sliding doors caps for standard hinges
- · handle with an escutcheon

Porta FOCUS Premium




Porta FOCUS Premium 4.A, White



Porta FOCUS Premium 4.A, White









Premium paint ***

White

UV acrylic paint ★★★★★☆

White

NOTE

- UV acrylic paint is highly resistant to: dirt (coffee, alcohol, grease)
- abrasion - scratches
- impacts

Guarantee of colour permanence for years. For the door leaf we recommend door frame in UV acrylic paint.



glass - door panel joint non-rebated door



glass - door panel joint rebated door

NOTE

If you're looking for a flush door that matches this collection, check Porta VÉCTOR Premium see p. 18

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Honeycomb or hollow chipboard core reinforced with rails and stiles (at an extra charge). The construction is skinned with HDF. Glazed models come with 8 mm thick, frosted tempered glass, which is an element of the construction

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- · Rebated doors: two or three standard barrel hinges or PRIME hinges; non-rebated: two 3D hinges
- Three hinges for size '100'
- Lock: key lock, WC lock, or cylinder lock
- 8 mm thick, frosted, tempered glass
- Round pull handle (for sliding doors)

DOOR FRAMES

Recommended rebated door frames:

- Porta System finished with Premium veneer or UV acrylic paint see p. 174
- MINIMÁX finished with Premium veneer or UV acrylic paint see p. 172
- Recommended non-rebated door frames:
- Porta SYSTEM ELEGANCE finished with Premium veneer or UV acrylic paint see p. 176 · Porta SYSTEM ELEGANCE 90 degrees finished with Premium veneer or UV acrylic paint see p. 176
- LEVEL finished with Premium veneer or UV acrylic paint see p. 180
- Recommended door frames with reversed rebate:
- · Porta SYSTEM with reversed rebate finished with Premium veneer or UV acrylic paint see p. 176

NOTES

- Norm PN EN 14351-2:2018-12.
- · Double doors are available in any door leaf size combinations.

- For non-rebated double door, , active' and , passive' door leaves must be ordered 4.B, and 4.D models are available only with hollow chipboard core, free of extra charge
- Models 4.D, 4.E are not available for double-leaf door option
- Fixed size of glass, model 4.A
- · Magnetic lock is not available for a double door · Ventilation undercut in glazed models is available only for Polish Norm and it is not available for reversed rebate optoion
- Size '100' requires third hinge
- PRIME or 3D hinges packed with a door frame

EXTRA CHARGES

- size '100'
- black glazing model 4.A
- · reversed rebate extra charge added to door leaf price
- · reversed rebate third 3D hinge, silver, white, black (extra charge added to door
- frame price)
- inversed glazing
- · hollow chipboard core
- ventilation undercut
- preparation for shortening group 5 models (maximum 60 mm)
- OFFER prime set
- gold 3D hinges (extra charge added to door frame price)
- third 3D hinge silver, white, black (extra charge added to door frame price)
- third 3D hinge gold (extra charge added to door frame price)
- · magnetic lock with stainless steel faceplate
- magnetic lock: white, black for non-rebated door leaves
- · hook lock with side pull handles (sliding doors)
- · oblong pull handle for sliding doors
- caps for standard hinges (set for 1 PCs) handle with an escutcheon

REVERSED REBATE

Porta DESIRE UV



Porta DESIRE 2, White







model 3 black decorative inlays



model 4 black decorative inlays



model 4 silver decorative inlays

Porta DESIRE 3, White with a black decorative door inlay



UNDER UV LAMP / INNOVATIVE TECHNOLOGY

UV acrylic paint ★★★★★☆

White

NOTE -

- UV acrylic paint is highly resistant to:
- dirt (coffee, alcohol, grease)
- abrasion - scratches

NEW

Black decorative inlay, model 3. Silver decorative inlays are also

available

- impacts

Guarantee of colour permanence for years. For the door leaf we recommend door frame in UV acrylic paint.



decorative milling model 2



golden decorative inlay, model 3

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Honeycomb or hollow chipboard core reinforced with glued wood rails and stiles (at extra charge). The construction is skinned with HDF

Satin look, smooth surface is achieved thanks to UV painting technology. Model 3 and 4 with decorative door inlays (inlays colours: silver, gold or black).

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- Rebated doors: three standard barrel hinges or PRIME hinges; non-rebated: two 3D hinges
- · Lock with silver or golden glossy plate: key lock, WC lock, or cylinder lock
- Preparation for shortening (maximum 60 mm)

DOOR FRAMES

Recommended rebated door frames:

- · Porta System finished with Premium veneer or UV acrylic paint, see p. 174
- · MINIMAX finished with Premium veneer or UV acrylic paint, see p. 172

Recommended non-rebated door frames:

· Porta SYSTEM ELEGANCE finished with Premium veneer or UV acrylic paint see p. 176 Porta SYSTEM ELEGANCE 90 degrees finished with Premium veneer or UV acrylic paint see p. 176

LEVEL finished with Premium veneer or UV acrylic paint see p. 180

- Recommended door frames with reversed rebate:
- · Porta SYSTEM with reversed rebate finished with Premium veneer or UV acrylic paint see p. 176

NOTES

- Norm PN EN 14351-2:2018-12.
- Height, 220': core hollow chipboard; 3 hinges as a standard · Double doors are available in any door leaf size combinations.
- · Magnetic lock is not available for a double door
- Size,100' requires third hinge
 PRIME or 3D hinges packed with a door frame.

EXTRA CHARGES

• size '100'

- reversed rebate third 3D hinge, silver, white, black (extra charge added to door frame price)
- · automatic threshold seal
- height 220
- ventilation undercut
- preparation for shortening group 5 models (maximum 60 mm)
- gold 3D hinges (extra charge added to door frame price)
 third 3D hinge silver (extra charge added to door frame price)
 third 3D hinge gold (extra charge added to door frame price)
 magnetic lock with stainless steel faceplate

- magnetic lock: white, black for non-rebated door leaves
- · hook lock with side pull handles (sliding doors)
- · oblong pull handle for sliding doors
- · chipboard core instead of hollow chipboard core (height 220)
- · handle with an escutcheon



REVERSED REBATE

Porta GRANDE UV



WE RECOMMEND

Frame and panel construction of Grande collection and new UV painting technology guarantee long-lasting durability.

Porta GRANDE G.4, White



model G.0



model G.4

model A.1



model A.0



model A.1 with a mirror









Porta GRANDE G.4, White

24

model B.0


model B.3


model D.0

model C.0

from this collection on a website









/ DOOR LEAF SURFACE HARDENED

UNDER UV LAMP / INNOVATIVE TECHNOLOGY

glazing of G.4 model - glass panel recessed in comparison to the surface of a door panel



Decorative slat made of solid oak flush with the surface of door leaf panel, horizontal graining



flush panel



Model G.0 - decorative slat (Portaperfect finish or Natural Oak) is recessed in comparison to the surface of a door leaf panel. Vertical graining is optional at extra charge



DOOR LEAF CONSTRUCTION

Satin look, smooth surface is achieved thanks to UV painting technology.

It is possible to produce model A.1 with a mirror on one or on both sides. If the mirror is only on one side, there is a solid board on another side.

There is a possibility to choose decorative slats made of solid oak, which are flush with the surface of door leaf panels (model F). Another option are slats in synthetic or natural veneer or brushed aluminium which are recessed in comparison to the surface of door leaf panels (model G).

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- Rebated doors: three standard barrel hinges or PRIME hinges; non-rebated: two 3D hinges
- · Lock with silver or glossy gold plate: key lock, WC lock, or cylinder lock
- Frosted, tempered glass
- Round pull handle (for sliding doors)
- Preparation for shortening (maximum 60 mm)

DOOR FRAMES

- Recommended rebated door frames:
- Porta System finished with UV acrylic paint, see p. 174
- MINIMAX finished with UV acrylic paint, see p. 172

Recommended non-rebated door frames:

- Porta SYSTEM ELEGANCE finished with Premium veneer or UV acrylic paint, see p. 176 · Porta SYSTEM ELEGANCE 90 degrees finished with Premium veneer or UV acrylic paint, see p. 176
- LEVEL finished with Premium veneer or UV acrylic paint, see p. 180
- Recommended door frames with reversed rebate:
- · Porta SYSTEM with reversed rebate finished with Premium veneer or UV acrylic paint, see p. 176



Model G.0 - decorative slat (brushed aluminium) is recessed in comparison to the surface of a door leaf panel. Vertical graining is optional at extra charge.

NOTES

- Norm PN EN 14351-2:2018-12.
- · Double doors are available in any door leaf size combinations.
- Magnetic lock is not available for a double door
- Size,100' requires third hinge
- · PRIME or 3D hinges packed with a door frame

EXTRA CHARGES

- decorative slat in Portaperfect finish model G (white leaf)
- decorative slat brushed aluminium model G (white leaf)
- decorative slat in natural veneer model G (white leaf)
- size '100'
- ventilation undercut
- gold 3D hinges (extra charge added to door frame price)
- third 3D hinge silver, white, black (extra charge added to door frame price)
- · third 3D hinge gold (extra charge added to door frame price)
- magnetic lock with stainless steel faceplate
 magnetic lock: white, black (for non-rebated doors)
- mirror on one side
- mirror on both sides
- reversed rebate third 3D hinge, silver, white, black (extra charge added to door frame price)
- hook lock with side pull handles (sliding doors) oblong pull handle for sliding doors
- handle with an escutcheon

Porta DUO



- WE RECOMMEND

Combination of white colour with a vertical panel in natural or ligniform veneer is a timeless and glamorous interior arrangement. It's suitable for homes and public areas, regardless of their style.

Porta DUO 4.0, White UV paint with Natural Oak









model 4.A with a glass panel

Porta DUO 4.0, White UV paint with Natural Oak







glass-panel joint



panels joint

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

The door leaf consists of: a wide, painted panel and a narrow stile covered with natural or synthetic veneer. For a glazed model we use 8 mm thick, frosted, tempered glass which is a construction element of the door leaf. Painted white part has a satin smooth surface which is achieved thanks to UV painting technology. Natural veneer is protected with ecological water varnishes, hardened under UV lamp (semi-matt effect).

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- Two 3D hinges
- · Lock with silver or glossy gold faceplate: key lock, WC lock, or cylinder lock
- Preparation for shortening, model 4.0 maximum 60 mm
- 8 mm, frosted, tempered glass

DOOR FRAMES

- Porta SYSTEM ELEGANCE finished with Premium veneer or UV acrylic paint see p. 176 Porta SYSTEM ELEGANCE 90 degrees finished with Premium veneer or UV acrylic paint see p. 176
- · LEVEL finished with Premium veneer or UV acrylic paint see p. 180

NOTES

- Norm PN EN 14351-2:2018-12.
- Double doors are available in any door leaf size combinations.
- For a double door, active and 'passive' door leaves must be ordered
 Magnetic lock is not available for a double door
- Black glazing is available for model 4.A (at extra charge)
- Fixed size of glass, model 4.A
- · Ventilation undercut in glazed models is available only for Polish Norm
- Size '100' requires third hinge • PRIME or 3D hinges - packed with a door frame

EXTRA CHARGES

- black glazing model 4.A size '100'
- ventilation undercut
- gold 3D hinges (extra charge added to door frame price)
 third 3D hinge silver, white, black (extra charge added to door frame price)
- third 3D hinge gold (extra charge added to door frame price)
- magnetic lock with stainless steel faceplate
- · handle with an escutcheon

Porta HIDE



Porta HIDE, 1.1





model 1.1

Porta HIDE, 1.1, White




Premium paint ★★★★☆☆


White

Primer paint for self painting and wallpapering

White



Non-rebated door leaf (outwards outwords) - right door



Reversed rebate (opening inwards) - left door

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Non-rebated door leaf (opening outwards) or door leaf with reversed rebate (opening inwards). Honeycomb or hollow core (at extra charge) reinforced with rails and stiles. The construction is skinned with HDF.

- Available two types of finish: Prime finish ready for painting or wallpapering
- White Premium Paint finish

DOOR FRAMES

Hidden aluminium door frame, ready for painting with wall paint. It's dedicated for 40 mm thick, wooden door leaves.

Can be assembled on concrete wall or plasterboard wall. Dimensions see page 214, Table 8.

DOORS INCLUDE

- Door leaf • Two 3D hinges
- Three 3D hinges for hollow core
- Magnetic lock: key lock, WC lock or cylinder lock
 Hidden aluminium door frame
- Preparation for shortening is available for hollow chipboard core, maximum 60 mm

NOTES

- Technical Assessment AT-15-6515/2016, ITB Warsaw. door leaf
- Technical Assessment ITB-KOT-2019/1076 edition 1- door frame
- Dedicated 3D hinge
- · Automatic threshold seal is available for a door leaf with hollow chipboard core

EXTRA CHARGES

- ventilation undercutautomatic threshold seal hollow core
- · handle with an escutcheon



Porta Verte HOME, group B



Porta Verte HOME B.5, Wenge White



Porta Verte HOME B.0, Wenge White






model B.5

Check more models from this collection on a website









model B.0 - slim panel



model B.5 - dedicated frosted glass panel with transparent stripes

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Door leaves contain rails, slim panels and 4 mm thick, frosted, tempered glass. Combination of those depends on a model.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- Lock key lock, WC lock, cylinder lock, handle only
- Rebated doors: three standard barrel hinges or PRIME hinges (at extra charge); non-rebated: two 3D hinges
- Frosted tempered glass
- Preparation for shortening (maximum 30 mm)
- Round pull handle (for sliding doors)

DOOR FRAMES

Recommended rebated door frames:

- Porta SYSTEM see p. 174
- MINIMAX see p. 172
- STEEL see p. 186-191
- Recommended non-rebated door frames: Porta SYSTEM ELEGANCE see p. 176
- Porta SYSTEM ELEGANCE 90 degrees, finished with Premium veneer see p. 176 • LEVEL see p. 180

NOTES

- Norm PN EN 14351-2:2018-12.
- Double doors are available in any door leaf size combinations.
- For a non-rebated double door, active' and , passive' door leaves must be ordered Magnetic lock is not available for a double door
- Size,100' requires third hinge
- · PRIME or 3D hinges packed with a door frame

EXTRA CHARGES

- size '100'
- · ventilation undercut or ventilation sleeves
- PRIME hinges (for dedicated door frames)
- PRIME lock with glossy faceplate (silver or gold)
- gold 3D hinges (extra charge added to a door frame price)
- third 3D hinge silver, white, black (extra charge added to a door frame price)
- third 3D hinge gold (extra charge added to a door frame price)
- magnetic lock with stainless steel faceplate
 magnetic lock: white, black (for non-rebated doors)
- hook lock with side pull handles (sliding doors)
 oblong pull handle for sliding doors
- caps for standard hinges
- · handle with an escutcheon





Porta Verte HOME, group C



Porta Verte HOME C.5, Scarlet Oak



Porta Verte HOME C.5, Scarlet Oak

32





model C.2





model C.3

model C.0

decorative inlays



model C.4



model C.5





decorative inlays







AVAILABLE FINISHES Portadecor veneer ★★★☆☆☆ Portaperfect 3D veneer **** Whitened Walnut andinavia Beech Classic Oak Scandinavian Southerr Oak White lavan Oak Grey Oak Portasynchro 3D veneer ★ 🛧 🕁 🕁 🕁 Matt Oak Wenge White Silvo Scarlet Oak Dark Oak Norwegian Pine Hone Acacia Portalamino **** Premium veneer ★★★★☆☆ English Oak Hamilton ilvery Oak White





decorative inlays - aluminium colour

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Door leaves contain rails, slim panels and 4 mm thick, frosted, tempered glass. Combination of those depends on a model.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- Lock: key lock, WC lock, cylinder lock, handle only
 Rebated doors: three standard barrel hinges or PRIME hinges (at extra charge); non-rebated: two 3D hinges
- Frosted tempered glass
 Preparation for shortening (maximum 30 mm)
- Round pull handle (for sliding doors)

DOOR FRAMES

Recommended rebated door frames:

- Porta SYSTEM see p. 174
- MINIMAX see p. 172 • STEEL see p. 186-191
- Recommended non-rebated door frames:
- Porta SYSTEM ELEGANCE see p. 176
- Porta SYSTEM ELEGANCE 90 degrees, finished with Premium veneer see p. 176 • LEVEL see p. 180

NOTES

- Norm PN EN 14351-2:2018-12.
- · Double doors are available in any door leaf size combinations.
- For a double non-rebated door, active' and passive' door leaves must be ordered. · Magnetic lock is not available for a double door
- · Size,100' requires third hinge
- PRIME or 3D hinges packed with a door frame

EXTRA CHARGES

• size '100'

- ventilation undercut or ventilation sleeves
- PRIME hinges (for dedicated door frames)
- PRIME lock with glossy faceplate (silver or gold)
- gold 3D hinges (extra charge added to a door frame price)
- third 3D hinge silver, white, black (extra charge added to a door frame price)
- third 3D hinge gold (extra charge added to a door frame price) • magnetic lock with stainless steel faceplate
- magnetic lock: white, black (for non-rebated doors)
- · hook lock with side pull handles (sliding doors)
- oblong pull handle for sliding doors
- · caps for standard hinges
- · handle with an escutcheon



Porta Verte HOME, group D



Porta Verte HOME D.7, Scandinavian Oak



Porta Verte HOME D.7, Scandinavian Oak

34









model D.2



model D.4

model D.5

model D.6



model D.7



model D.0 decorative inlays

model D.7 decorative inlays







AVAILABLE FINISHES Portadecor veneer ★★★☆☆☆ Portaperfect 3D veneer **** ndinavia Beech Whitened Walnut Classic Oak Scandinavian Souther Oak White lavan Oak Grey Oak Portasynchro 3D veneer ★ 🛧 🕁 🕁 🕁 Matt Oak Wenge White Silvo Scarlet Oak Dark Oak Norwegiar Pine Hone Acacia Portalamino ★★★★☆☆ Premium veneer ★★★★☆☆ English Oak Hamilton ilvery Oak White





decorative inlays - aluminium colour

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Door leaves contain rails, slim panels and 4 mm thick, frosted, tempered glass. Combination of those depends on a model.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- Lock key lock, WC lock, cylinder lock, handle only
 Rebated doors: three standard barrel hinges or PRIME hinges (at extra charge); non-rebated: two 3D hinges
- Frosted tempered glassPreparation for shortening (maximum 30 mm)
- Round pull handle (for sliding doors)

DOOR FRAMES

Recommended rebated door frames:

- Porta SYSTEM see p. 174
- MINIMAX see p. 172 • STEEL see p. 186-191
- Recommended non-rebated door frames:
- Porta SYSTEM ELEGANCE see p. 176
- Porta SYSTEM ELEGANCE 90 degrees, finished with Premium veneer see p. 176

• LEVEL see p. 180

NOTES

- Norm PN EN 14351-2:2018-12.
- · Double doors are available in any door leaf size combinations.
- For a double non-rebated door, active' and passive' door leaves must be ordered. · Magnetic lock is not available for a double door
- · Size,100' requires third hinge
- PRIME or 3D hinges packed with a door frame

EXTRA CHARGES

• size '100'

- ventilation undercut or ventilation sleeves
- PRIME hinges (for dedicated door frames)
- PRIME lock with glossy faceplate (silver or gold)
- gold 3D hinges (extra charge added to a door frame price)
- third 3D hinge silver, white, black (extra charge added to a door frame price)
- third 3D hinge gold (extra charge added to a door frame price)
- magnetic lock with stainless steel faceplate
- magnetic lock: white, black (for non-rebated doors)
- · hook lock with side pull handles (sliding doors)
- · oblong pull handle for sliding doors
- · caps for standard hinges · handle with an escutcheon

Porta Verte HOME, group E



Porta Verte HOME E.0 i E.0 with a blackboard, Norwegian Pine



Porta Verte HOME E.0, Norwegian Pine



model E.5



model E.0 blackboard



Portadeco	r veneer 🗯	* * ☆☆☆			
Whitened Walnut	Walnut Verona 2	White	Catania Oak	NEW Grey	
Portasync	hro 3D ven	eer ★★★☆	r☆☆		BANKINGSON
Honey Acacia	Silver Acacia	Scarlet Oak	Dark Oak	Wenge White	Norwegi Pine
Portaperfe	ect 3D vene	er ***	₽ ₩		
Havana Oak	California Oak	Scandinavian Oak	Scandinavian Beech	Classic Oak	
Siberian Oak	Natural Oak	Southern Oak	NEW Matt Oak		-



an option with a magnetic blackboard for drawing with chalk markers (this option is available for E.0 model for one side, rebated version only)



glazing, model E.5

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Door leaves contain rails, slim panels and 4 mm thick, frosted, tempered glass. Combination of those depends on a model.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- Lock: key lock, WC lock, cylinder lock, handle only
 Rebated doors: three standard barrel hinges or PRIME hinges (at extra charge); non-rebated: two 3D hinges
- Frosted tempered glass
- Preparation for shortening (maximum 30 mm)
- · Round pull handle (for sliding doors)

DOOR FRAMES

Recommended rebated door frames:

- Porta SYSTEM see p. 174
- MINIMAX see p. 172 STEEL see p. 186-191

Recommended non-rebated door frames:

- Porta SYSTEM ELEGANCE see p. 176
- LEVEL see p. 180

NOTES

- Norm PN EN 14351-2:2018-12.
- · Double doors are available in any door leaf size combinations.
- For a double non-rebated door, active' and , passive' door leaves must be ordered
- Magnetic lock is not available for a double door
- Size,100' requires third hinge
- Model E.0 with the blackboard is not available in size '100' PRIME or 3D hinges - packed with a door frame

EXTRA CHARGES

- size '100'
- ventilation undercut or ventilation sleeves
- PRIME hinges (for dedicated door frames)
- RIME lock with glossy faceplate (silver or gold)
- gold 3D hinges (extra charge added to a door frame price)
- third 3D hinge silver, white, black (extra charge added to a door frame price)
- third 3D hinge gold (extra charge added to a door frame price)
- magnetic lock with stainless steel faceplate
 magnetic lock with stainless steel faceplate
 magnetic lock: white, black (for non-rebated doors)
 hook lock with side pull handles (sliding doors)
 oblong pull handle for sliding doors
 caps for standard hinges

- · handle with an escutcheon



Porta Verte HOME, group G



Porta Verte HOME G.4, Portadecor veneer, White



Porta Verte HOME G.4, White





model G.3



model G.4

-	 1.10
	-
	-
-	-
-	
	1

model G.0 decorative inlays model G.4 decorative inlays Check more models from this collection on a website





AVAILABLE FINISHES OF DECORATIVE SLATS

Portaperfect 3D veneer ★★★★☆☆



Brushed aluminium





AVAILABLE FINISHES

Portadecor veneer ★★★☆☆☆

Portasynchro 3D veneer ★★★☆☆☆

Portaperfect 3D veneer ****

Silvo

Acacia

Natur Oak

Havana Oak

White

Scarlet Oak

Scandinavian

Beech

Matt Oak

Dark Oak

Scandinavian

Oak

Grey

Wenge White

Classic Oak

Norwegian Pine

Whitened Walnut

outhe Oak

glazing, model G.4



- aluminium colour



Model G.0 - decorative slat (Portaperfect finish) is recessed in comparison to the surface of a door leaf panel. Vertical graining is optional at extra charge.



Model G.0 - decorative slat (brushed aluminium) is recessed in comparison to the surface of a door leaf panel. Vertical graining is optional at extra charge.

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Door leaves contain rails, slim panels and 4 mm thick, frosted, tempered glass. Combination of those depends on a model.

For models in white finishes you can choose decorative slats in two options: Portaperfect veneer or brushed aluminium (at an extra charge)

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- · Lock: key lock, WC lock, cylinder lock, handle only
- Rebated doors: three standard barrel hinges or PRIME hinges (at extra charge); non-rebated: two 3D hinges
- Frosted tempered glass
- Preparation for shortening (maximum 30 mm)
- · Round pull handle (for sliding doors)

DOOR FRAMES

Recommended rebated door frames:

- Porta SYSTEM see p. 174
- MINIMAX see p. 172
- STEEL see p. 186-191
- Recommended non-rebated door frames:
- Porta SYSTEM ELEGANCE see p. 176
- LEVEL see p. 180

NOTES

- Norm PN EN 14351-2:2018-12.
- · Double doors are available in any door leaf size combinations. For a double non-rebated door, active' and, passive' door leaves must be ordered. · Magnetic lock is not available for a double door
- Size,100' requires third hinge
 PRIME or 3D hinges packed with a door frame

EXTRA CHARGES

- decorative slat Portaperfect finish (white door leaf)
- · decorative slat, brushed aluminium (white door leaf)
- size '100'
- ventilation undercut or ventilation sleeves
- PRIME hinges (for dedicated door frames)
- PRIME lock with glossy faceplate (silver or gold)
- gold 3D hinges (extra charge added to a door frame price)
- third 3D hinge silver, white, black (extra charge added to a door frame price)
 third 3D hinge gold (extra charge added to a door frame price)
- magnetic lock with stainless steel faceplate
- magnetic lock: white, black (for non-rebated doors)
- · hook lock with side pull handles (sliding doors)
- oblong pull handle for sliding doors
- caps for standard hinges
- · handle with an escutcheon



Porta Verte HOME, group H



Porta Verte HOME H.5, Natural Oak



model H.0 model H.1









Porta Verte HOME H.5, Natural Oak



AVAILABLE FINISHES OF DECORATIVE SLATS

Portaperfect 3D veneer ★★★★☆☆



Brushed aluminium





AVAILABLE FINISHES

Portadecor veneer ★★★☆☆☆

Portasynchro 3D veneer ★ 🛧 🕁 🕁 🕁

Portaperfect 3D veneer ****

Silvo

Acacia

Natur Oak

Havana Oak

White

Scarlet Oak

Scandinavian

Beech

Matt Oak

Dark Oak

Scandinavian

Oak

Whitened Walnut

uthe Oak

model H.0 - slim panel



Grey

Wenge White

Classic Oak

Norwegiar Pine



Model H.0 - decorative slat (Portaperfect finish) is recessed in comparison to the surface of a door leaf panel. Vertical graining is optional at extra charge.



Model H.0 - decorative slat (brushed aluminium) is recessed in comparison to the surface of a door leaf panel. Vertical graining is optional at extra charge.

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Door leaves contain rails, slim panels and 4 mm thick, frosted, tempered glass. Combination of those depends on a model.

For models in white finishes you can choose decorative slats in two options: Portaperfect veneer or brushed aluminium (at extra charge).

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- Lock: key lock, WC lock, cylinder lock, handle only
- · Rebated doors: three standard barrel hinges or PRIME hinges (at extra charge); non-rebated: two 3D hinges
- Frosted tempered glass
- Preparation for shortening (maximum 30 mm)
- · Round pull handle (for sliding doors)

DOOR FRAMES

Recommended rebated door frames:

- Porta SYSTEM see p. 174
- MINIMAX see p. 172
- STEEL see p. 186-191
- Recommended non-rebated door frames:
- Porta SYSTEM ELEGANCE see p. 176
- LEVEL see p. 180

NOTES

- Norm PN EN 14351-2:2018-12.
- Double doors are available in any door leaf size combinations.
- For a double non-rebated door, active and passive door leaves must be ordered Magnetic lock is not available for a double door
- · Size,100' requires third hinge
- PRIME or 3D hinges packed with a door frame

EXTRA CHARGES

- decorative slat Portaperfect finish (white door leaf)
- · decorative slat, brushed aluminium (white door leaf)
- size '100'
- · ventilation undercut or ventilation sleeves
- PRIME hinges (for dedicated door frames)
- PRIME lock with glossy faceplate (silver or gold)
- gold 3D hinges (extra charge added to a door frame price)
 third 3D hinge silver, white, black (extra charge added to a door frame price)
- third 3D hinge gold (extra charge added to a door frame price)
- magnetic lock with stainless steel faceplate
- · magnetic lock: white, black (for non-rebated doors)
- hook lock with side pull handles (sliding doors)
- · oblong pull handle for sliding doors
- caps for standard hinges
- · handle with an escutcheon



Porta Verte HOME, group J



Porta Verte HOME J.6, White



model J.0 model J.1

model J.2





model J.6

Porta Verte HOME J.6, White



AVAILABLE FINISHES OF DECORATIVE SLATS

Portaperfect 3D veneer ★★★★☆☆



Brushed aluminium





AVAILABLE FINISHES

Portadecor veneer ★★★☆☆☆

Portasynchro 3D veneer ★ 🛧 🕁 🕁 🕁

Portaperfect 3D veneer ****

Silvo

Acacia

Natur Oak

Havana Oak

White

Scarlet Oak

Scandinavian

Beech

Matt Oak

Dark Oak

Scandinavian

Oak

Whitened Walnut

uthe Oak

model J.6 - slim panel



Grey

Wenge White

Classic Oak

Norwegian Pine



Model J.0 - decorative slat (Portaperfect finish) is recessed in comparison to the surface of a door leaf panel. Vertical graining is optional at extra charge.



Model J.0 - decorative slat (brushed aluminium) is recessed in comparison to the surface of a door leaf panel. Vertical graining is optional at extra charge.

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Door leaves contain rails, slim panels and 4 mm thick, frosted, tempered glass. Combination of those depends on a model.

For models in white finishes you can choose decorative slats in two options: Portaperfect veneer or brushed aluminium (at extra charge).

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- Lock: key lock, WC lock, cylinder lock, handle only
- Rebated doors: three standard barrel hinges or PRIME hinges (at extra charge); non-rebated: two 3D hinge
- Frosted tempered glass
- Preparation for shortening (maximum 30 mm)
- Round pull handle (for sliding doors)

DOOR FRAMES

Recommended rebated door frames:

- Porta SYSTEM see p. 174
- MINIMAX see p. 172
- STEEL see p. 186-191
- Recommended non-rebated door frames:
- Porta SYSTEM ELEGANCE see p. 176
- LEVEL see p. 180

NOTES

- Norm PN EN 14351-2:2018-12.
- · Double doors are available in any door leaf size combinations. For a double non-rebated door, active' and , passive' door leaves must be ordered.
- · Magnetic lock is not available for a double door
- Size,100' requires third hinge
- · PRIME or 3D hinges packed with a door frame

EXTRA CHARGES

- decorative slat Portaperfect finish (white door leaf)
- decorative slat, brushed aluminium (white door leaf)
- size '100'
- ventilation undercut or ventilation sleeves
- · PRIME hinges (for dedicated door frames)
- · PRIME lock with glossy faceplate (silver or gold)
- gold 3D hinges (extra charge added to a door frame price)
- third 3D hinge silver, white, black (extra charge added to a door frame price)
- third 3D hinge gold (extra charge added to a door frame price)
- magnetic lock with stainless steel faceplate
- magnetic lock: white, black (for non-rebated doors)
- hook lock with side pull handles (sliding doors)
 oblong pull handle for sliding doors
- caps for standard hinges
- handle with an escutcheon

(see p. 196) Ρ 43

Porta Verte HOME, group L and N



Porta Verte HOME N.3, Silver Acacia



Porta Verte HOME L.4, Silver acacia

44





model L.2



model L.3





model N.2



r



Portadecor veneer ★★☆☆☆							
Whitened Walnut	Walnut Verona 2	White	Catania Oak	NEW Grey			
Portasynchro 3D veneer ★★★☆☆☆							
Honey Acacia	Silver Acacia	Scarlet Oak	Dark Oak	Wenge White	Norwegian Pine		
Portaperfect 3D veneer ★★★★☆☆							
Siberian	Natural	Scandinavian	Scandinavian	Classic	Southern	NEV Matt	
Oak	Oak	Beech	Oak	Oak	Oak	Oak	



model L.0 - slim panel



model L.4 - glazing



model N.0 - slim panel



Porta Verte HOME

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Door leaves contain rails, slim panels and 4 mm thick, frosted, tempered glass. Combination of those depends on a model.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- Lock: key lock, WC lock, cylinder lock, handle only
- Rebated doors: three standard barrel hinges or PRIME hinges (at extra charge); non-rebated: two 3D hinges
- Frosted tempered glass
- Preparation for shortening (maximum 30 mm)
- Round pull handle (for sliding doors)

DOOR FRAMES

Recommended rebated door frames:

- Porta SYSTEM see p. 174
- MINIMAX see p. 172 •
- STEEL see p. 188-191
- Recommended non-rebated door frames:
- Porta SYSTEM ELEGANCE see p. 176
- LEVEL see p. 180

NOTES

- Norm PN EN 14351-2:2018-12.
- Double doors are available in any door leaf size combinations.
- For a double non-rebated door, active' and, passive' door leaves must be ordered. Magnetic lock is not available for a double door
- Size,100' requires third hinge · PRIME or 3D hinges - packed with a door frame

EXTRA CHARGES

- size '100'
- · ventilation undercut or ventilation sleeves
- PRIME hinges (for dedicated door frames)
- PRIME lock with glossy faceplate (silver or gold)
- gold 3D hinges (extra charge added to a door frame price)
 third 3D hinge silver, white, black (extra charge added to a door frame price)
- third 3D hinge gold (extra charge added to a door frame price)
 magnetic lock with stainless steel faceplate
 magnetic lock: white, black (for non-rebated doors)

- hook lock with side pull handles (sliding doors)
 oblong pull handle for sliding doors
- caps for standard hinges
- · handle with an escutcheon



Porta Verte PREMIUM, group A and D



Porta Verte PREMIUM A.4, Scarlet Oak



Porta Verte PREMIUM A.4, Scarlet Oak

46





White

Portaperfect 3D veneer ****





model A.0 - flat panel

model A.0 - frosted glass panel



Portalamino ★★★★☆☆

ilver Oak

English Oal Hamilton

model D.0 - flat panel



model D.8 - frosted glass panel

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Door leaves contain rails, slim panels and 6 mm thick, frosted, tempered glass. Combination of those depends on a model.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- Lock: key lock, WC lock, cylinder lock
- Rebated doors: three standard barrel hinges or PRIME hinges (at extra charge); non-rebated: two 3D hinges
- Frosted tempered glass .
- Preparation for shortening (maximum 60 mm)
- Round pull handle (for sliding doors)

DOOR FRAMES

Recommended rebated door frames:

- Porta SYSTEM see p. 174
- MINIMAX see p. 172
- STEEL see p. 186-191
- Recommended non-rebated door frames:
- Porta SYSTEM ELEGANCE see p. 176
- Porta SYSTEM ELEGANCE 90 degrees, finished with Premium veneer see p. 176 • LEVEL see p. 180

NOTES

- Norm PN EN 14351-2:2018-12.
- Double doors are available in any door leaf size combinations.
- For a double non-rebated door, active' and, passive' door leaves must be ordered. Magnetic lock is not available for a double door
- Size,100' requires third hinge
- · PRIME or 3D hinges packed with a door frame

EXTRA CHARGES

- size '100'
- · ventilation undercut or ventilation sleeves
- OFFER PRIME set
- gold 3D hinges (extra charge added to a door frame price)
- third 3D hinge silver, white, black (extra charge added to a door frame price)
- third 3D hinge gold (extra charge added to a door frame price)
- magnetic lock with stainless steel faceplate
 magnetic lock: white, black (for non-rebated doors)
 hook lock with side pull handles (sliding doors)
- oblong pull handle for sliding doors
- caps for standard hinges
- · handle with an escutcheon



Porta Verte PREMIUM, group B and C



Porta Verte PREMIUM C.0, Scandinavian Oak



model B.0

model B.1 model B.2



model B.3






model C.2

model C.1

Porta Verte PREMIUM C.0, Scandinavian Oak











TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Door leaves contain rails, slim panels and 6 mm thick, frosted, tempered glass. Combination of those depends on a model.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- Lock: key lock, WC lock, cylinder lock • Rebated doors: three standard barrel hinges or PRIME hinges (at extra charge);
- non-rebated: two 3D hinges
- Frosted tempered glass
 Preparation for shortening (maximum 60 mm)
- Round pull handle (for sliding doors)

DOOR FRAMES

Recommended rebated door frames:

- Porta SYSTEM see p. 174
- MINIMAX see p. 172
- STEEL see p. 186-191
- Recommended non-rebated door frames:
- Porta SYSTEM ELEGANCE see p. 176
- LEVEL see p. 180

NOTES

- Norm PN EN 14351-2:2018-12.
- · Double doors are available in any door leaf size combinations.
- For a double non-rebated door, active' and passive' door leaves must be ordered.
- · Magnetic lock is not available for a double door · Size,100' requires third hinge
- PRIME or 3D hinges packed with a door frame

EXTRA CHARGES

• size '100'

- ventilation undercut or ventilation sleeves
- OFFER PRIME set
- gold 3D hinges (extra charge added to a door frame price)
- third 3D hinge silver, white, black (extra charge added to a door frame price)
- third 3D hinge gold (extra charge added to a door frame price)
- magnetic lock with stainless steel faceplate
- magnetic lock: white, black (for non-rebated doors)
- hook lock with side pull handles (sliding doors)
- oblong pull handle for sliding doors
- caps for standard hinges
 handle with an escutcheon

(see p. 196)


Porta Verte PREMIUM

Porta Verte PREMIUM, group E



Porta Verte PREMIUM E.5, White








Porta Verte PREMIUM E.5, White











flat panel

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Door leaves contain rails, slim panels and 6 mm thick, frosted, tempered glass. Combination of those depends on a model.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- Lock: key lock, WC lock, cylinder lock • Rebated doors: three standard barrel hinges or PRIME hinges (at extra charge);
- non-rebated: two 3D hinges
- Frosted tempered glassPreparation for shortening (maximum 60 mm)
- Round pull handle (for sliding doors)

DOOR FRAMES

Recommended rebated door frames:

- Porta SYSTEM see p. 174
- MINIMAX see p. 172
- STEEL see p. 186-191
- Recommended non-rebated door frames: Porta SYSTEM ELEGANCE see p. 176
- + Porta SYSTEM ELEGANCE 90 degrees, finished with Premium veneer see p.174 • LEVEL see p. 180

NOTES

- Norm PN EN 14351-2:2018-12.
- · Double doors are available in any door leaf size combinations.
- For a double non-rebated door, active' and , passive' door leaves must be ordered
- · Magnetic lock is not available for a double door
- · Size,100' requires third hinge • PRIME or 3D hinges - packed with a door frame

EXTRA CHARGES • size '100'

- ventilation undercut or ventilation sleeves
- OFFER PRIME set
- gold 3D hinges (extra charge added to a door frame price)
- third 3D hinge silver, white, black (extra charge added to a door frame price)
- third 3D hinge gold (extra charge added to a door frame price)
- magnetic lock with stainless steel faceplate
- magnetic lock: white, black (for non-rebated doors)
- hook lock with side pull handles (sliding doors)
- oblong pull handle for sliding doors
- caps for standard hinges
- · handle with an escutcheon

(see p. 196)

Porta Verte PREMIUM

Porta CONCEPT, group A and B



WE RECOMMEND

Traditional frame and panel construction guarantees long-time durability.

Porta CONCEPT A.9, Natural Oak



Porta CONCEPT A.9, Natural Oak

52









model A.4

model A.6







model A.7

model B.0





model B.1

Check more models from this collection on a website













frosted glass panel



adjustment of 3D adjustable barrel hinges



flat panel





WE RECOMMEND!

Portadur veneer ****

Special, multilayer wooden construction.



TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Door leaves contain rails, slim panels and 6 mm thick, frosted, tempered glass. Combination of those depends on a model.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- · Lock: key lock, WC lock, cylinder lock
- · Rebated doors: three standard barrel hinges or PRIME hinges (at extra charge); non-rebated: two 3D hinges
- Frosted tempered glass
- Preparation for shortening (maximum 60 mm)
- · Round pull handle (for sliding doors)

DOOR FRAMES

Recommended rebated door frames:

- Porta SYSTEM see p. 174
- MINIMAX see p. 172
- STEEL see p. 186-191

Recommended non-rebated door frames:

- Porta SYSTEM ELEGANCE see p. 176
- Porta SYSTEM ELEGANCE 90 degrees, finished with Premium veneer see p. 176

• LEVEL see p. 180

NOTES

- Norm PN EN 14351-2:2018-12.
- · Double doors are available in any door leaf size combinations.
- For a double non-rebated door, , active' and , passive' door leaves must be ordered. · Magnetic lock is not available for a double door
- Size,100' requires third hinge
- Hinges packed with a door frame

EXTRA CHARGES

size '100'

- · ventilation undercut or ventilation sleeves
- Ventulation underect on ventulation secves
 non-rebated leaves: gold 3D hinges (extra charge added to a door frame price)
 non-rebated leaves: third 3D hinge silver, white, black (extra charge added to
- a door frame price)
- third 3D hinge gold (extra charge added to a door frame price)
- magnetic lock with stainless steel faceplate
- magnetic lock: white, black (for non-rebated doors)
- · hook lock with side pull handles (sliding doors)
- oblong pull handle for sliding doors
- · rebated door leaves : caps for standard hinges
- handle with an escutcheon

(see p. 196)



Porta CONCEPT, group C



- WE RECOMMEND -

Traditional frame and panel construction guarantees long-time durability.

Porta CONCEPT C.6, White



model C.0 model C.1 model C.2



model C.3

	L.
model C.4	model C.5




Porta CONCEPT C.6, White

54



Porta CONCEPT

AVAILABLE FINISHES



Premium veneer ★★★★☆☆







frosted glass panel



adjustment of 3D adjustable barrel hinges

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Door leaves contain rails, slim panels and 6 mm thick, frosted, tempered glass. Combination of those depends on a model.

Check how to adjust hinges

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- Lock: key lock, WC lock, cylinder lock
- Rebated doors: three standard barrel hinges or PRIME hinges (at extra charge); non-rebated: two 3D hinges
- . Frosted tempered glass
- Preparation for shortening (maximum 60 mm)
- Round pull handle (for sliding doors)

DOOR FRAMES

Recommended rebated door frames:

- Porta SYSTEM see p. 174
- MINIMAX see p. 172 STEEL see p. 186-191
- Recommended non-rebated door frames:
- Porta SYSTEM ELEGANCE see p. 176
- Porta SYSTEM ELEGANCE 90 degrees, finished with Premium veneer see p. 176
- LEVEL see p. 180

Portadur veneer ****



* until stocks last

Portaperfect 3D veneer ★★★★☆☆



Portalamino ★★★★☆☆





NOTES

Special, multilayer wooden construction.

- Norm PN EN 14351-2:2018-12.
- · Double doors are available in any door leaf size combinations.
- For a double non-rebated door, active' and, passive' door leaves must be ordered. Magnetic lock is not available for a double door
- Size,100' requires third hinge
- · Hinges packed with a door frame

EXTRA CHARGES

- size '100'
- · ventilation undercut or ventilation sleeves
- non-rebated leaves: gold 3D hinges (extra charge added to a door frame price)
- non-rebated leaves: third 3D hinge silver, white, black (extra charge added to a door frame price)
- third 3D hinge gold (extra charge added to a door frame price)
- magnetic lock with stainless steel faceplate
 magnetic lock: white, black (for non-rebated doors)
 hook lock with side pull handles (sliding doors)

- oblong pull handle for sliding doors
- rebated door leaves : caps for standard hinges
- handle with an escutcheon

(see p. 196)

Porta CONCEPT, group H and K



WE RECOMMEND

Traditional frame and panel construction guarantees long-time durability.

Porta CONCEPT K.3, English Oak Hamilton



model H.0

model H.1







model K.0

model K.1







model K.3

Porta CONCEPT H.4, English Oak Hamilton









Portadur veneer ★★★★☆☆



White



H.4 model - frosted glass panel



K.3 model - frosted glass panel.3





barrel hinges

Check how to adjust hinaes



WE RECOMMEND!

Special, multilayer wooden construction.



Oak

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Door leaves contain rails, slim panels and 6 mm thick, frosted, tempered glass. Combination of those depends on a model.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- · Lock: key lock, WC lock, cylinder lock
- · Rebated doors: three standard barrel hinges or PRIME hinges (at extra charge); non-rebated: two 3D hinges
- · Frosted tempered glass
- Preparation for shortening (maximum 60 mm)
- · Round pull handle (for sliding doors)

DOOR FRAMES

Recommended rebated door frames:

- · Porta SYSTEM see p. 174
- MINIMAX see p. 172
- STEEL see p. 186-191

Recommended non-rebated door frames:

- Porta SYSTEM ELEGANCE see p. 176
- Porta SYSTEM ELEGANCE 90 degrees, finished with Premium veneer see p. 176

• LEVEL see p. 180

NOTES

- Norm PN EN 14351-2:2018-12.
- · Double doors are available in any door leaf size combinations. For a double non-rebated door, , active' and , passive' door leaves must be ordered.
- · Magnetic lock is not available for a double door
- Size,100' requires third hinge
- · Hinges packed with a door frame

EXTRA CHARGES

size '100'

- ventilation undercut or ventilation sleeves
 non-rebated leaves: gold 3D hinges (extra charge added to a door frame price)
 non-rebated leaves: third 3D hinge silver, white, black (extra charge added to
- a door frame price)
- third 3D hinge gold (extra charge added to a door frame price)
- magnetic lock with stainless steel faceplate
- magnetic lock: white, black (for non-rebated doors)
- · hook lock with side pull handles (sliding doors)
- · oblong pull handle for sliding doors
- · rebated door leaves : caps for standard hinges handle with an escutcheon
- (see p. 196)





Porta BALANCE



Porta BALANCE D.0, D.3, Wenge White



model A.0 model B.0

0 model B.1






model D.2



model D.3

Porta BALANCE D.0, Wenge White







frosted glass panel



raised panel

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Door leaves contain rails and stiles, slim panels and 4 mm thick, frosted, tempered glass. Combination of those depends on a model.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- · Lock: key lock, WC lock, cylinder lock,
- Rebated doors: three standard barrel hinges or PRIME hinges (at extra charge); non-rebated: two 3D hinges
- Frosted tempered glass
- Preparation for shortening (maximum 30 mm)
- Round pull handle (for sliding doors)

DOOR FRAMES

Recommended rebated door frames:

- Porta SYSTEM see p. 174
- MINIMAX see p. 172
- STEEL see p. 186-191

Recommended non-rebated door frames:

- Porta SYSTEM ELEGANCE see p. 176
- LEVEL see p. 180

NOTES

- Norm PN EN 14351-2:2018-12.
- · Double doors are available in any door leaf size combinations. For a double non-rebated door, active' and passive' door leaves must be ordered.
- · Magnetic lock is not available for a double door • Size,100' requires third hinge
- · PRIME or 3D hinges packed with a door frame

EXTRA CHARGES

• size '100'

- ventilation undercut or ventilation sleeves
- PRIME hinges (for dedicated door frames)
- PRIME lock with glossy faceplate (silver or gold)
 gold 3D hinges (extra charge added to a door frame price)
- third 3D hinge silver, white, black (extra charge added to a door frame price) • third 3D hinge - gold (extra charge added to a door frame price)
- · magnetic lock with stainless steel faceplate
- magnetic lock: white, black (for non-rebated doors)
- hook lock with side pull handles (sliding doors)
- oblong pull handle for sliding doors
- caps for standard hinges
- · handle with an escutcheon

(see p. 196)

Porta HARMONY



Porta HARMONY B.0, Siberian Oak



Porta HARMONY B.0, Siberian Oak

60







model B.0





model B.2




model C.0



model C.1







frosted glass panel



raised panel

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Door leaves contain rails and stiles, slim panels and 4 mm thick, frosted, tempered glass. Combination of those depends on a model.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- · Lock: key lock, WC lock, cylinder lock,
- Rebated doors: three standard barrel hinges or PRIME hinges (at extra charge); non-rebated: two 3D hinges
- Frosted tempered glass
- Round pull handle (for sliding doors)
- Preparation for shortening (maximum 30 mm)

DOOR FRAMES

Recommended rebated door frames:

- Porta SYSTEM see p. 174
- MINIMAX see p. 172
- STEEL see p. 186-191

Recommended non-rebated door frames:

- Porta SYSTEM ELEGANCE see p. 176
- LEVEL see p. 180

NOTES

- Norm PN EN 14351-2:2018-12.
- Double doors are available in any door leaf size combinations.
- For a double non-rebated door, active' and passive' door leaves must be ordered. · Magnetic lock is not available for a double door
- Size,100' requires third hinge · PRIME or 3D hinges - packed with a door frame

EXTRA CHARGES

• size '100'

- ventilation undercut or ventilation sleeves
- PRIME hinges (for dedicated door frames)
- PRIME lock with glossy faceplate (silver or gold)
 gold 3D hinges (extra charge added to a door frame price)
- third 3D hinge silver, white, black (extra charge added to a door frame price)
- third 3D hinge gold (extra charge added to a door frame price)
- · magnetic lock with stainless steel faceplate
- magnetic lock: white, black (for non-rebated doors)
- hook lock with side pull handles (sliding doors)
- oblong pull handle for sliding doors
- caps for standard hinges
- · handle with an escutcheon

(see p. 196)

Porta INSPIRE, group A and B



WE RECOMMEND

Traditional frame and panel construction guarantees long-time durability.

Porta INSPIRE A.0, Scandinavian Oak, retro module



Porta INSPIRE A.0, Scandinavian Oak



model A.0

model A.1

model A.1 with a mirror





model B.1

model B.2



model B.3







Norwegia Pine Oak Matt



frosted glass panel, 'frame'



adjustment of 3D adjustable barrel hinges



DOOR LEAF CONSTRUCTION

Door leaves contain rails and stiles, slim panels and 6 mm thick, frosted, tempered glass. Combination of those depends on a model.

fancy decorative moulding

Check

how to adjust hinges

It is possible to produce model A.1 with mirror on one or on both sides. If a mirror is only on one side, there is a solid board on the other side.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- Lock: key lock, WC lock, cylinder lock,
- Rebated doors: three standard barrel hinges or PRIME hinges (at extra charge); non-rebated: two 3D hinges
- Frosted tempered glass and frosted glass
- Preparation for shortening (maximum 60 mm)
- Round pull handle (for sliding doors)

DOOR FRAMES

Recommended rebated door frames:

• Porta SYSTEM see p. 174

- Recommended non-rebated door frames:
- Porta SYSTEM ELEGANCE see p. 176 • LEVEL see p. 180

- NOTES

EXTRA CHARGES

- size '100'
- ventilation undercut or ventilation sleeves
- non-rebated leaves: gold 3D hinges (extra charge added to a door frame price)
- non-rebated leaves: third 3D hinge silver, white, black (extra charge added to a door frame price)
- non-rebated leaves: third 3D hinge gold (extra charge added to a door frame price) • magnetic lock with stainless steel faceplate
- magnetic lock: white, black (for non-rebated doors)
- hook lock with side pull handles (sliding doors)
- oblong pull handle for sliding doors
- · rebated leaves: caps for hinges
- mirror on one side
- mirror on both sides
- handle with an escutcheon



WE RECOMMEND! Special,

multilayer wooden construction.



- Norm PN EN 14351-2:2018-12.
- · For a double non-rebated door, active' and , passive' door leaves must be ordered
- If a mirror is only on one side, there is a solid board on the other side.
- · Magnetic lock is not available for a double door
- Size,100' requires third hinge
- · Hinges packed with a door frame



Porta INSPIRE, group C



Porta INSPIRE C.4, Classic Oak



Porta INSPIRE C.4, Classic Oak

64





model C.2





model C.4











frosted glass panel



fancy panel



adjustment of 3D adjustable barrel hinges





Special. multilayer wooden construction.



TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Door leaves contain rails and stiles, slim panels and 6 mm thick, frosted, tempered glass. Combination of those depends on a model.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- · Lock: key lock, WC lock, cylinder lock,
- Rebated doors: three standard barrel hinges or PRIME hinges (at extra charge); non-rebated: two 3D hinges
- Frosted tempered glass
- Round pull handle (for sliding doors)
- Preparation for shortening (maximum 60 mm)

DOOR FRAMES

Recommended rebated door frames:

Porta SYSTEM see p. 174

Recommended non-rebated door frames:

- Porta SYSTEM ELEGANCE see p. 176
- Porta SYSTEM ELEGANCE 90 degrees, finished with Premium veneer see p. 176
- LEVEL see p. 180

NOTES

- Norm PN EN 14351-2:2018-12
- For a double non-rebated door, active' and, passive' door leaves must be ordered.
 Magnetic lock is not available for a double door

- Size,100' requires third hinge
 PRIME or 3D hinges packed with a door frame

EXTRA CHARGES

size '100'

- · ventilation undercut or ventilation sleeves
- non-rebated leaves: gold 3D hinges (extra charge added to a door frame price)
- non-rebated leaves: third 3D hinge silver, white, black (extra charge added to a door frame price)
- non-rebated leaves: third 3D hinge gold (extra charge added to a door frame price) • magnetic lock with stainless steel faceplate
- magnetic lock: white, black (for non-rebated doors)
 hook lock with side pull handles (sliding doors)
 oblong pull handle for sliding doors
- rebated leaves: caps for hinges
- handle with an escutcheon



Porta DECOR



Chosen models with hollow or chipboard core ale classified with 3rd strength performance class.

- WE RECOMMEND -

'Investment set' adittionaly available. It contains 3 part hinges and lock of the highest category of use (at extra charge). The set consists of a door leaf (finished with portalamino veneer) and dedicated door frame.

Porta DECOR P, Scandinavian Beech



Porta DECOR P, Scandinavian Beech

66










model L











glazing bead with a glass panel

'Chinchilla' glass panel

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Honeycomb or hollow chipboard core reinforced with rails and stiles. The construction is skinned with HDF.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- · Rebated doors: two or three standard barrel hinges or PRIME hinges (optionally at extra charge); non-rebated: two 3D hinges
- Lock: key lock, WC lock, or cylinder lock
- · 'Chinchilla' glass or frosted tempered glass (optionally at extra charge)
- Round pull handle (for sliding doors)

DOOR FRAMES

Recommended rebated door frames:

- Porta SYSTEM see p. 174
- MINIMAX see p. 172 •

STEEL see p. 186-191 Recommended non-rebated door frames:

• Porta SYSTEM ELEGANCE see p. 176

- LEVEL see p. 180

NOTES

- Norm PN EN 14351-2:2018-12.
- · Hollow chipboard core has preparation for shortening as a standard.
- Size '110' is available only with hollow chipboard core. Glazing size is the same as for size '100'
- · Double doors are available in any door leaf size combinations. Passive door leaves (side panel) in sizes '30', '40', '50' available only in flat option (without glazing or decorative applications).
- For a double non-rebated door, active' and passive' door leaves must be ordered. · Magnetic lock is not available for a double door.
- Size '80' and '90' in investment norm (clear opening width 800, 900 mm) available as a standard- without extra charge.

- · Reinforcement for a door closer requires third hinge. · Sizes,100' and,110' require third hinge.
- · Investment set is available only with hollow chipboard core Investment set is available with rebated door frames: Porta SYSTEM, Steel Porta SYSTEM,
- Steel Adjustable, Corner profile Large and Small
- · PRIME or 3D hinges packed with a door frame


EXTRA CHARGES

- size '100' and '110'
- hollow chipboard core
- chipboard core
- ventilation grille, ventilation sleeves or ventilation undercut
- inverse glazing
- · PRIME hinges (applies to dedicated door frames)
- · PRIME lock with glossy faceplate (silver or gold)
- gold 3D hinges (extra charge added to a door frame price)
- · third 3D hinge silver, white, black (extra charge added to a door frame price)
- third 3D hinge gold (extra charge added to a door frame price)
- magnetic lock with stainless steel faceplate • magnetic lock: white, black (for non-rebated doors)
- preparation for shortening (maximum 60 mm)
- reinforcement for door closer (third hinge is required)
- stainless steel porthole
- automatic threshold seal
- investment set (extra charge added to a door leaf)
- investment set (extra charge added to a door frame)
- hook lock with side pull handles (sliding doors)
- · oblong pull handle for sliding doors
- · caps for standard hinges
- · frosted tempered glass model M
- frosted tempered glass model D · frosted tempered glass - model L
- handle with an escutcheon

Porta DECOR

(see p. 196)

Porta STYL



Porta STYL 1, California Oak



DETAILED OFFER IS ALSO AVAILABLE ON www.portadoors.com

Porta STYL 1, California Oak

P

68





model 2

model 3



Portadecor veneer ★★★☆☆☆						
Whitened Walnut	Walnut	Wenge*	Walnut Verona 2	NEW Grey		
* until stocks last						
Portasynchro 3D veneer ★★★☆☆☆						
Honey Acacia	Silver Acacia	Scarlet Oak	Dark Oak	Wenge White	Norwegian Pine	
Portaperfect 3D veneer ★★★★☆☆						
				STORIE SPECIAL		
Havana Oak	California Oak	Scandinavian Oak	Scandinavian Beech	Classic Oak	Southern Oak	
这些代表。 更新	AT STATES	NEW				
Siberian Oak	Natural Oak	Matt Oak				





alazed model

NOTE

If you're looking for a flush door that matches this collection, check Porta DECOR see p. 66 and Porta CPL see p. 82.

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Honeycomb or hollow chipboard core reinforced with rails and stiles (at an extra charge). The construction is skinned with HDF. There is lipping ABS on the side edges of the doors finished with CPL.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- Rebated doors: two or three standard barrel hinges or PRIME hinges (optionally at extra charge); non-rebated: two 3D hinges'
- Lock: key lock, WC lock, or cylinder lock
- · 'Chinchilla' glass or frosted tempered glass Round pull handle (for sliding doors)

DOOR FRAMES

Recommended rebated door frames:

• Porta SYSTEM see p. 174

- MINIMAX see p. 172
- STEEL see p. 186-191

Recommended non-rebated door frames:

- Porta SYSTEM ELEGANCE see p. 176
- LEVEL see p. 180

NOTES

- Norm PN EN 14351-2:2018-12.
- · Hollow chipboard core has preparation for shortening as a standard.
- Size '110' is available only with hollow chipboard core. Glazing size is the same as for size '100'.
- Double doors are available in any door leaf size combinations.
- For a double non-rebated door, active' and passive' door leaves must be ordered.

- · Magnetic lock is not available for a double door.
- · Reinforcement for a door closer requires third hinge.
- · Sizes,100' and,110' require third hinge
- PRIME or 3D hinges packed with a door frame

EXTRA CHARGES

- size '100' and '110'
- hollow chipboard core
- chipboard core
- inverse glazing
- CPL 0,2 mm finish GROUP II · ventilation grille, ventilation sleeves or ventilation undercut
- PRIME hinges (applies to dedicated door frames)
- PRIME lock with glossy faceplate (silver or gold)
- gold 3D hinges (extra charge added to a door frame price)
 third 3D hinge silver, white, black (extra charge added to a door frame price)
- third 3D hinge gold (extra charge added to a door frame price)
 magnetic lock with stainless steel faceplate
 magnetic lock: white, black (for non-rebated doors)

- · OFFER doors with CPL finish- PRIME set
- automatic threshold seal
- preparation for shortening (maximum 60 mm) · reinforcement for door closer (third hinge is required)
- hook lock with side pull handles (sliding doors)
- oblong pull handle for sliding doors
- · caps for standard hinges
- · handle with an escutcheon

(see p. 196)



Porta FIT, group C, I




Porta FIT I.1, Matt Oak



Porta FIT I.1, Matt Oak

70






model C.3



model I.0











glazing bead with glass panels NOTE: in case of CPL finish the glazing bead is rounded



glazing bead with a slim panel NOTE: in case of CPL finish the glazing bead is rounded

NOTE

If you're looking for a flush door that matches this collection, check Porta DECOR see p. 66 and Porta CPL see p. 82.

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Models A, B, C and I honeycomb and stabilising insert or chipboard core (at an extra charge). The construction is reinforced with rails and stiles and skinned with HDF. There is lipping ABS on the side edges of the doors finished with CPL.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- Rebated doors: two or three standard barrel hinges or PRIME hinges (optionally at
- extra charge); non-rebated: two 3D hinges Lock: key lock, WC lock, or cylinder lock
- · 'Chinchilla' glass or frosted tempered glass
- Round pull handle (for sliding doors)

DOOR FRAMES

Recommended rebated door frames:

- Porta SYSTEM see p. 174 MINIMAX see p. 172
- STEEL see p. 186-191
- Recommended non-rebated door frames:
- Porta SYSTEM ELEGANCE see p. 176
- LEVEL see p. 180

NOTES

- Norm PN EN 14351-2:2018-12.
- · Double doors are available in any door leaf size combinations.
- For a double non-rebated door, , active' and , passive' door leaves must be ordered.
- Magnetic lock is not available for a double door.
- · Reinforcement for a door closer requires third hinge. Size 100'requires third hinge
- PRIME or 3D hinges packed with a door frame

EXTRA CHARGES

- size '100'
- hollow chipboard core or chipboard core
- inverse glazing
- CPL 0,2 mm finish GROUP II
- · ventilation grille, ventilation sleeves or ventilation undercut
- PRIME hinges (applies to dedicated door frames)
- PRIME lock with glossy faceplate (silver or gold)
- gold 3D hinges (extra charge added to a door frame price)
- third 3D hinge silver, white, black (extra charge added to a door frame price)
 third 3D hinge gold (extra charge added to a door frame price)
- magnetic lock with stainless steel faceplate
- magnetic lock: white, black (for non-rebated doors)
- · OFFER doors with CPL finish- PRIME set
- automatic threshold seal
- preparation for shortening (maximum 60 mm)
- · reinforcement for door closer (third hinge is required)
- hook lock with side pull handles (sliding doors)
- · oblong pull handle for sliding doors
- caps for standard hinges
- handle with an escutcheon



Porta FIT, group F-H



Porta FIT G.5, Norwegian Pine



Porta FIT G.5, Norwegian Pine

72





3



model G.0









model G.3

model H.3

model H.4

model G.5


Check more models from this collection on a website





Porta FIT

AVAILABLE FINISHES



_	CPL HQ 0,	2 veneer ★	****			
Group I	White	Grey Euroinvest	Anthracite HPL/CPL	Whitened Walnut	Oak Milano 1	Sand Beech
	Natural Oak	Natural Walnut (matt)	Orzech Modena 1	Oak Milano 4	Oak Milano 5	
Group II	Natural Hickory	Light Concrete	Dark Concrete	Dark structure	Black	



glazing bead with a glass panel NOTE: in case of CPL finish the glazing bead is rounded



glazing bead with a glass panel NOTE: in case of CPL finish the glazing bead is rounded

NOTE

If you're looking for a flush door that matches this collection, check Porta DECOR see p. 66 and Porta CPL see p. 82.

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Honeycomb and stabilising insert or chipboard core (at an extra charge). The construction is reinforced with rails and stiles and skinned with HDF. There is lipping ABS on the side edges of the doors finished with CPL

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- · Rebated doors: two or three standard barrel hinges or PRIME hinges (optionally at extra charge); non-rebated: two 3D hinges
- Lock: key lock, WC lock, or cylinder lock
- · 'Chinchilla' glass or frosted tempered glass
- Round pull handle (for sliding doors)

DOOR FRAMES

Recommended rebated door frames:

- Porta SYSTEM see p. 174
- MINIMAX see p. 172
- STEEL see p. 186-191

Recommended non-rebated door frames: Porta SYSTEM ELEGANCE see p. 176

- LEVEL see p. 180

NOTES

- Norm PN EN 14351-2:2018-12.
- · Ventillation grille and 2 rows of ventillation sleeves are not available for model H
- Double doors are available in any door leaf size combinations. For a double non-rebated door, active' and , passive' door leaves must be ordered. Magnetic lock is not available for a double door.

- Reinforcement for a door closer requires third hinge.
- · Size,100' requires third hinge.
- · PRIME or 3D hinges packed with a door frame

EXTRA CHARGES

- size '100'
- · hollow chipboard core or chipboard core inverse glazing
- CPL 0,2 mm finish GROUP II
- ventilation grille, ventilation sleeves or ventilation undercut
- · PRIME hinges (applies to dedicated door frames)
- PRIME lock with glossy faceplate (silver or gold)
 gold 3D hinges (extra charge added to a door frame price)
- third 3D hinge silver, white, black (extra charge added to a door frame price)
- third 3D hinge gold (extra charge added to a door frame price)
- magnetic lock with stainless steel faceplate
- magnetic lock: white, black (for non-rebated doors)
- automatic threshold seal
- OFFER doors with CPL finish- PRIME set
- preparation for shortening (maximum 60 mm)
- · reinforcement for door closer (third hinge is required)
- hook lock with side pull handles (sliding doors)
- · oblong pull handle for sliding doors caps for standard hinges
- handle with an escutcheon

Porta NOVA, group 2–5



Porta NOVA 2.1, Silvery Oak



Porta NOVA 5.5, Silvery Oak

74





model 2.2 with a mirror









model 4.2





Check more models from this collection




model 5.5

model 4.4

model 3.1

on a website









decorative moulding with a slim panel

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Chipboard core reinforced with rails and stiles. The construction is skinned with HDF. It is possible to produce model 2.2 with a mirror on one or on both sides. If the mirror is only on one side, there will be slim panel on the other side.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- · Lock: key lock, WC lock, or cylinder lock
- · Rebated doors: two or three standard barrel hinges or PRIME hinges (optionally at extra charge); non-rebated: two 3D hinges
- · Glazing 'chinchilla' glass or frosted tempered glass (at an extra charge)
- Preparation for shortening maximum 60 mm (group 2 and 3 only)
- Round pull handle (for sliding doors)

DOOR FRAMES

Recommended rebated door frames:

- · Porta SYSTEM see p. 174
- MINIMAX see p. 172 STEEL see p. 186-191
- Recommended non-rebated door frames:

Porta SYSTEM ELEGANCE see p. 176

- LEVEL see p. 180

NOTES

- Norm PN EN 14351-2:2018-12.
- · Double doors are available in any door leaf size combinations.
- For a double non-rebated door, active' and , passive' door leaves must be ordered. · Magnetic lock is not available for a double door.

- Model 2.2 is not available in size,100'
- · Reinforcement for a door closer requires third hinge.
- · Size,100' requires third hinge.
- PRIME or 3D hinges packed with a door frame

EXTRA CHARGES

• size '100'

- frosted glass, model 2.2
- frosted glass, model 3.2
- frosted glass, models from group 4 and 5 (1 PCs of a glass panel)
- · ventilation sleeves (1 row) or ventilation undercut
- · PRIME hinges (applies to dedicated door frames)
- PRIME lock with glossy faceplate (silver or gold)
- gold 3D hinges (extra charge added to a door frame price)
- third 3D hinge silver (extra charge added to a door frame price)
- third 3D hinge gold (extra charge added to a door frame price)
- reinforcement for door closer (third hinge is required)
- automatic threshold seal
- magnetic lock with stainless steel faceplate
- magnetic lock: white, black (for non-rebated doors)
- hook lock with side pull handles (sliding doors)
- · oblong pull handle for sliding doors
- · caps for standard hinges
- a mirror on one side
- a mirror on both sides
- inverse glazing
- handle with an escutcheon

75

Ρ

Porta NOVA, group 6 and 7



Porta NOVA 7.1, Honey Acacia, retro module





model 6.1









model 6.5






model 7.5

Porta NOVA 6.3 Honey Acacia, retro module









glazing bead with a glass panel



glazing bead with a raised panel

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Chipboard core reinforced with rails and stiles. The construction is skinned with HDF.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- Lock: key lock, WC lock, or cylinder lock
- · Rebated doors: two or three standard barrel hinges or PRIME hinges (optionally at extra charge); non-rebated: two 3D hinges
- · Glazing 'chinchilla' glass or frosted glass (at an extra charge)
- Preparation for shortening maximum 60 mm
- Round pull handle (for sliding doors)

DOOR FRAMES

Recommended rebated door frames:

- Porta SYSTEM see p. 174 MINIMAX see p. 172
- STEEL see p. 186-191
- Recommended non-rebated door frames: Porta SYSTEM ELEGANCE see p. 176
- LEVEL see p. 180

NOTES

- Norm PN EN 14351-2:2018-12.
- Ventilation grille and 2 rows of ventilation sleeves are available only for models 6.5, 7.5
- · Double doors are available in any door leaf size combinations. For a double non-rebated door, active' and passive' door leaves must be ordered.
- · Magnetic lock is not available for a double door
- Reinforcement for a door closer requires third hinge.
- Due to various materials use, there might be a slight colour difference between door leaf and a glazing bead/muntins
- Size,100' requires third hinge.
- PRIME or 3D hinges packed with a door frame

EXTRA CHARGES

• size '100'

- · ventilation grille, ventilation sleeves or ventilation undercut
- · PRIME hinges (applies to dedicated door frames)
- PRIME lock with glossy faceplate (silver or gold)
- gold 3D hinges (extra charge added to a door frame price)
- third 3D hinge silver (extra charge added to a door frame price)
- third 3D hinge gold, white, black (extra charge added to a door frame price) • automatic threshold seal
- reinforcement for door closer (third hinge is required)
- magnetic lock with stainless steel faceplate
 magnetic lock: white, black (for non-rebated doors)
- · hook lock with side pull handles (sliding doors)
- oblong pull handle for sliding doors
- caps for standard hinges
- frosted tempered glass
- · handle with an escutcheon



NEW FINISH

Porta LEVEL



- WE RECOMMEND

Thanks to new attractive finishes and dedicated door frame LEVEL with 20 cm or 100 cm panel, Porta LEVEL collection gives opportunities for extraordinary interior designs.

Porta LEVEL C.2, Catania Oak. Dedicated door frame LEVEL with top panel 100 cm.



Porta LEVEL C.2 with a decorative inlay, Catania Oak Door frame with the top panel - 20 cm.

78



model P see page 66



model C.3 with a decorativ

top panel 20 cm

with a decorative
inlaywith a decorative
inlayDoor frame with
the top panel
- 20 cm.Door fr
the top
- 20 cm

with a decorative inlay Door frame with the top panel - 20 cm.





Special offer terms&conditions: https://https://www.porta.com.pl/do-pobrania



Portadecor veneer ★★★☆☆☆





Portalamino ★★★★☆☆



NOTE

If you're looking for a flush door that matches this collection, check Porta DECOR see page 66.

We offer dedicated door frame LEVEL for Level door leaves. The top panel Level is available with two graining directions – horizontal or vertical -applies to 6 chosen finishes.



dedicated door frame LEVEL



black decorative inlays



silver decorative inlays

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Honeycomb or hollow chipboard core reinforced with rails and stiles. The construction is skinned with HDF.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- · Rebated doors: two or three standard barrel hinges or PRIME hinges (optionally at extra charge); non-rebated: two 3D hinges • Lock: key lock, WC lock, or cylinder lock

DOOR FRAMES

Recommended rebated door frames:

- Porta SYSTEM see p. 174
- MINIMAX see p. 172 STEEL see p. 186-191

Recommended non-rebated door frames:

- Porta SYSTEM ELEGANCE see p. 176
- LEVEL see p. 180

NOTES

- Norm PN EN 14351-2:2018-12.
- Hollow chipboard core and chipboard core have a preparation for shortening as a standard.

- · Double doors are available in any door leaf size combinations.
- · Magnetic lock is not available for a double door
- Reinforcement for a door closer requires third hinge.
- Size,100' requires third hinge. · PRIME or 3D hinges - packed with a door frame

EXTRA CHARGES

- size '100'
- hollow chipboard core
- chipboard core
- · ventilation sleeves or ventilation undercut
- · PRIME hinges (for dedicated door frames)
- PRIME lock with glossy faceplate (silver or gold)
- gold 3D hinges (extra charge added to door frame price)
- third 3D hinge silver, white, black (extra charge added to door frame price)
- third 3D hinge gold (extra charge added to door frame price)
- magnetic lock with stainless steel faceplate
 magnetic lock: white, black (for non-rebated doors)
- automatic threshold seal
- preparation for shortening (maximum 60 mm)
- reinforcement for door closer (third hinge is required)
- caps for standard hinges
- · handle with an escutcheon



Porta LINE



Chosen models with hollow or chipboard core ale classified with 3rd strength performance class.

WE RECOMMEND -

'Investment set' adittionaly available. It contains 3 part hinges and lock of the highest category of use (at extra charge). The set consists of a door leaf (finished with portalamino veneer) and dedicated door frame.

Porta LINE G.1, Dark Concrete



1 1 model A.1 model B.1



2



model E.1



model G.1



model H.1







English Oak Hamilton

silver decorative inlays, black and golden are also available

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Honeycomb or hollow chipboard core reinforced with rails and stiles. Then construction is skinned with HDF. Door leaves are enriched with silver or black decorative inlays, 6 mm wide. There is lipping ABS on the side edges of the doors finished with CPL.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- · Rebated doors: two or three standard barrel hinges or PRIME hinges (optionally at
- extra charge); non-rebated: two 3D hinges
- Lock: key lock, WC lock, or cylinder lock Round pull handle (for sliding doors)
- **DOOR FRAMES**

Recommended rebated door frames:

Porta SYSTEM see p. 174

- MINIMAX see p. 172
- STEEL see p. 186-191

Recommended non-rebated door frames:

- Porta SYSTEM ELEGANCE see p. 176
- LEVEL see p. 180

NOTES

- Norm PN EN 14351-2:2018-12.
- Ventilation sleeves are not available for D.1 model
 Sliding option of models F.1 and G.1 decorative inlays placed on pull handle height
- · Preparation for shortening is extra charged in case of ordering honeycomb core
- · Hollow chipboard core and chipboard core have a preparation for shortening as
- a standard Size '110' is available only with chipboard.
- Double doors are available in any door leaf size combinations.
- For a double non-rebated door, , active' and , passive' door leaves must be ordered.
- · Magnetic lock is not available for a double door.

- · Reinforcement for a door closer requires third hinge.
- · Sizes,100' and,110' require third hinge
- · Investment set is available only with hollow chipboard core or chipboard core
- · Investment set is available with a rebated door frame: Porta SYSTEM, Steel Porta
- SYSTEM, Steel adjustable, Corner profile SMALL and LARGE PRIME or 3D hinges - packed with a door frame
- Thanks to TechnoPORTA AQUA STOP technology door leaves finished with CPL HQ have lower edges protected against humidity.

EXTRA CHARGES

- size '100' and '110'
- hollow chipboard core
- chipboard core
- CPL 0,2 mm finish GROUP II
- · investment set (extra charge added to a door leaf)
- · investment set (extra charge added to a door frame)
- · ventilation sleeves or ventilation undercut
- · PRIME hinges (applies to dedicated door frames)
- · PRIME lock with glossy faceplate (silver or gold)
- gold 3D hinges (extra charge added to a door frame price)
 third 3D hinge silver, white, black (extra charge added to a door frame price)
- third 3D hinge gold (extra charge added to a door frame price)
- automatic threshold seal
- magnetic lock with stainless steel faceplate
- magnetic lock: white, black (for non-rebated doors)
- · OFFER doors with CPL finish- PRIME set
- preparation for shortening (maximum 60 mm)
- · reinforcement for door closer (third hinge is required)
- hook lock with side pull handles (sliding doors)
- · an oblong pull handle for sliding doors
- · caps for standard hinges
- a handle with an escutcheon



Porta CPL



Chosen models with hollow or chipboard core ale classified with 3rd strength performance class.

WE RECOMMEND -

'Investment set' adittionaly available. It contains 3 part hinges and lock of the highest category of use (at extra charge). The set consists of a door leaf (finished with portalamino veneer) and dedicated door frame.

Porta CPL 1.1, door leaf - Natural Oak, door frame - Dark concrete



Porta CPL 1.1, Natural Oak

82











model 1.5















Check the possibilities of ordering bespoke door models through Porta CONTRACT, see page 230.



glazing bead with a glass panel



a glazing bead with a raised panel

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Group 1 - honeycomb, hollow chipboard core or chipboard (at extra charge) reinforced with rails and stiles. Group 5 and model 1.4 - chipboard core. The construction is skinned with HDF. lipping ABS on the side edges.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- · Lock: key lock, WC lock, or cylinder lock
- · Rebated doors: two or three standard barrel hinges or PRIME hinges; non-rebated: two 3D hinaes
- Glazing 'chinchilla' glass or frosted/transparent tempered glass (optionally at an extra charge)
- Preparation for shortening max. 60 mm (only group 5) · Round pull handle (for sliding doors)

DOOR FRAMES

Recommended rebated door frames:

- Porta SYSTEM see p. 174
- MINIMAX see p. 172
- STEEL see p. 186-191
- Recommended non-rebated door frames:
- Porta SYSTEM ELEGANCE see p. 176

NOTES

- · Norm PN EN 14351-2:2018-12.
- · Hollow chipboard core and chipboard core have preparation for shortening as a standard.
- Size '110' is available only with hollow chipboard.
- Glazing size is the same as for size '100'. Size '100' and '110' is not available for model 1.4.
- Black finish is not available for models of group 5
- Double doors are available in any door leaf size combinations.
- Passive door leaf (standard) is available for sizes from '60' to '100'.
- Passive door leaf (side panel) sizes '30', '40', '50' is available only in flat option (without glazing or decorative mouldings). For non-rebated double door 'active' and 'passive' door leaves must be ordered.
- Possibilities of ordering bespoke door models through Porta CONTRACT p. 226 · Magnetic lock is not available for a double door
- Size '80' and '90' in investment norm (clear opening width 800, 900 mm) available as a standard- without extra charge
- Reinforcement for a door closer requires third hinge.

- All of the stainless steel panels are available only for sizes: 80, 90, 100, for doors with hollow chipboard core or chipboard core
- Investment set is available only with hollow or chipboard core
- Investment set is available with a rebated door frame: Porta SYSTEM, Steel Porta SYSTEM, Steel adjustable, Corner profile - SMALL and LARGE
- Sizes,100' and,110' require third hinge
- PRIME or 3D hinges- packed with a door frame
 Thanks to TechnoPORTA AQUA STOP technology door leaves finished with CPL HQ have lower edges protected against humidity.

EXTRA CHARGES

- size '100' and '110'
- hollow chipboard core
- chipboard core
- inverse glazing
- stainless steel porthole model
- CPL finish 0,2 and 0,7 mm GROUP II
- · investment set (extra charge added to a door leaf) • investment set (extra charge added to a door frame)
- OFFER PRIME set • gold 3D hinges (extra charge added to door frame price)
- third 3D hinge silver, white, black (extra charge added to door frame price)
- third 3D hinge gold (extra charge added to door frame price) ventilation grille (only group 1), ventilation sleeves or ventilation undercut
 magnetic lock with stainless steel faceplate
- magnetic lock: white, black (for non-rebated doors)
- preparation for shortening (maximum 60 mm) (group 1)
- reinforcement for door closer (third hinge is required)
- frosted/transparent glass model 1.2
- frosted/transparent glass model 1.3 and 1.4
- frosted/transparent glass model 1.5
- frosted glass models of group 5 (1PCs of glass)
- stainless steel porthole (model 1.1)
- push panel both sides set (models 1.1, 1.2)
- kick panel both sides set (models 1.1, 1.2, 1.3)
- kick panel with a ventilation undercut both sides set (models 1.1, 1.2, 1.3)
 ventilation kick panel both sides set (models 1.1, 1.2, 1.3)
- hook lock with side pull handles (sliding doors)
- · oblong pull handle for sliding doors
- automatic threshold seal
- · caps for standard hinges
- · handle with an escutcheon

(see p. 196)

83

Ρ

Investment set



WE RECOMMEND

Investment set contains 3 part hinges and a lock of the highest category of use. The set consists of a door leaf and a dedicated

Porta CPL 1.1, Black



Porta CPL 1.1,Black

84

Investment set is available in chosed door models with hollow chipboard core: • Porta CPL,

mececere:

- ********

3 part hinges for a steel door

frame - technical placement

- Porta RESIST,
- Porta LINE (finish: CPL, Portalamino),
 Porta DECOR (finish Portalamino),
 Nature CLASSIC.
- Investment set is available with a rebated door frame: Porta SYSTEM, Steel Porta SYSTEM, Steel Adjustable, Corner profile SMALL PLUS and LARGE.



3 part hinges for Porta SYSTEM door frame - technical placement

THE MOST POPULAR MODELS





lock of the hightest 3rd category of use according to PN-EN 12209





AVAILABLE FINISHES Porta CPL





NOTE! The door leaf price includes hollow chipboard core and investment set.

Set consists of a door leaf and a dedicated door frame

Check the possibilities of ordering bespoke door models through Porta CONTRACT, see page 230.



automatic threshold seal



push panel



ventilation kick panel



kick panel



kick panel with ventilation undercut

TECHNICAL INFORMATION Porta CPL

DOOR LEAF CONSTRUCTION

Hollow chipboard core or chipboard reinforced with rails and stiles. The construction is skinned with HDF. lipping ABS on the side edges.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- · Lock: key lock, WC lock, or cylinder lock
- Rebated doors: two or three 3 part hinges •
- Glazing 'chinchilla' glass or frosted/transparent tempered glass (optionally at extra charge)
- Preparation for shortening max. 60 mm

DOOR FRAMES

- Recommended rebated door frames:
- Porta SYSTEM see p. 174
- STEEL see p. 186-191

NOTES

- Norma PN EN 14351-2:2018-12.
- · Hollow chipboard core and chipboard core have preparation for shortening as a standard.
- Glazing size for size '110' is the same as for size '100'.
- · Double doors are available in any door leaf size combinations.
- Passive door leaf (standard) is available for sizes from '60' to '100'.
- Passive door leaf (side panel) sizes '30,' 40,' 50' is available only in flat option (without glazing or decorative mouldings).
- Door leaf with Porta SYSTEM of a steel door frame technical placement of hinges

- Size '80' and '90' in investment norm (clear opening width 800, 900 mm) available as a standard- without extra charge.
- All of the stainless steel panels are available only for sizes: 80, 90, 100, for doors with hollow chipboard core or chipboard core
- Thanks to TechnoPORTA AQUA STOP technology door leaves finished with CPL HQ have lower edges protected against humidity.

EXTRA CHARGES

- inverse glazing · investment set (extra charge added to a door frame)
- stainless steel porthole model 1.1
- CPL finish 0,2 and 0,7 mm GROUP II
- · ventilation grille, ventilation sleeves or ventilation undercut
- reinforcement for door closer (third hinge is required)
- stainless steel porthole (model 1.1)
- transparent/frosted glazing model 1.2
- transparent/frosted glazing model 1.5
- push panel both sides set (models 1.1, 1.2)
- . kick panel both sides set (models 1.1, 1.2, 1.3)
- kick panel with a ventilation undercut both sides set (models 1.1, 1.2, 1.3)
- ventilation kick panel both sides set (models 1.1, 1.2, 1.3)
- size 100 and 110
- automatic threshold seal
- changing hollow chipboard core into chipboard core handle with an escutcheon



Porta RESIST



Chosen models with hollow or chipboard core ale classified with 3rd strength performance class.

WE RECOMMEND -

'Investment set' adittionaly available. It contains 3 part hinges and lock of the highest category of use (at extra charge). The set consists of a door leaf (finished with portalamino veneer) and dedicated door frame.



Porta RESIST 7.1, Halifax Natural

vertical graining:



horizontal graining:





model 1.3



model 1.4



model 7.4

vertical graining:





model 4.B

* graining is in line with the direction of inlays

model 7.1 model 7.2 vertical or horizontal graining:





model 7.3

model H.1*





Gladstone / Halifax *****





Check the possibilities of ordering bespoke door models through Porta CONTRACT, see page 230.

AN INNOVATIVE PRODUCT ON THE MARKET

Texture of Gladstone/Halifax finish resembles real raw wood.

PORTA RESIST - INDICATIONS FOR USE:

- Offices
- Hotels and guesthouses
- Publlic buildings Residential buildings





Gladstone / Halifax texture emphasizes natural wood rawness



alazina - model 4.A

black decorative inlay, silver ones also available

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Honeycomb or hollow chipboard core (at an extra charge) reinforced with rails and stiles. Models 1.4, 1.7 - chipboard core, 4.B - hollow chipboard core. The construction is skinned with HDF. lipping ABS tape on the side edges. Inlays - black or silver, 6 mm wide. 4.A and 4.B models come with 8 mm thick, tempered glass, which is an element of the construction

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- Rebated doors: two or three standard barrel hinges or PRIME hinges; non-rebated: two 3D hinges
- · Lock: key lock, WC lock, or cylinder lock
- Glazing models of gr. 1 and 7 'chinchilla' glass; frosted tempered glass; transparent glass. Models of gr. 4 - 8 mm thick frosted tempered glass.
- · Round pull handle (for sliding doors)

DOOR FRAMES

Recommended rebated door frames:

- Porta SYSTEM see p. 174
- MINIMAX see p. 172
- STEEL see p. 186-191

Recommended non-rebated door frames:

Porta SYSTEM ELEGANCE see p. 176

NOTES

- Norm PN EN 14351-2:2018-12.
- The door leaf is skinned with a Gladstone/Halifax board (with structure), a door frame is finished with matching CPL veneer 0,2 mm
- Ventilation grille, ventilation sleeves and preparation for shortening are not available for group 4.
- · Chipboard core have preparation for shortening as a standard.
- Size '100' and '110' is not available for models 1.4, 7.4
- · Size '110' is available only with hollow chipboard. Glazing size is the same as for size,'100'.
- Size '110' is not available for models of gr. 4.
- Fixed size of glass, model 4.A
- · Black glazing is available for model 4.A (optionally at extra charge)

- Magnetic lock is not available for a double door.
- Double doors are available in any door leaf size combinations.
- For non-rebated double door, active and passive door leaves must be ordered. Size '80' and '90' in investment norm (clear opening width 800, 900 mm) available as
- a standard (applies to gr. 1 and 7) without extra charge.
- · Reinforcement for a door closer requires third hinge.
- Investment set is available only with hollow or chipboard core · Investment set is available with a rebated door frame: Porta SYSTEM, Steel Porta
- SYSTEM, Steel adjustable, Corner profile SMALL and LARGE Sizes,100' and,110' reguire third hinge
- PRIME of 3D hinges packed with a door frame
 Thanks to TechnoPORTA AQUA STOP technology door leaves finished with CPL HQ have lower edges protected against humidity.

EXTRA CHARGES

- size '100' and '110'
- hollow chipboard core
- chipboard core
- investment set (extra charge added to a door leaf) · investment set (extra charge added to a door frame)
- OFFER PRIME set
- gold 3D hinges (extra charge added to door frame price)
- third 3D hinge silver, white, black(extra charge added to door frame price)
- third 3D hinge gold (extra charge added to door frame price) ventilation grille (only group 1 and 7), ventilation sleeves or ventilation undercut
 magnetic lock with stainless steel faceplate
- magnetic lock: white, black (for non-rebated doors)
- preparation for shortening (maximum 60 mm) (apart from gr. 4)
- reinforcement for door closer (third hinge is required)
- stainless steel porthole (model 1.1, 7.1)
- automatic threshold seal
- · hook lock with side pull handles (sliding doors)
- · oblong pull handle for sliding doors
- caps for standard hinges
- · handle with an escutcheon

(see p. 196)

P





Porta RESIST

WE RECOMMEND!

The door leaf is skinned with a highly compressed board with very fine fibres structure. Thanks to its high density, the board guarantees resistance to impacts, attritions and scratches.



Porta FOCUS



Porta FOCUS 4.A, Natural Walnut (matt)



Porta FOCUS 4.A, Natural Walnut (matt)





model 2.0

model 4.A



-

model 4.B



Portadecor veneer ★★★☆☆☆									
Whitened Walnut	Walnut	Wenge*	Walnut Verona 2	Catania Oak	NEW Gtey				
* until stocks last									
Portasynchro 3D veneer 🚖★★☆☆☆									
Honey Acacia	Silver Acacia	Scarlet Oak	Dark Oak	Wenge White	Norwegian Pine				
Portaperfect 3D veneer ★★★★☆									
Havana Oak	California Oak	Scandinavian Oak	Scandinavian Beech	Classic Oak	Southern Oak				
Siberian Oak	Natural Oak	NEW Matt Oak							





glass-door panel joint rebated door



glass - door panel joint non-rebated door



English Oak Hamilton

glass-door panel joint rebated door



glass-door panel joint npn-rebated door

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Honeycomb or hollow chipboard core (at an extra charge) reinforced with rails and stiles. The construction is skinned with HDF. Glazed models come with 8 mm thick, frosted tempered panel glass, which is an element of the construction. There is lipping ABS on the side edges of the doors finished with CPL.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- Rebated doors: two or three standard barrel hinges or PRIME hinges (optionally at
- extra charge); non-rebated: two 3D hinges Lock: key lock, WC lock, or cylinder lock
- Frosted, tempered glass
- · Round pull handle (for sliding doors)

DOOR FRAMES

Recommended rebated door frames:

- Porta SYSTEM see p. 174
- MINIMAX see p. 172 STEEL see p. 186-191

Recommended non-rebated door frames:

- Porta SYSTEM ELEGANCE see p. 176
- LEVEL see p. 180

NOTES

- Norm PN EN 14351-2:2018-12.
- · Ventillation undercut in glazed models is available only for Polish Norm.
- · Hollow chipboard core and chipboard core have preparation for shortening as a standard.
- Size'110'is vailable only with chipboard core.
 Black glazing is available for model 4.A (optionally at extra charge)

- Double doors are available in any door leaf size combinations. For non-rebated double door, active' and , passive' door leaves must be ordered.
- 4.B model is available only with hollow chipboard core, free of extra charge. • Size '110' is not available for models of group 4.
- Fixed size of glass group 2, model 4.A.
- Magnetic lock is not available for a double door
- · Sizes,100' and,110' require third hinge
- · PRIME or 3D hinges packed with a door frame

EXTRA CHARGES

- size '100', '110'
- · lack glazing model 4.A
- inverse glazing • OFFER for door leaves finished with CPL - Prime set
- CPL finish 0,2 GROUP II
- hollow chipboard core
- chipboard core
- ventilation undercut or ventilation sleeves
- · PRIME hinges (for dedicated door frames)
- PRIME lock with glossy faceplate (silver or gold)
- gold 3D hinges (extra charge added to door frame price)
- third 3D hinge silver, white, black (extra charge added to door frame price)
 third 3D hinge gold (extra charge added to door frame price)

- magnetic lock with stainless steel faceplate
 magnetic lock: white, black (for non-rebated doors)
 hook lock with side pull handles (sliding doors)
- oblong pull handle for sliding doors
- caps for standard hinges
- · handle with an escutcheon




Porta LOFT



Porta LOFT gives new possibilities of interior design. Edgy black and timeless white colours are the leitmotiv of this collection. They are used to finish the door frame and all the accessories. Thanks to their combination with one of Porta's veneer you can create your own, unique, product that matches almost any interior.

Porta LOFT 4.A, Halifax Natural with black glazing, steel door frame Porta SYSTEM ELEGANCE, black MATT



Porta LOFT 1.1, Halifax Natural





model 4.A black glazing also available





model 1.1

model 4.A



model 4.B





AVAILABLE FINISHES OF DOOR FRAMES

SUPER MATT veneer ★★★☆☆☆







glass-door panel joint



3D hinges in door frame colour

3D hinges in door frame colour



TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Honeycomb or hollow chipboard core (at an extra charge) reinforced with rails and stiles. The construction is skinned with HDF. Glazed models come with 8 mm thick, frosted tempered panel glass, which is an element of the construction. **The distinctive feature** of this collection is black or white lipping ABS on the side edges.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- Two 3D hinges in a door frame colour- Black or White
- · Lock in ABS tape colour Black or White
- 8 mm thick frosted, tempered glass

DOOR FRAMES

- Porta SYSTEM ELEGANCE, black or white
- Steel PORTA SYSTEM ELEGANCE, black or white

NOTES

- Norm PN EN 14351-2:2018-12.
- · Ventilation undercut in glazed models is available only for Polish Norm.
- · Hollow chipboard core and chipboard core have preparation for shortening as a standard.

- 4.B model is available only with hollow chipboard core, free of extra charge.
- Black glazing is available for model 4.A (optionally at extra charge)
- Fixed size of glass panel -model 4.A.
- Size,100' requires third hinge
- · 3D hinges packed with a door frame

EXTRA CHARGES

- size '100'
- · black glazing model 4.A
- inverse glazing
 CPL finish 0.2 mm GROUP II
- hollow chipboard core
- chipboard core
- ventilation undercut automatic threshold seal
- third 3D hinge (extra charge added to door frame price) • preparation for shortening (maximum 60 mm), (group 1.1)
- handle with an escutcheon



HEIGHT 220

Nature CLASSIC



Chosen models with hollow or chipboard core ale classified with 3rd strength performance class.

WE RECOMMEND -

'Investment set' adittionaly available. It contains 3 part hinges and lock of the highest category of use (at extra charge). The set consists of a door leaf (finished with portalamino veneer) and dedicated door frame.



HEIGHT 220









model 1.1 model 1.2



model 7.1






model 7.2





model 7.4

Nature CLASSIC 3.1, Oak 1, grain - ,flower'





Natural Satin Oak Veneer ★★★★☆☆





Customize colours to meet your individual needs. Send an enquiry through Porta CONTRACT. Details regarding bespoke order, see page 230.

Due to the characteristic of natural veneers, differences in colour and graining, might appear on a door leaf. These differences cannot be grounds for complaints



horizontal graining aroup 7

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Core- stabilizing infill reinforced with rails and stiles. The construction is skinned with a slim particle board which is finished with high quality natural veneer. The door leaf surface is protected by ecological water-based varnishes. Select, Natural Oak, Ash, Walnut and Satin (apart from white) veneers are hardened under UV lamp (semi-matt). Hollow chipboard core available at an extra charge

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- Rebated doors: three standard barrel hinges or PRIME hinges; non-rebated: two 3D hinges
- · Lock with glossy faceplate (silver or gold): key lock, WC lock, or cylinder lock
- · Glass panel 'chinchilla' or frosted tempered glass
- · Preparation for shortening (maximum 60 mm) · Round pull handle (for sliding doors)
- **DOOR FRAMES**

Recommended rebated door frames:

- Porta SYSTEM see p. 174
- MINIMAX see p. 172 •
- STEEL see p. 186-191
- Recommended non-rebated door frames:
- Porta SYSTEM ELEGANCE see p. 176
- Porta SYSTEM ELEGANCE 90 degrees see p. 176
- Recommended door frames with a reversed rebate:
- · Porta SYSTEM with a reversed rebate see p. 178

NOTES

- Norm PN FN 14351-2.2018-12
- Height 220 available for models 1.1 and 1.7; core: hollow chipboard, 3 hinges as a standard
- Size '100' is not available for model 1.3
- Unvarnished door leaves are available in a standard product price
- Model 3.1 is not available with Natural Satin veneer

- Ventilation sleeves- silver or gold, 1 row.
- Double doors are available in any door leaf size combinations. For a double
- non-re bated door, , active' and , passive' door leaves must be ordered · Magnetic lock is not available for a double door.
- · Investment set is available only with hollow or chipboard core · Investment set is available with a rebated door frame: Porta SYSTEM, Steel Porta SYSTEM, Steel adjustable, Corner profile - SMALL and LARGE
- · PRIME or 3D hinges packed with a door frame

EXTRA CHARGES

- size '100'
- door leaf height 220 cm
- ventilation undercut or ventilation sleeves 1 row, 2 rows available only for models: 1.1. 1.2. 1.3
- stainless steel porthole (only 1.1 and 1.7 models)
- investment set (extra charge added to a door leaf)
- investment set (extra charge added to a door frame)
- gold 3D hinges (extra charge added to a door frame price)
- third 3D hinge silver, white, black (extra charge added to a door frame price)
- · third 3D hinge gold (extra charge added to a door frame price)
- · magnetic lock with stainless steel faceplate
- magnetic lock: white, black (for non-rebated doors)
- hook lock with side pull handles (sliding doors) an oblong pull handle for sliding doors
- mirror on one side
- mirror on both sides
- hollow chipboard core
- chipboard core
- 'Satin white oak' finish
- 'Select black" finish
- · a handle with an escutcheon

(see p. 196)



Nature CLASSIC

REVERSED REBATE

Nature LINE



Nature LINE E.2, Mocca



HEIGHT 220















Nature LINE F.1, Mocca





Due to the characteristic of natural veneers, differences in colour and graining, might appear on a door leaf. These differences cannot be grounds for complaints.

Natural Satin Oak Veneer ★★★★☆☆





silver decorative inlay



silver decorative inlay

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Core- stabilising infill reinforced with rails and stiles. The construction is skinned with slim particle board which is finished with high quality natural veneer. Door leaves are enriched with aluminium decorative inlays, 6 mm wide. The door leaf surface is protected by ecological water-based varnishes. Select, Natural Oak and Satin (apart from white) veneers are hardened under UV lamp (semi-matt). Hollow chipboard core available at extra charge.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- Rebated doors: three standard brel hinges or PRIME hinges; non-rebated: two 3D hinges
 Lock with glossy faceplate (silver or gold): key lock, WC lock, or cylinder lock
- Preparation for shortening (maximum 60 mm)
- · Round pull handle (for sliding doors)

DOOR FRAMES

Recommended rebated door frames:

- Porta SYSTEM see p. 174
- MINIMAX see p. 172
- STEEL see p. 186-191
- Recommended non-rebated door frames:
- Porta SYSTEM ELEGANCE see p. 176 • Porta SYSTEM ELEGANCE 90 degrees see p. 176
- Recommended door frames with reversed rebate:
- Porta SYSTEM with reversed rebate see p. 178

NOTES


- Norm PN EN 14351-2:2018-12.
- · Height 220: core hollow chipboard; 3 hinges as a standard · Ventilation sleeves - silver or gold. 1 or 2 rows
- · Double doors are available in any door leaf size combinations. For a double
- non-rebated door, active' and passive' door leaves must be ordered · Magnetic lock is not available for a double door
- PRIME or 3D hinges packed with a door frame

EXTRA CHARGES

- size '100'
- door leaf height 220 cm ventilation sleeves or ventilation undercut
- hook lock with side pull handles (sliding doors)
- an oblong pull handle for sliding doors
- reversed rebate third 3D hinge , white or black -
- gold 3D hinges (extra charge added to a door frame price)
- third 3D hinge silver, white, black (extra charge added to a door frame price)
- extra charge added to door frame price
- · third 3D hinge gold (extra charge added to a door frame price)
- magnetic lock with stainless steel faceplate
- magnetic lock: white, black (for non-rebated doors)
- · hollow chipboard core
- door leaf with reversed rebate
 White Oak -Satin finish
- Black Natural Select finish
- a handle with an escutcheon

HEIGHT 220

Nature VECTOR



NEW

Nature VECTOR collection - doors in natural veneer: White Oak Satin. The collection consists of the most frequently chosen decorative milling patterns of the Porta VECTOR collection and a new dedicated one - pattern J.

Nature VECTOR J, Oak 1









model V

Nature VECTOR J, Oak 1



Natural Satin Oak Veneer ★★★☆☆



Natural veneer Oak ★★★☆☆





Give free rein to your imagination! Do you have your own door concept? You can order any milling with Porta CONTRACT, details regarding bespoke orders see page 230.





decorative milling close up - visible texture of Natural Oak

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Core - stabilising infill reinforced with rails and stiles. The construction is skinned with a slim particle board which is finished with high quality natural veneer. The door leaf surface is protected by ecological water-based varnishes. Hollow chipboard core available at an extra charge.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- Rebated doors: three standard barrel hinges or PRIME hinges; non-rebated: two 3D hinges
- Three hinges for size '100'
- Lock with glossy faceplate (silver or gold): key lock, WC lock, or cylinder lock
- Round pull handle (for sliding doors)

DOOR FRAMES

Recommended rebated door frames:

- Porta SYSTEM see p. 174
- MINIMAX see p. 172
- STEEL see p. 186-191
- Recommended non-rebated door frames:
- Porta SYSTEM ELEGANCE see p. 176 Porta SYSTEM ELEGANCE 90 degrees see p. 176

- NOTES
- Norm PN EN 14351-2:2018-12.
- Height, 220': core: hollow chipboard; three hinges as a standard
- · Double doors are available in any door leaf size combinations.
- Passive door leaf (panel) available in sizes: ,30', '40', ,50' without a decorative milling
- Magnetic lock is not available for a double door. · Reinforcement for a door closer requires third hinge.
- Model E comes with horizontal wood graining, other models with vertical
 PRIME or 3D hinges packed with a door frame

EXTRA CHARGES

• size '100'

- hollow chipboard core
- · Ventilation sleeves or ventilation undercut
- preparation for shortening (maximum 60 mm)
- gold 3D hinges (extra charge added to a door frame price)
- third 3D hinge silver, white, black(extra charge added to a door frame price)
- third 3D hinge gold (extra charge added to a door frame price)
- magnetic lock with stainless steel faceplate
 magnetic lock: white, black (for non-rebated doors)
- · reinforcement for door closer (third hinge is required)
- hook lock with side pull handles (sliding doors)
- an oblong pull handle for sliding doors
- a handle with an escutcheon





Nature LOFT gives new possibilities of interior design. Black colour is the leitmotiv of this collection. It is used to finish the door frame and all the accessories.

Nature LOFT 1.1, Oak 1,,striped' wood grain



1.1, Oak 1 -, flower' wood grain

1.1, Oak 1 - , striped' wood grain



1.1, Ash



1.1, Walnut

Nature LOFT 1.1, Oak 1, ,flower' wood grain




AVAILABLE FINISHES OF DOOR FRAMES

Natural Select Veneer ★★★★☆☆

Black

AVAILABLE FINISHES

Natural veneer - Oak ★★★★☆☆



Natural veneer - Walnut ★★★★☆☆ wood graining -,flower



Due to the characteristic of natural veneers, differences in colour and graining, might appear on a door leaf. These diff erences cannot be grounds for complaints.



lock faceplate



3D hinges in door frame colour

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Honeycomb or hollow chipboard core reinforced with rails and stiles (optionally at extra charge). The construction is skinned with a particle board finished with natural veneer. Side edges finished with Natural Select Veneer. The distinctive features of this collection are black lipping on the side edges and black accessories.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- Two 3D hinges Black
- Lock in ABS tape colour Black

DOOR FRAMES

Porta SYSTEM ELEGANCE, black see p. 176
Porta SYSTEM ELEGANCE 90 degrees, black see p. 176

- NOTES
- Norm PN EN 14351-2:2018-12.
- Hollow chipboard core and chipboard core have preparation for shortening as a standard. Size,100' requires third hinge
- · 3D hinges packed with a door frame.
- **EXTRA CHARGES**
- size '100'
- hollow chipboard core
- ventilation undercut
- third 3D hinge (extra charge added to door frame price)





Nature GRANDE A.1, Black







model A.1





model B.3







Nature GRANDE A.0, Black

model C.0

model D.0

model D.1





Due to the characteristic of natural veneers, differences in colour and graining, might appear on a door leaf. These differences cannot be grounds for complaints.

Natural Satin Oak Veneer ★★★☆☆





a door with glazing

flat panel

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Frame and panel construction. A door leaf is finished with natural veneer. Surface is protected by ecological water-based varnishes. Select, Natural Oak and Satin (apart from white) veneers are hardened under UV lamp (semi-matt)

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- Rebated doors: three standard barrel hinges or PRIME hinges; non-rebated: two 3D hinges
- · Lock with glossy faceplate (silver or gold): key lock, WC lock, or cylinder lock
- Frosted tempered glass
- Preparation for shortening (maximum 60 mm)
- Round pull handle (for sliding doors)

DOOR FRAMES

Recommended rebated door frames:

- Porta SYSTEM see p. 174
- MINIMAX see p. 172
- Recommended non-rebated door frames:

Porta SYSTEM ELEGANCE see p. 176

- Porta SYSTEM ELEGANCE 90 degrees see p. 176
- Recommended door frames with reversed rebate:
- Porta SYSTEM with reversed rebate see p. 178

NOTES

- Norm PN EN 14351-2:2018-12.
- · Double doors are available in any door leaf size combinations.
- · Magnetic lock is not available for a double door.
- PRIME or 3D hinges packed with a door frame

EXTRA CHARGES

- size '100'
- ventilation undercut
- preparation for shortening (maximum 60 mm)
- reversed rebate third 3D hinge, white, black (extra charge added to door frame price)
 reversed rebate third 3D hinge, silver (extra charge added to door frame price)

- gold 3D hinges (extra charge added to a door frame price) third 3D hinge silver, white, black (extra charge added to a door frame price)
- third 3D hinge gold (extra charge added to a door frame price)
- magnetic lock with stainless steel faceplate
- magnetic lock: white, black (for non-rebated doors)
- · hook lock with side pull handles (sliding doors)
- an oblong pull handle for sliding doors
- White Oak -Satin finish
- Black Natural Select finish
- a handle with an escutcheon







Nature SPACE G.1 with black glazing, Brown Oak



Nature SPACE G.1, Brown Oak

102



model F.1

model G.1 black glazing also available model H.1



Natural Select Veneer ****



Natural veneer - Oak ★★★☆☆



Due to the characteristic of natural veneers, differences in colour and graining, might appear on a door leaf. These differences cannot be grounds for complaints.









door with frosted glazing



door with frosted glazing

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Glued softwood. Door leaves contain rails and stiles finished with natural veneer. Thanks to applied technology, door leaf is very resistant to deformation. Surface is protected by ecological water-based varnishes. Select, Natural Oak and Satin (apart from white) veneers are hardened under UV lamp (semi-matt).

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- Rebated doors: two or three standard barrel hinges or PRIME hinges (optionally at extra charge); non-rebated: two 3D hinges
- Lock with glossy faceplate (silver or gold): key lock, WC lock, or cylinder lock
- Frosted tempered glass, 8 mm thick

DOOR FRAMES

Recommended rebated door frames:

- Porta SYSTEM see p. 174
- MINIMAX see p. 172
- STEEL see p. 186-191

Recommended non-rebated door frames: • Porta SYSTEM ELEGANCE see p. 176

Porta SYSTEM ELEGANCE 90 degrees see p. 176

NOTES

- Norm PN EN 14351-2:2018-12.
- Ventilation sleeves- silver or gold. 1 row (model F.1, G.1)
- Double doors are available in any door leaf size combinations. For a double
- non-rebated door, ,active' and ,passive' door leaves must be ordered Magnetic lock is not available for a double door.
 PRIME or 3D hinges - packed with a door frame
 Model G.1 is available with black glazing (optionally at extra charge)

EXTRA CHARGES

- size '100'
- black glazing model G.1
- ventilation sleeves (model F.1, G.1)
- magnetic lock with stainless steel faceplate
- magnetic lock: white, black (for non-rebated doors)
 hook lock with side pull handles (sliding doors)
- an oblong pull handle for sliding doors
- gold 3D hinges (extra charge added to a door frame price) • third 3D hinge - silver, white, black(extra charge added to a door frame price)
- third 3D hinge gold (extra charge added to a door frame price)
- 'Satin white oak' finish
- · a handle with an escutcheon





Nature CONCEPT



WE RECOMMEND -

Traditional frame and panel construction guarantees long-time durability.

Nature CONCEPT C.6, Oak



Nature CONCEPT C.6, Oak











model D.0





model C.2

model K.1



model K.0





model K.2

model C.4




model C.6





model K.3

of this collection on a website



Natural Select Veneer ****



Natural veneer - Oak ★★★☆☆



Due to the characteristic of natural veneers, differences in colour and graining, might appear on a door leaf. These differences cannot be grounds for complaints.

Natural Satin Oak Veneer ★★★☆☆



Nature CONCEPT



flat panel – model A.0



flat panel – model B.0



frosted glass panel - model A.9



decorative inlays - model D.0

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Glued laminated with MDF. The construction is finished with natural veneer. Thanks to applied technology, door leaf is very resistant to deformations. Model D.0 - aluminium decorative inlays, 6 mm wide. Surface is protected by ecological water-based varnishes. Select, Natural Oak and Satin (apart from white) veneers are hardened under UV lamp (semi-matt)

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- · Rebated doors: two or three standard barrel hinges or PRIME hinges
- (optionally at extra charge); non-rebated: two 3D hinges Lock with glossy faceplate (silver or gold): key lock, WC lock, or cylinder lock
- Frosted tempered glass
- Preparation for shortening, maximum 60 mm Oblong pull handle (for sliding doors)

DOOR FRAMES

Recommended rebated door frames:

- Porta SYSTEM see p. 174
- MINIMAX see p. 172
- Recommended non-rebated door frames:
- Porta SYSTEM ELEGANCE see p. 176Porta SYSTEM ELEGANCE 90 degrees see p. 176

NOTES

- Norm PN EN 14351-2:2018-12..
- · Ventilation sleeves- silver or gold. 1 row.
- Double doors are available in any door leaf size combinations. For a double non-rebated door, active' and , passive' door leaves must be ordered
- · Magnetic lock is not available for a double door
- PRIME or 3D hinges packed with a door frame

EXTRA CHARGES

- size '100'
- ventilation sleeves or ventilation undercut
 hook lock with side pull handles (sliding doors)
- an oblong pull handle for sliding doors
- gold 3D hinges (extra charge added to a door frame price)
- third 3D hinge silver, white, black (extra charge added to door frame price)
- third 3D hinge gold (extra charge added to door frame price)
- · magnetic lock with stainless steel faceplate
- magnetic lock: white, black (for non-rebated doors)
- 'Satin white oak' finish
- · a handle with an escutcheon







The beauty of classical doors

SEVILLA solid, White Oak



SEVILLA solid

SEVILLA s with glazing p



SEVILLA solid, White Oak



Natural veneer - Oak ★★★★☆☆



Natural Satin Oak Veneer ★★★☆☆



Due to the characteristic of natural veneers, differences in colour and graining, might appear on a door leaf. These differences cannot be grounds for complaints.



SEVILLA raised panel profile

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Glued softwood with MDF. The construction is finished with natural veneer. Thanks to applied technology, door leaf is very resistant to deformations. Surface is protected by ecological water-based varnishes. Natural Oak and Satin (apart from white) veneers are hardened under UV lamp (semi-matt).

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- Rebated doors: three standard barrel hinges or PRIME hinges; non-rebated: two 3D hinges
- Lock with glossy faceplate (silver or gold): key lock, WC lock, or cylinder lock
- Glass panels chinchilla' or frosted tempered glass preparation for shortening, maximum 60 mm. A door leaf with a ventilation slit - shortening up to 40 mm
 Round pull handle (for sliding doors)
- A seal fitting the glass panel

DOOR FRAMES

Recommended rebated door frames:

- Porta SYSTEM see p. 174
- MINIMAX see p. 172

Recommended non-rebated door frames:

- Porta SYSTEM ELEGANCE see p. 176
- Porta SYSTEM ELEGANCE 90 degrees see p. 176

NOTES

- Norm PN EN 14351-2:2018-12.
- Unvarnished door leaves are available at standard product price
- Ventilation sleeves silver or gold. 1 row.
 Double doors are available in any door leaf size combinations. For a double non-rebated door, active' and , passive' door leaves must be ordered
- Magnetic lock is not available for a double door
- Side panels in size '40'
- PRIME or 3D hinges- packed with a door frame

EXTRA CHARGES

- size '100'
- · ventilation sleeves, ventilation undercut or ventilation slit
- gold 3D hinges (extra charge added to a door frame price)
- third 3D hinge silver, white, black (extra charge added to a door frame price)
- third 3D hinge gold (extra charge added to a door frame price)
- magnetic lock with a stainless steel faceplate
- magnetic lock black or whit, for rebated doors
- hook lock with side pull handles (sliding doors)
- an oblong pull handle for sliding doors
- an astragal for double doors
 White Oak -Satin finish
- a mirror on one side
- · a handle with an escutcheon





MADRID, CORDOBA, TOLEDO



CORDOBA large muntin, panel K Tabacco



CORDOBA solid, Tabacco

108





MADRID small glazing



solid



solid





TOLEDO solid

TOLEDO model 2



MADRID

muntin



TOLEDO model 3





Т
9
5





CORDOBA

large muntin

MADRID

large muntin



side

panel A

side panel K





Natural veneer - Oak ****



Natural Satin Oak Veneer ★★★☆☆



Due to the characteristic of natural veneers, differences in colour and graining, might appear on a door leaf. These differences cannot be grounds for complaints.





CORDOBA minimalist rails and stiles chamfered with 20°



MADRID decorative profiled stile



minimalist rails and stiles chamfered with 20°



decorative coved panel

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Glued softwood with MDF. The construction is fi nished with natural veneer. Thanks to applied technology, door leaf is very resistant to deformations. Surface is protected by ecological water-based varnishes. Natural Oak and Satin (apart from white) veneers are hardened under UV lamp (semi-matt). Rails and stiles of Cordoba and Toledo are chamfered with 20°

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- Rebated doors: three standard barrel hinges or PRIME hinges; non-rebated: two 3D hinges
- Lock with glossy faceplate (silver or gold): key lock, WC lock, or cylinder lock
- Glass panels 'chinchilla' or frosted tempered glass preparation for shortening,
- maximum 60 mm. A door leaf with a ventilation slit shortening up to 40 mm Round pull handle (for sliding doors)
- A seal fitting the glass panel

DOOR FRAMES

Recommended rebated door frames:

- Porta SYSTEM see p. 174
- MINIMAX see p. 172
- Recommended non-rebated door frames:
- Porta SYSTEM ELEGANCE see p. 176
- Porta SYSTEM ELEGANCE 90 degrees see p. 176

NOTES

- Norm PN EN 14351-2:2018-12.
- · Unvarnished door leaves are available at standard product price
- Ventilation sleeves- silver or gold. 1 row.
- Double doors are available in any door leaf size combinations. For a double non-rebated door, active'and, passive'door leaves must be ordered • Magnetic lock is not available for a double door
- Side panels in size '40'
- PRIME or 3D hinges- packed with a door frame

EXTRA CHARGES

- size '100'
- · ventilation sleeves, ventilation undercut or ventilation slit
- gold 3D hinges (extra charge added to a door frame price)
- third 3D hinge silver, white, black (extra charge added to a door frame price)
- third 3D hinge gold (extra charge added to a door frame price)
- magnetic lock with a stainless steel faceplate
 magnetic lock black or white, for rebated doors
 hook lock with side pull handles (sliding doors)

- an oblong pull handle for sliding doors
- · an astragal for double doors
- White Oak Satin finish
- · a handle with an escutcheon

(see p. 196)





Villadora RETRO



Villadora RETRO, Residence 0, Module RETRO, White Oak



vinadora ne mo nesidence o, oak winte

110



Natural Satin Oak Veneer ★★★☆☆☆

Oak White

Due to the characteristic of natural veneers, differences in colour and graining, might appear on a door leaf. These differences cannot be grounds for complaints.



decorative moulding with a raised panel

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Frame and panel construction. Rails and stiles made of high quality softwood and wood-based materials, finished with Natural Oak veneer. Specially selected satin tempered glass. Decorative mouldings/beads made of solid oak. The door leaf surface is protected by ecological water-based varnishes.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- Lock with glossy faceplate (silver or gold): key lock, WC lock, or cylinder lock
- Plain satin glass
- Preparation for shortening (maximum 60 mm)

DOOR FRAMES

- Recommended rebated door frame:
- Villadora RETRO see p. 184

NOTES

- Norm PN EN 14351-2:2018-12.
- Doors are equipped with 3 PCs of golden hinges hinges packed with a frame Option of purchasing caps for hinges in a few colours: glossy golden, old gold, glossy silver- see extra charges
- Double doors are available in any door leaf size combinations.
 Magnetic lock is not available for a double door

EXTRA CHARGES

- ventilation sleeves 1 row
- magnetic lock
- · ventilation undercut, ventilation slit · caps for Villadora hinges
- · handle with an escutcheon

(see p. 196)


Folding doors



ALFA, BETA, White

ALFA





A REBATED DOOR LEAF


The complete set consists of:

- track systemtwo-part door leaf
- Porta SYSTEM door frame (modified)

BETA



HOW TO OPEN THE DOOR* (top view)



A NON-REBATED DOOR LEAF

The complete set consists of:

- track systemtwo-part door leaf
- Porta SYSTEM door frame (modified)



F. See the ALFA door www.porta.com.pl/ dm/alfabeta.wmv




E → See the BETA door www.porta.com.pl/ dm/alfabeta.wmv

*NOTE: Due to fittings specifics there is a slight narrowing of clear opening width when the door is open. (about 10 cm).



Standard p	aint ★	ተሰሰሰ			
White					
Portadecor	veneer 🗯	* ******			
Whitened Walnut	Walnut	Wenge*	Walnut Verona 2	Catania Oak	NEW Grey
* until stocks las	st				
Portasynch	ro 3D ven	eer ★★★☆	rፚ፞፞ፚ		
Honey Acacia	Silver Acacia	Scarlet Oak	Dark Oak	Wenge White	Norwegian Pine
Portaperfe	Portaperfect 3D veneer ★★★★☆				
Havana Oak	California Oak	Scandinavian Beech	Scandinavian Oak	Classic Oak	Southern Oak
Siberian Oak	Natural Oak	Oak Matt			





how to open / fold ALFA door leaves



how to open / fold BETA door leaves

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Honeycomb core or hollow chipboard core (at an extra charge) reinforced with plywood rails and stiles. Alfa – a two-part door, unsymmetrically divided, with a standard lock in a door leaf and a tongue strike in a door frame. Beta - a two part door, symmetrically divided without a lock.

ACCESSORIES INCLUDED IN THE PRICE

- Track (BETA)
- Seal • Three silver hidden hinges
- Lock: key lock, WC lock, cylinder lock (ALFA)
- Tongue strike (ALFA)
- Round pull handle (BETA)

DOOR FRAMES

Modified Porta SYSTEM, adjustment range from B to K see p. 174.

NOTES

- National Technical Assessment ITB-KOT-2017/0184 issue 1
- Size '100' is not available for BETA.
- Dimensions see Table 7, page 212

EXTRA CHARGES

- size '100' (ALFA only)
- hollow chipboard core
- door leaf: CPL 0,2 mm finish GROUP II
- door frame: CPL 0,2 mm finish GROUP II
- ventilation sleeves, ventilation undercut
 price of ALFA track (extra charge to the set)
- BETA track is included in door frame price
- a handle with an escutcheon

(see p. 196)

113

Ρ

Sliding systems



Sliding system PORTA, Porta CONCEPT, A.9, Grey

ON WALL-MOUNTED SLIDING SYSTEMS





The complete set consists of:

- on wall-mounted sliding system (track)
 a door leaf (sliding version)
 a door frame to suit on wall
- sliding system (tunnel version)



The set consists of:

- on wall-mounted sliding system (track)
 a door leaf (sliding version)
 a door frame to suit on wall sliding
- system (tunnel version)

Portadecor Portasynchro 3D	***
Portadur Premium veneer Natural Select Natural Oak Natural Oak Satin	****
Portaperfect 3D CPL HQ	****

Finishes charts see page 220 - 226.

NOTE! Any sliding version door leaf is compatible with System Porta and ALU.

TECHNICAL INFORMATION

System PORTA

CONSTRUCTION OF PORTA SLIDING SYSTEM

On Wall Sliding system consists of: a rail bar with trolleys, rail cover & door stop. Rail cover and a door stop are made of chipboard and MDF. If you decide to choose Natural Veneer for your Door, this will be finished with semi-matt varnish.

ACCESSORIES INCLUDED IN THE PRICE

- A rail with trolleys
- A lock strike
- · Self-adhesive brush seal
- · Guide element which stabilizes the door leaf. Floor-mounted.

DOOR FRAMES

- Porta SYSTEM door frame, 'tunnel' option see p. 174.
- Dimensions see page 212, Table 7.

NOTES

- National Technical Assessment ITB-KOT-2017/0184 edition 1.
- Set is reversible (left/right). Opening direction can be changed by installing door stop (jamb) on right or left side of Porta System tunnel.

EXTRA CHARGES

- CPL 0,2 mm finishes GROUP II
- Natural veneer finish White Oak Satin
- Natural veneer finish Satin Black

System ALU

CONSTRUCTION OF ALU SLIDING SYSTEM

Offered system consists of: a rail and a construction profile supporting the door leaf. Both elements are made of nicely looking aluminium.

ACCESSORIES INCLUDED IN THE PRICE

• Guide element which stabilizes the door leaf. Floor-mounted.

DOOR FRAMES

• Porta SYSTEM frame 'tunnel', see dimensions see page 214., Table 7.

NOTES

- Set is reversible (left/right).
 In order to assemble the track system, a door leaf and a tunnel' door frame correctly, door leaf must be one size bigger. E.g track system and,tunnel' size '70' goes with door leaf '80', track system and,tunnel' '80' goes with a door leaf '90','150'--> 2x '80', '170'--> 2x '90' etc.
- Hook lock is not available.

Sliding systems



Sliding system COMPACT, Porta CONCEPT A.9, Scandinavian Oak

POCKET DOOR SYSTEM


COMPACT

HOW TO OPEN THE DOOR (top view)


Discreet framework for installation in a plasterboard wall gives an opportunity to have a door in interiors, where a traditional hinged door would spoil design concept or would be even impossible to install.

Pocket door system COMPACT

(,tunnel' frame, metal cassette (pocket) dedicated for a wall 125 mm thick)



COMPACT, tunnel' frames are dedicated for wall thicknesses 100 mm and 150 mm.



NOTE! Porta Compact tunnel frame is dedicated to work together with Porta pockets and pockets of leading European producers. Before installing Compact tunnel frame along with a pocket not produced by PORTA, it is required to check So/Ho dimensions.

The set consists of:

- a 'tunnel frame', dedicated for a wall -125 mm thick
- galvanized steel pocket dedicated for a wall -125 mm thick
- a door leaf sliding option (not included in the price of COMPACT system).



hook lock COMPACT sliding system



metal cassette (pocket) COMPACT sliding system

SLIDING SYSTEM 'COMPACT' - AVAILABLE FINISHES



Finishes charts, see page 215 – 221.



Possibility of orderidng 'tunnel' in natural veneer through Porta CONTRACT, see page 230.

NOTE! Any sliding version door leaf is compatible with Compact system.

TECHNICAL INFORMATION

COMPACT SYSTEM CONSTRUCTION

Offered system for a 125 mm thick wall, consists of: a,tunnel frame' made of chipboard and MDF; galvanized steel cassette with a running track, which are a pocket construc-tion inside the wall.

ACCESSORIES IN THE COMPACT SYSTEM PRICE

- Pocket is dedicated for a wall -125 mm thick
- Rail with trolleys and a floor-mounted element which guides the door leaf
- Hook lock strike (optionally, at an extra charge)
- · Anti-dust brush seal. Pressed in. • 'Tunnel' for a wall 125 mm thick

DOOR FRAMES

- Door frames -'tunnel' option. Available for wall thicknesses: 100 mm, 125 mm and 150 mm
- 'Tunnel' door frame dedicated for a wall thickness 125 mm is compatible with the PORTA pocket
- All of above mentioned 'tunnel frames' are compatible with pockets of leading European producers (H_a/S_o dimensions must be checked) • COMPACT, dimensions see page 214., Table 7.

NOTES

- Pockect system is dedicated for 125 mm thick plasterboard walls.
- It is possible to order additional extensions for symmetrical and unsymmetrical 'tunnel frames' (bespoke order).
- Junnel 100 mm is available with door leaves without glazing beads/decorative mouldings

EXTRA CHARGES

- cooridnation kit for a double door (open/close)
- CPL 0,2 mm finish GROUP II

Sliding systems



Sliding system BLACK, type REA

BLACK



REA type







model 2

model 3



model 1



model 5

Ρ



SLIDE







BLACK System

Premium paint ★★★★☆☆



UV acrylic paint ★★★★★☆

White

SLIDE System





pull BLACK 1

TECHNICAL INFORMATION

System BLACK

DOOR LEAF CONSTRUCTION

Honeycomb or hollow chipboard core. The construction is skinned with HDF.

ACCESSORIES INCLUDED IN THE PRICE

• Track 2000 mm

NOTES

- Technical Assessment AT 15-6515/2016
- Set is reversible (left/right)
- Set is dedicated to be mounted on wall opening one size smaller than standard. See details see p. 211
- · Hook lock is not available.
- For a double door leaf set the following parts must be ordered: two sliding systems, two door leaves and a bracket
- In case of using spacers there is a possibility to move the door leaf away from the wall - 10 mm
- Black system, type LUNA can be ordered with any door leaf in sliding version
- · Black system, type REA can be applied only with door leaves with hollow chipboard core

EXTRA CHARGES

- Hollow chipboard core
- an oblong pull
- Black 1 pull
- Set of two soft-closers with anti-slam • Bracket for double door solutions
- Set of 5 spacers

System SLIDE

DOOR LEAF CONSTRUCTION

Honeycomb or hollow chipboard core. The construction is skinned with HDF.

ACCESSORIES INCLUDED IN THE PRICE

Track 2000 mm

· A set of two Soft-Closes with Anti-Slam

NOTES

- Technical Assessment AT 15-6515/2016
- Set is reversible (left/right)
- · Set is dedicated to be mounted on wall opening one size smaller than standard. See details 7 na see p. 214.
- Hook lock is not available.

EXTRA CHARGES

• an oblong pull

Sliding systems



Sliding system EFEKT, Sand Oak







opened door









Premium paint ★★★★☆☆



Gladstone / Halifax ★★★★★

Sand	Brown	Halifax
Oak	Oak	Natural
ALE NUMBER OF BUILD	MARLES FRAMERIC	State And States

Portaperfect 3D veneer ★★★★☆☆

Scandinavian	California	Havana
Oak	Oak	Oak
	ENGINE POINTS ST	



Ē See installation video https://www.youtube.com/watch?v=MCaTX1sp590

Porta EFEKT is a CONCEALED system of sliding doors with soft-closers ensuring comfort of use. The Porta EFEKT sliding system consists of: • two tracks hidden in the door leaf.

- a bearing upper trolley with an intuitive installation and adjustment system enabling adaptation to wall unevenness,
- · bearing lower trolleys, ensuring quiet and trouble-free exploitation even on floors with grouts.
- Correctly chosen size of the door leaf allows for smooth regulation of the opening degree: partially open to open, maintaining the full light PASSAGE

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Hollow chipboard core. The construction is skinned with HDF.

ACCESSORIES INCLUDED IN THE PRICE

• Tracks

NOTES

- Norm PN EN 14351-2:2018-12.
- Hook lock is not available.
- load capacity of the system 80 kg
- The set is dedicated to be mounted on wall opening three sizes smaller than standard.
- E.g. wall opening,60' requires door leaf,90'
- The gap between door leaf and a wall: 10 mm. During installation, this dimension can be increased by using a spacer for top trolley (spacer is not a part of the set). The second option is to order a door leaf fitted to needed gap size (Contract Department).
- · See details see p. 211

EXTRA CHARGES

- sizes,100' and,110'
- an oblong pull

NEW

Frameless sliding system



Frameless sliding system, Premium paint


POCKET SLIDING SYSTEM




DOOR OPENING SYSTEM (top view)

Minimalist solution. Sliding leaves concealed in the wall.. The system does not require the use of door frames and architraves. The cassette is designed for installation in plasterboard walls.

The sliding system is designed for walls of 100 mm in thickness.



Sliding system for 125 mm thick walls..





door leaf with hook lock



Standard paint ★★★☆☆☆

White



dedicated pulls (round or square)

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Honeycomb or hollow core (at extra charge). The construction is skinned with HDF. Available two types of finish:

- Prime finish ready for painting or wallpapering. Edges have lipping that allows painting.
- White Premium Paint finish

SLIDING SYSTEM CONSTRUCTION

The sliding system is made of aluminium profiles adapted for installation in plasterboard or solid brick walls. Can be used with 40 mm thick door leaves. The system includes complete accessories and features enabling precise installation of the system adjustment of the leaf (adjustment of the depth of the leaf hiding in the system, adjustment of the leaf position in reltion to the frame - at the height +/- 2,5 mm) and a removable door stop enables replacing the leaf, a set of gaskets, guides, bearing rollers.

ACCESSORIES INCLUDED IN THE PRICE

- Metal cassette
- Hook lock strike plate (optionally at extra charge)

NOTES

- Norm PN EN 14351-2:2018-12. door leaf.
- National Technical Assessment ITB-KOT-2020/1281 issue.1 sliding system.
- System prepared for plasterboard walls with a thickness of 100 mm or 125 mm.
- Dimensions see table 7, page 212.

EXTRA CHARGES

- Round or square pull
- Hook lock with pulls
- Hollow chipboard core

TECHNICAL AND ENTRANCE DOORS

In this section we present products well known on investment projects. We offer acoustic doors, specialized doors and also fire-resistant doors. And the collection of entrance doors offers solid doors, protecting our homes and other areas that need special security and protecion.







Products finished with CPL HQ and Gladstone / Halifax, which are marked with the AQUA STOP symbol have lower edge protection against humidity made with TechnoPORTA technology.





SUMMARY OF MODELS **APARTMENT ENTRANCE DOORS** AND TECHNICAL DOORS

Presented collections of models apply as:

TECHNICAL DOORS Acoustic 27 dB, 32 dB, INNOVO 37 dB, Porta SILENCE 37 dB, EI 30, INNOVO 42 dB, 42 dB, PURE 57 dB, Fire-rated EI 30, EI 60

APARTMENT ENTRANCE DOORS AGATE, OPAL, EXTREME RC 2, QUARTZ, EXTREME RC 3, GRANITE cl. C



SOLID- vertical graining



SOLID- horizontal graining



decorative inlay 1



decorative inlay 3



decorative inlay 4



decorative inlay 6



decorative inlay 7



decorative inlay 8



decorative inlay 9

WITH DECORATIVE INLAYS: synthetic veneers - vertical graining, Gladstone/Halifax fi nish models 3, 6, 9 - graining direction - according to decorative inlays orientation



Acoustic 27 dB, 32 dB



Acoustic rating: Rw=31 dB* Rw=35 dB*

Acoustic 32 dB, White

All available models -see page 126



ACOUSTIC RATING OF THE DOORS:

- Rw=27 dB (27-31 dB)
- Rw=32 dB (32–36 dB)



cylinder lock



automatic threshold seal



Three-part hinge

Flush model, White

Ρ

Detailed tests results are available on our website tab DOWNLOAD on www.porta.com.pl DETAILED OFFER IS ALSO AVAILABLE ON **www.portadoors.com**





Natural Select Natural Oak, Ash, Walnut Natural Oak Satin	****
CPL HQ 0,2 mm	****
CPL HQ 0,7 mm Gladstone/Halifax	*****

Finishes charts see page 220 - 226.

NOTE! Natural veneers (except Ash and Walnut) are available in vertical or horizontal grain direction (applies only to door leaf)

NOTE! It is recommended to choose CPL or Gladstone/Halifax laminate for entrance door, especially if they are used in public buildings.

TECHNICAL INFORMATION

ACCESSORIES

- Three barrel hinges (adjustable door frame Porta system) or three-part hinges (steel door frame)
- Cylinder lock
- · An automatic threshold seal • A door frame seal
- A door frame
- · A door leaf finished with CPL HQ or Gladstone/Halifax has lipping ABS on the side edges.

DOOR FRAMES

- Porta SYSTEM adjustable door frame (27dB door)
- Reinforced Porta SYSTEM adjustable door frame (32dB door),
 Corner steel door frame of 100mm wide profile
- PROJECT BIS, PROJECT PREMIUM door frame cover. 192).

NOTES

- Technical Assessment ITB-KOT-2017/0096 issue 1 (Rw=27dB)
- Technical Assessment ITB-KOT-2017/0007 issue 1 (Rw=32dB)
- Acoustic rating Rw=27dB (27÷31 dB) D₁=25 dB
- Acoustic rating Rw=32dB (32÷36 dB) D =30dB
- Size '60' available for fl ush doors only (without decorative mouldings etc.)
- Thanks so TechnoPORTA technology door leaves finished with CPL HQ and Gladstone / Halifax, have lower edges protected against humidity.

EXTRA CHARGES

- size '100'
- · adjustable strike (steel door frame)
- door leaf: colours of CPL 0,2 mm and 0,7 mm veneers- GROUP II
- · door frame: colours of CPL 0,2 mm veneer- GROUP II
- · door leaf: Gladstone/Halifax colours with vertical grains
- inlays in synthetic veneers (for 1 side, for both sides price x 2)
- inlays in natural veneers (for 1 side, for both sides price x 2)
- door leaf: Natural veneer, White Oak, Satin
- · door leaf: Natural veneer, Oak, Satin (other colours)
- door leaf: Natural veneer: Walnut
- door leaf: Natural veneer: Black
- door frame: Natural veneer, White Oak, Satin
 door frame: Natural veneer, Oak, Satin (other colours)
- door frame: Natural veneer: Walnut
- · door leaf: model with crossed graining, Natural select veneer • door leaf: model with crossed graining, Natural veneer Oak, Ash, Walnut
- steel door frame: colours GROUP II
- steel door frame: colours GROUP III
- steel door frame profile for PROJECT BIS cover
- steel door frame profile for PROJECT PREMIUM cover
- steel door frame profile from 101 to 150 mm
- steel door frame profile from 151 to 270 mm
- steel door frame profile from 271 to 390 mm
- steel door frame profile from 80 to 100 mm
- · reinforcement for a door closer (steel door frame)
- · reinforcement for a door closer (Porta SYSTEM door frame)
- reinforcement for a door closer 27 dB door leaf
- 3 part hinges with Porta SYSTEM 27 dB door frame
- · dowel pins (steel door frame)
- mounting anchors (steel door frame)
- · a handle with an escutcheon

129

(see p. 199)

INNOVO 37 dB



Acoustic rating: Rw=37 dB

All available models - see page 126



Solid with a steel door frame, Black

ACOUSTIC RATING OF INNOVO 37 dB DOOR:

Rw=37 dB (37–41 dB)

.



cylinder lock



three part hinges



automatic threshold seal



three part hinges





CPL HQ 0,2 mm	****
CPL HQ 0,7 mm Gladstone/Halifax	*****

Finishes charts see page 220 - 226.

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

INNOVO core is special 3-layered sound proofing construction with rails and stiles made of glued laminated softwood. The construction is skinned with HDF. Available in rebated option. Side edges finished with lipping ABS

ACCESSORIES

- Two or three 3-part hinges
- Lock of the highest category of use class 3 according to PN-EN 12209
- · Automatic threshold seal

DOOR FRAMES

- Porta SYSTEM adjustable door frame for a wall thickness range from 120 to 300 mm.
- · Corner profile steel door frame of 100mm wide profile. Made of steel sheet, galvanized on both sides, 1,5 mm thick.

NOTES

- Norm PN EN 14351-2; 2018-2.
- Fire rated doors should be equipped with escutcheon with a a steel core handle. In case of using different hardware to offered by PORTA, guarantee cards guidelines must be followed.
- Available options: solid or with decorative inlays.
- . Doors are equipped with a lock with a 9x9 mm spindle. Any of dedicated PORTA handle require metal spindle adapter 9/8. Thanks to TechnoPORTA AQUA STOP technology door leaves finished with CPL
- HQ have lower edges protected against humidity.

EXTRA CHARGES

- size '100'
- door leaf: colours of CPL 0,2 mm and 0,7 mm veneers – GROUP II
- door frames: colours of CPL 0,2 mm veneer – GROUP II
- · door leaf: Gladstone/Halifax colours with vertical grains • inlays in synthetic veneers (for 1 side, for both sides - price x 2)
- steel door frame: colours GROUP II
- steel door frame profi le for PROJECT BIS cover
 steel door frame profi le from 101 to 150 mm
- steel door frame profi le from 151 to 270 mm
- steel door frame profi le from 271 to 390 mm

(str. 199)



SILENCE 37 dB, EI 30



Acoustic rating Rw=40 dB* Fire resistance 30 min. Smoke control.

SILENCE, Oak Milano 5

All available models - see page 126



Solid, Oak Milano 5 with an adjustable door frame

ACOUSTIC RATING OF PORTA SILENCE DOOR:

• Rw=37 dB (37-41 dB)



cylinder lock



heavy duty technical hinges



automatic threshold seal

Detailed tests results are available on our website tab DOWNLOAD on www.porta.com.pl DETAILED OFFER IS ALSO AVAILABLE ON **www.portadoors.com**

P





Natural Select Natural Oak, Ash, Walnut Natural Oak Satin	****
CPL HQ 0,2 mm	****
CPL HQ 0,7 mm Gladstone/Halifax	*****

Finishes charts see page 220 - 226.

NOTE! Natural veneers (except Ash and Walnut) are available in vertical or horizontal grain direction (applies only to door leaf)

NOTE! It is recommended to choose CPL or Gladstone/Halifax laminate for entrance door, especially if they are used in public buildings.

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

PortaSilence®core ia a special 5-layered sound proofing construction with rails and stiles made of glued laminated softwood. The construction is skinned with HDF. Available in rebated and non-rebated options. A door leaf finished with CPL HQ or Gladstone/Halifax has lipping ABS on the side edges.

ACCESSORIES

- Two or three heavy duty technical hinges (Porta SYSTEM door frame and non-rebated versions) or three 3part hinges (rebated steel door frame)
- Rebated version of MDF door frame 4 barrel hinges Lock of the highest category of use - class 3 according to PN-EN 12209
- Automatic threshold seal

DOOR FRAMES

- · A possibility of ordering a door frame in 2 options: rebated and non-rebated:
- Porta SYSTÉM adjustable door frame for a wall thickness range from 120 to 300 mm. Made of plywood.
- Corner steel door frame of 100 mm wide profile. Made of steel sheet, galvanized on both sides, 1,5 mm thick.
- 100 mm MDF fixed door frame.
- PROJECT BIS, PROJECT PREMIUM (p.190)

NOTES

- Technical Assessment ITB-KOT-2017/0007 issue 1.
- National certification of constancy of performance No 020-UWB-0567/W
- · In order to meet the requirements of building law, regarding fire-rating and soundproofness, it is necessary to use door closer.
- · Fire rated doors should be equipped with escutcheon with a a steel core handle
- In case of using different hardware to offered by PORTA, guarantee cards guidelines must be followed
- · Available options: flat, or with decorative inlays.

- · Fire rated doors inlays available only in both sides option.
- Doors are equipped with a lock with a 9x9 mm spindle. Any of dedicated PORTA handle require metal spindle adapter 9/8.
- Thanks to TechnoPORTA AQUA STOP technology door leaves finished with CPL HQ have lower edges protected against humidity.

EXTRA CHARGES

- size '100 door leaf: colours of CPL 0,2 mm and 0,7 mm veneers - GROUP II
- door frame: colours of CPL 0,2 mm veneer GROUP II
- door leaf: Gladstone/Halifax colours with vertical grains
- inlays in synthetic veneers (for 1 side, for both sides price x 2)
- inlays in natural veneers (for 1 side, for both sides price x 2)
- door leaf: Natural Satin Oak White veneer
- door leaf: Natural Satin Oak veneer (other colours)
- door leaf: Natural Walnut veneer
- door leaf: Natural veneer Select Black
- door frame: Natural Satin Oak White veneer
- door frame: Natural Satin Oak veneer (other colours)
- door frame: Natural Walnut veneer
- door frame: Natural veneer Black
- steel door frame: polyester paint GROUP II
- steel door frame: polyester paint GROUP III
- steel door frame profile for PROJECT BIS cover
- steel door frame profile from 101 to 150 mm
- steel door frame profile from 151 to 270 mm
- steel door frame profile from 271 to 390 mm
- door leaf: model with crossed graining, Natural Select veneer
- door leaf: model with crossed graining, Natural veneer Oak, Ash, Walnut
- eye viewer •
- handle with escutcheon



INNOVO 42 dB



Acoustic rating Rw=42 dB Fire-resistance EI 30 Smoke control

INNOVO 42 dB, Halifax Natural

all available models - see page 124



Solid with an adjustable door frame, Natural Halifax

ACOUSTIC RATING:

• Rw=42 dB (42-46 dB)



cylinder lock



heavy duty technical hinges



automatic threshold seals (option with MDF door frame)



heavy duty technical hinges





es not apply to a set with Porta SYSTEM door frame es not apply to a set with steel door frame and Porta SYSTEM idoor fran

AVAILABLE FINISHES

CPL HQ 0,2 mm	****
CPL HQ 0,7 mm Gladstone/Halifax	*****

Finishes charts see page 220 - 226.

TECHNICAL INFORMATION

TECHNICAL INFORMATION

- Two heavy duty technical hinges Porta SYSTEM door frame; three 3-part hinges steel door frame, 4 hinges MDF door frame
- Lock of the highest category of use class 3 according to PN-EN 12209
- Automatic threshold seal
- Intumescent strip (under high temperatures) El 30 option

DOOR FRAMES

- Reinforced adjustable Porta SYSTEM door frame . Door type DT-A42/PS for a wall thickness range from 120 to 300 mm. Door frame beams made from plywood.
- Corner profile steel door frame of 100 mm wide profile. Made from steel sheet 1,5 mm thick. Standard option includes reinforcement for a door closer
- MDF 100 mm fixed door frame equipped with hinge receivers with continuous 3D adjustment.
- It is possible to produce adjustable option of MDF frame for wall thickness from 160 mm CONTRACT (bespoke) order.

NOTES

- Product is available with Individual Approval Documentation
- Acoustic rating Rw=42 dB (range 42-46 dB)
- In order to meet the requirements of building law, regarding fire-rating and soundproofness, it is necessary to use a door closer.
- Door rails and stiles made of exotic or oak wood, colourless varnished or stained

- Fire rated doors should be equipped with an escutcheon with a a steel spindle
- In case of using different hardware to offered by PORTA, guarantee cards guidelines must be followed
- Available only as solid option, with decorative inlays
- Doors are equipped with a lock with a 9x9 mm spindle. Any of thr dedicated PORTA handle require metal spindle adapter 9/8.
- Thanks to TechnoPORTA AQUA STOP technology door leaves finished with CPL HQ have lower edges protected against humidity.

EXTRA CHARGES

size '100'

- door leaf: CPL 0,2 mm and 0,7 mm veneers GROUP II
- door frame: CPL 0,2 mm veneer GROUP II
- decorative inlays for synthetic veneers (for 1 side, for both sides the price x 2)
- steel door frame: polyester paint GROUP II
- steel door frame: polyester paint GROUP III
- steel door frame profile from 101 to 150 mm
 steel door frame profile from 151 to 270 mm
- steel door frame profile from 271 to 390 mm
- reinforcement for a door closer for Porta System frame
- reinforcement for a door closer for steel door frame

INNOVO 42 dB

Acoustic 42 dB



Acoustic rating Rw=42 dB Fire-resistance El 30 Smoke control

All available models - see page 126



Solid, Natural Walnut (matt)

P

ACOUSTIC RATING:

Rw=42 dB (42-46 dB) .




cylinder lock



heavy duty technical hinges



two automatic threshold seals (option with Porta System door frame)



two automatic threshold seals (option with steel door frame and MDF door frame)

Detailed tests results are available on our website tab DOWNLOAD on www.porta.com.pl DETAILED OFFER IS ALSO AVAILABLE ON www.portadoors.com





Natural Select Natural Oak, Ash, Walnut Natural Oak Satin	***
CPL HQ 0,2 mm	****
CPL HQ 0,7 mm Gladstone/Halifax	*****

Finishes charts see page 220 - 226.

NOTE! Natural veneers (except Ash and Walnut) are available in vertical or horizontal grain direction (applies only to door leaf)

NOTE! It is recommended to choose CPL or Gladstone/Halifax laminate for entrance door, especially if they are used in public buildings.

TECHNICAL INFORMATION

ACCESSORIES

- Two heavy duty technical hinges, three hinges for MDF (EI 30) door frame
- · Lock of the highest category of use class 3 according to PN-EN 12209 · Two automatic threshold seals
- rubber seal set circumferentially in door leaf and door frame rebates - intumescent strip (under high temperatures) - El 30, Rw=42 dB option

DOOR FRAMES

- · Reinforced adjustable Porta SYSTEM door frame TYPE DT-AW/PS for a wall thickness range from 120 to 300 mm. Door frame beams made of plywood. Door set price shown on see p. 137 includes door frame of 'C' adjustment range.
- Corner profile steel door frame of 120 mm wide profile. Made of steel sheet 1,5 mm thick. Standard option includes reinforcement for a door closer.
- · MDF fixed door frame equipped with hinge receivers with continuous 3D adjustment. It is possible to produce adjustable option of MDF frame for wall thickness from 160 mm - CONTRACT (bespoke) order.
- PROJECT BIS, PROJECT PREMIUM door frames (see p. 192).

NOTES

- Technical Assessment ITB-KOT-2017/0096 issue 1.
- National certification of constancy of performance No 020-UWB-2546/W (does not apply to 42 dB set with Porta System door frame)
- Acoustic rating Rw=42 dB (range 42-46 dB)
- · In order to meet the requirements of building law, regarding fire-rating and soundproofness, it is necessary to use a door closer.
- · Door rails and stile are made of exotic or oak wood and colourless varnished or stained
- · Fire rated doors should be equipped with an escutcheon with a steel spindle
- · In case of using different hardware to offered by PORTA, guarantee cards guidelines must be followed.

- · Doors are equipped with a lock with a 9x9 mm spindle. Any of dedicated PORTA handle require metal spindle adapter 9/8.
- Thanks to TechnoPORTA AQUA STOP technology door leaves finished with CPL HQ have lower edges protected against humidity.

EXTRA CHARGES

- size '100
- door leaf: CPL 0,2 mm and 0,7 mm veneers GROUP II
- door frame: CPL 0,2 mm veneer GROUP II
- decorative inlays for synthetic veneers (for 1 side, for both sides the price x 2) • decorative inlays for natural veneers (for 1 side, for both sides - the price x 2)
- · door leaf: Natural Satin Oak White veneer
- door leaf: Natural Satin Oak veneer (other colours)
- door leaf: Natural Walnut veneer
- door leaf: Natural Black veneer
- · door frame: Natural Satin Oak White veneer
- door frame: Natural Satin Oak veneer (other colours)
- · door frame: Natural Walnut veneer
- · door frame: Natural Black veneer
- steel door frame: polyester paint- GROUP II
- steel door frame: polyester paint- GROUP III
- steel door frame profile for PROJECT BIS cover · steel door frame profile for PROJECT PREMIUM cover
- · steel door frame profile from 101 to 150 mm
- steel door frame profile from 151 to 270 mm
- steel door frame profile from 271 to 390 mm
- · door leaf: model with crossed graining, Natural Select veneer
- door leaf: model with crossed graining, Natural veneer Oak, Ash, Walnut
 reinforcement for a door closer for Porta System frame
- eye viewer (El 60)
- · handle with an escutcheon



PURE 57 dB



Acoustic rating Rw=57 dB Fire-resistance El 30 Smoke control

PURE, Natural Hickory

All available models - see page 126




Solid with Porta SYSTEM door frame, Natural Hickory



cylinder lock



heavy duty technical hinges



automatic threshold seals (option with Porta System door frame)



automatic threshold seals (option with steel and MDF door frames)





CPL HQ 0,2 mm	****
CPL HQ 0,7 mm Gladstone/Halifax	*****

Finishes charts see page 220 - 226.

TECHNICAL INFORMATION

ACCESSORIES INCLUDED IN THE DOOR PRICE

- Two heavy duty technical hinges, three hinges for MDF (EI 30) door frame
- Lock of the highest category of use class 3 according to PN-EN 12209
- Two automatic threshold seals
- rubber seal set circumferentially in door leaf and door frame rebates
- intumescent strip (under high temperatures) El 30, Rw=57 Db option

DOOR FRAMES

- Two reinforced adjustable Porta System door frames TYPE DT-AW/PS installed as a set in one wall opening. Adjustment range: 280-400 mm. Door frame beams are made from plywood.
- Two fixed MDF door frames, equipped with hinge receivers with continuous 3D adjustment. Installed as a set in one wall opening.
- Adjustment range 180-400 mm

NOTES

- Product is available with Individual Approval Documentation
- Acoustic rating Rw=57 dB
- Acoustic rating obtained thanks to two 42 dB door leaves installed in one wall opening

- In order to meet the requirements of building law, regarding fire-rating and sound proofness, it is necessary to use a door closer.
- Door rails and stiles made of exotic or oak wood, colourless varnished or stained
- Fire rated doors should be equipped with an escutcheon with a a steel spindle
- In case of using different hardware to offered by PORTA, guarantee cards guidelines must be followed
 Available only as solid option
- Doors are equipped with a lock with a 9x9 mm spindle. Any of the dedicated PORTA handles requires metal spindle adapter 9/8.
- Thanks to TechnoPORTA AQUA STOP technology door leaves finished with CPL HQ have lower edges protected against humidity.

EXTRA CHARGES

- size '100'
- door leaf: CPL 0,2 mm and 0,7 mm veneers GROUP II
- door frame: CPL 0,2 mm veneer GROUP II
- + reinforcement for a door closer for Porta System frame

139

Fire-rated El 30, El 60



Fire-rated EI 30

All available models -see page 126



Model 3, Brown Oak, MDF door frame

ACOUSTIC RATING OF EI 30 AND EI 60 DOORS:

• Rw=32 dB (32–36 dB)





model 2 (El 60)



model 3 (El 30, El 30 soft)



examples of glazings bespoke orders (El30)



EI 30 Fire-resistance Acoustic rating Rw=34 dB*

EI 60 Fire-resistance 60 min. Acoustic rating Rw=34 dB*



Ρ



Natural Select Natural Oak, Ash, Walnut Natural Oak Satin	****
CPL HQ 0,2 mm	****
CPL HQ 0,7 mm Gladstone/Halifax	*****

Finishes charts see page 220 - 226.

NOTE! Natural veneers (except Ash and Walnut) are available in vertical or horizontal grain direction (applies only to door leaf)

NOTE! It is recommended to choose CPL or Gladstone/Halifax laminate for entrance door, especially if they are used in public buildings.

TECHNICAL INFORMATION

ACCESSORIES

- · Hinges: Two or three (El 30); four (El 30 soft, El 60)
- Cylinder lock
- Transparent, fire-resistant glass panel, (fixed width, not dependent on door leaf size)
- Intumescent strip (under high temperatures) El 30, Rw=42 dB option
- Automatic threshold seal
- A door leaf finished with CPL HQ or Gladstone/Halifax has lipping ABS on the side edges.

DOOR FRAMES

- MDF EI30 100 mm fixed door frame and adjustable one (min. 160 mm) (EI 30, EI 30 SOFT), equipped with adjustable hinges – heavy duty for EI 30 and adjustable barrel hinges for EI 30 SOFT
- Wooden door frame 120 mm (El 60), made of three-ply glued softwood, equipped with adjustable barrel hinges
- Corner profile steel door frame, 100mm wide profile. Made from hot dip galvanized steel sheet 1,5 mm thick. Equipped with three-part hinges, dowels pins and reinfor ced for door closer.
- PROJECT BIS door frame (p.190).
- El 30: PROJECT Premium door frame (p.190)
- EI 60: PROJECT Premium door frame. Available with Individual Approval Documentation. Ordering through Contract department, Details available in Investment Catalogue and at Sales Departments.

NOTES

- El 30 Technical Assessment ITB-KOT-2017/0007 issue 1. and National certification of constancy of performance No 020-UWB-0567/W
- El 60 Technical Assessment ITB-KOT-2018/0407 issue 1. and National certification of constancy of performance No 020-UWB-2707/W
- In order to meet the requirements of building law, regarding fire-rating and soundproofness, it is necessary to use a door closer.
- · Fire rated doors should be equipped withan escutcheon with a a steel spindle
- In case of using different hardware to offered by PORTA, guarantee cards guidelines must be followed

- Acoustic rating Rw=32 dB (32÷36 dB)
- El 60 in size '100' is not available in standard offer (Porta CONTRACT, see page 230).
- double EI 30 SOFT is not available.

EXTRA CHARGES

- size '100' EL 30
- double leaf door
- door leaf: CPL 0,2 mm and 0,7 mm veneers GROUP II
- door frame: CPL 0,2 mm veneer GROUP II
- door leaf: Gladstone/Halifax finish, vertical grain
- third hinge (MDF door frame)
- decorative inlays for synthetic veneers (for 1 side, for both sides the price x 2)
- decorative inlays for natural veneers (for 1 side, for both sides the price x 2)
 door leaf: Natural veneer, White Oak, Satin
- door leaf: Natural veneer, Oak, Satin (other colours)
- door leaf: Natural veneer; Walnut
- door leaf: Natural veneer: Black
- UOOI leal. Natural verieer. black
- adjustable door frame: Natural veneer, White Oak, Satin
 door frame: Natural veneer, Oak, Satin (other colours)
- door frame: Natural veneer, Walnut
- door frame: Natural veneer, Black
- steel door frame: polyester paint GROUP II
- steel door frame: polyester paint- GROUP III
- steel door frame profile for PROJECT BIS cover
- steel door frame profile EI 30 for PROJECT Premium cover
- steel door frame profile from 80 to 100 mm
- steel door frame profile from 101 to 150 mm
- steel door frame profile from 151 to 270 mm
- steel door frame profile from 271 to 390 mm
- door leaf: model with crossed graining, Natural Select veneer
- door leaf: model with crossed graining, Natural veneer Oak, Ash, Walnut
- oor viewer (El 60)
- quater rounds, architraves
- · handle with an escutcheon

(see p. 207) (see p. 199) EI 30, EI 60

ENDURO



Interior technical doors with the highest durability, abrasion resistance class and resistance to various external conditions. Specially profiled edge guards made of stainless steel and. Finish - extremely durable HPL or CPL veneer.

ENDURO, Anthracite



ENDURO 3, Anthracite

142





model 2





model 4





ENDURO - INDICATIONS FOR USE

- Laboratories Dental clinics
- Hospitals





push panel





ventilation kick panel

ventilation grille

kick panel

TECHNICAL INFORMATION

ACCESSORIES

- Rebated option: reinforced three-part hinges (3 PCs)
- Swinging option: two (size '60'), three ('70', '80'), or four ('90') hinges
- Transparent or frosted, tempered glass panel, (model 4 laminated glass panel)
- · Lock: key lock, WC lock, or cylinder lock
- · Reinforcement for a door closer included

DOOR FRAMES

- Corner profile steel door frame, profile: 105 mm wide. Made from galvanized steel sheet 1,2 mm thick. Equipped with 3 PCs of reinforced three-part hinges (which come with door leaf), rubber seal set circumferentially, six dowel pins. Powder coated (finishes charts see p. 221).
- Option of ordering two types of a door frame:
- to install on finished floor level '0'
- to install below a floor level '-30'

NOTES

- Technical Assessment AT-15-6515/2016 Warsaw, for swinging doors ITB--KOT-2017/0184 issue 1
- New installation method of edge guards without interference with veneer structure Maximum size of a swinging door leaf - '90'
- **EXTRA CHARGES**
 - size '100'
 - adjustable strike plate
 - steel door frame: polyester paint GROUP II
 - steel door frame: polyester paint GROUP III
 - door frame profile from 80 to 100 mm
 - door frame profile 106 to 150 mm
- door frame profile 155 to 270 mm
- door frame profile 275 to 390 mm
- push panel both sides set
- kick panel both sides set
- ventilation kick panel both sides set
- stainless steel ventilation grille
- swinging option · handle with an escutcheon

ENDURO



AQUA



Thanks to the construction Aqua doors can be installed in business premises e.g. wellness centres, eating places.

AQUA 4, Grey



AQUA 4, Grey

144





model 2





model 4



Okleina HPL *****



AQUA - INDICATIONS FOR USE:

- Eating places • Shops
- Business premises
- Wellness centres
- Beauty parlours



door leaf cross-section

TECHNICAL INFORMATION

ACCESSORIES

- Two stainless steel hinges
- Transparent or frosted, tempered glass panel, (model 4 laminated glass panel)
- · Lock: key lock, WC lock, or cylinder lock
- A door frame

DOOR FRAMES

- Corner profile steel door frame LARGE, profile: 105 mm wide. Made from galvanized steel sheet 1,2 mm thick. Equipped with two hinges (which come with door leaf), rubber seal, set circumferentially, six dowel pins. Powder coated (finishes charts see p. 226). • Option of ordering two types of a door frame:
- to install on finished floor level '0'
- to install below a floor level '-30'

NOTES

- Technical Assessment ITB-KOT-2017/0006 issue 1
- Door closer can be used

EXTRA CHARGES

- size '100' • stainless steel ventilation grille
- steel door frame: polyester paint GROUP II
- teel door frame: polyester paint GROUP III
- door frame profile from 80 to 100 mm
 door frame profile 106 to 150 mm
 door frame profile 155 to 270 mm

- door frame profile 275 to 390 mm
 K reinforcement for a door closer door frame
- handle with an escutcheon

(see p. 230)

(see p. 199)

AGATE apartment entrance doors 32 dB

OPAL anti-burglary doors RC 2, 32 dB



Burglar resistance RC2 (Opal) Acoustic rating Rw=32dB

AGATE Solid, Sand Beech with a steel door frame

All available models - see page 126



Solid AGATE, Sand Beech, with a steel door frame

OPAL DOOR

Doors with burglar resistance class RC2 according to PN EN 1627:2012 OPAL are also acoustic rated Rw=32 dB (32-36 dB). Opal remain burglar-resistant only as a part of a complete set: steel door frame (suggested by Porta), stainless steel threshold, a handle with an escutcheon (at least 2 class) and a cylinder (at least 4th class of burglary resistance).

AGATE DOOR

Reinforced Agate door is equipped with locks with security pins. It is acoustic rated Rw=32 dB (32-36 dB).



a lock with security pins - AGATE



4 point lock - OPAL







dog bolts - AGATE, OPAL



adjustable strike - steel door frame (optionally)






NOTE! Natural veneers (except Ash and Walnut) are available in vertical or horizontal grain direction (applies only to door leaf)

NOTE! It is recommended to choose CPL or Gladstone/Halifax laminate for entrance door, especially if they are used in public buildings.



How to install OPAL doors- see wideo www.porta.com.pl/dm/montazopal.wm

Doorset price: door leaf+door frame+steel threshold+door viewer (at extra charge).





TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Door leaf frame is made of glued laminated softwood. It is reinforced with stiles. Door leaf is skinned with a layer of aluminium sheet and wood-based board. Door leaves with silver decorative inlays are available. Natural veneers are finished with semi-matt varnish A door leaf finished with CPL HQ or Gladstone/Halifax has lipping ABS on the side edges.

ACCESSORIES INCLUDED IN THE AGAT DOOR PRICE

- · One or two locks with security pins
- Three barrel hinges
- Three dog bolts NEW
- · Door frame equipped with a standard stainless steel threshold (90 mm)

ACCESSORIES INCLUDED IN OPAL DOOR PRICE

- · 4 point lock for two cylinders
- Three barrel hinges (steel door frame)
- · Three dog bolts
- Steel door frame equipped with stainless steel threshold (90 mm)

DOOR FRAMES

- · Corner profile steel door frame, profile 105 mm wide. Made from both sides galvanized steel sheet 1,2 mm thick (AGATE) or 1,5 mm thick (OPAL).
- Equipped with three barrel hinges, rubber seal set circumferentially. OPAL is
- additionally equipped with six dowel pins.
- PROJECT BIS, PROJECT PREMIUM door frames (see p. 192).
- NOTES
- Technical Assessment ITB-KOT-2017/0096 issue 1.
- Preparation for shortening (maximum 60 mm)
 Acoustic rating Rw=32 dB (32÷36 dB)
- Threshold is a part of steel AGATE/OPAL door frame

EXTRA CHARGES

- door viewer
- size '100'
- adjustable lock strike plate (steel door frame) door frame: CPL 0.2 mm veneer – GROUP II
- door leaf: CPL 0,2 mm and 0,7 mm veneers- GROUP II
- door leaf: Gladstone/Halifax finish, vertical graining
- white or black glass applique (for solid models)
- decorative inlays for synthetic veneers (for 1 side, for both sides the price x 2)
- decorative inlays for natural veneers (for 1 side, for both sides the price x 2)
- · door leaf: Natural veneer, White Oak, Satin
- door leaf: Natural veneer, Oak, Satin (other colours)
- · door leaf: Natural veneer: Walnut
- door leaf: Natural veneer: Black
- adjustable door frame: Natural veneer, White Oak, Satin
- · door frame: Natural veneer, Oak, Satin (other colours)
- door frame: Natural veneer, Walnut door frame: Natural veneer, Select Black
- 6 dowel pins AGATE door frame
- steel door frame: polyester paint GROUP II
- steel door frame: polyester paint GROUP III
- steel door frame: black
- door leaf: model with crossed graining, Natural Select veneer
- · door leaf: model with crossed graining, Natural veneer Oak, Ash, Walnut
- steel door frame profile for PROJECT BIS cover
- steel door frame profile for PROJECT PREMIUM cover
- steel door frame profile from 106 to 150 mm
- steel door frame profile from 151 to 270 mm
- steel door frame profile from 271 to 390 mm
- · reinforcement for a door closer for a steel door frame
- cylinder inserts
- · a handle with an escutcheon

(see p. 203)



EXTREME RC 2 anti-burglary doors, class RC 2, 37 dB



Burglar resistance RC2 Acoustic rating $Rw = 40 dB^*$

EXTREME RC2, Solid, Oak Milano 1 with a steel door frame

All available models - see page 126



EXTREME RC2, Oak Milano 1 with a steel door frame

EXTREME RC 2 doors

Extreme RC2 doors are equipped with 2 locks with 3 security pins, cylinders of class B and dog bolts. The are:

- burglar resistant class RC2 according to PN EN 1627:2012 acoustic rated Rw=37 dB (37-41 dB) .



lower lock - 3 security pins



3 PCs of three-part hinges



upper lock - 3 security pins



adjustable lock strike (optional) steel door frame



dog bolts



stainless steel threshold (90 mm)

Detailed tests results are available on our website tab DOWNLOAD on www.porta.com.pl DETAILED OFFER IS ALSO AVAILABLE ON www.portadoors.com

P





Natural Select Natural Oak, Ash, Walnut Natural Oak Satin	****
CPL HQ 0,2 mm	****
CPL HQ 0,7 mm Gladstone/Halifax	*****

NOTE! Natural veneers (except Ash and Walnut) are available in vertical or horizontal grain direction (applies only to door leaf).

NOTE! It is recommended to choose CPL or Gladstone/Halifax laminate for entrance door, especially if they are used in public buildings.

Finishes charts see page 220 - 226.





TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Core: special, 5-layer construction with rails and stiles made of glued laminated softwood, skinned with HDF. Available in rebated option.

A door leaf finished with CPL HQ or Gladstone/Halifax has lipping ABS on the side edges

ACCESSORIES INCLUDED IN THE DOOR PRICE

- Two locks with security pins (handle spacing 72 mm)
- Silver three-part hinges (3 PCs)
- Four dog bolts
- A door frame
- Standard stainless steel threshold (90 mm)

DOOR FRAMES

- Corner profile steel door frame, profile 100 mm wide. Made from both sides galvanized steel sheet 1,5 mm thick.
- Equipped with three three-part hinges, rubber seal set circumferentially and eight dowel pins.
- PROJECT BIS door frame see p. 192.

NOTES

- Norm PN-EN 14351-2-2018-12
- Acoustic rating Rw=37 dB (37÷41 dB)

- Door leaf and door frame are adapted for a door closer
- Thanks to TechnoPORTA AQUA STOP technology door leaves finished with CPL HQ have lower edges protected against humidity.

EXTRA CHARGES

• size '100'

- · adjustable lock strike (steel door frame)
- door leaf: CPL 0,2 mm and 0,7 mm veneers GROUP II
- door leaf: Gladstone/Halifax finish, vertical graining
- decorative inlays for synthetic veneers (for 1 side, for both sides the price x 2)
- decorative inlays for natural veneers (for 1 side, for both sides the price x 2)
- door leaf: Natural veneer, White Oak, Satin
- door leaf: Natural veneer, Oak, Satin (other colours)
- door leaf: Natural veneer: Walnut
- door leaf: Natural veneer: Black
- steel door frame:polyester paint- GROUP II
- steel door frame: polyester paint GROUP III
- steel door frame profile for PROJECT BIS cover
- steel door frame profile from 106 to 150 mm
- steel door frame profile from 151 to 270 mm
- steel door frame profile from 271 to 390 mm
- door leaf: model with crossed graining, Natural Select veneer
- door leaf: model with crossed graining, Natural veneer Oak, Ash, Walnut
- panoramic door viewer
- door viewer
- a handle with escutcheon

Steel SECURE anti-burglary doors, class RC 3, El 30, 37 dB



Burglar resistance RC 3 Acoustic rating Rw=37 dB Fire resistance El 30

Steel SECURE A.0 with a door viewer, Structured Black




Steel SECURE A.0 with a door viewer, Structured Black

150

Steel SECURE doors

Doors are equipped with multipoint lock and two cylinders class C. They have: RC3 class according to PN EN 1627:2012 Acoustic rating Rw=37dB (37-41 dB) Fire resistance El 30

PROTECTION SYSTEM OF STEEL SURFACES





multipoint lock with two cylinders



reinforced 3part hinge






dog bolt



Polyester Premium Paint ★★★★☆



Laminated steel sheet (PVC) ★★★★☆





spring loaded door closer



hook

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

The construction is based on double layer wooden rails and stiles. The core is mulilayer, based on mineral wool.

The construction is skinned with galvanized steel sheet 0,6 mm - film laminated (PVC) or coated with a polyester paint.

spring loaded door closer

ACCESSORIES INCLUDED DOOR PRICE

- Three-part hinges (3 PCs)
- WINKHAUS STV multipoint lock
- Four dog bolts
- 'SECURE' handle
- Cylinders class C
- · Reinforcement for a door closer (door leaf and door frame)
- Stainless steel threshold with a perforation

DOOR FRAMES

Corner profile steel door frame, profile 100mm wide. Made from, both sides galvani-zed steel sheet 1,5 mm thick.

NOTES

• Norm PN-EN 14351-2:2018-12, Norm PN-EN 16034:2014-11. (see p. 198)

- size '100' • additional upper lock
- upper escutcheon door viewer
- upper cylinder
- spring loaded door closer
- polyester paint group II
- a handle with an escutcheon

QUARTZ

anti-burglary doors, class RC 2 (type III), El 30, 32 dB



Burglary resistance class RC 2 (type III) Acoustic rating Rw=34 dB* Fire-resistance El 30 Smoke control

QUARTZ, decorative inlays 6, with a steel door frame

All available models - see page 126



QUARTZ, decorative inlays 6, with a steel door frame

QUARTZ doors

DT-PP-DY/M (QUARTZ type I and type II) doors are equipped with one or two cylinder locks.

- They have following qualities: acoustic rating Rw=32 dB (32-36 dB) fire resistance El 30 .
- . smoke control
- •

DT-K32 (QUARTZ type III) doors are equipped with a multipoint lock and dog bolts.

- They have following qualities: burglar resistance class RC 2 according to PN EN 1627:2012 acoustic rating Rw=32 dB (32-36 dB) fire resistance EI 30 .
- .
- smoke control .





Four point lock with two cylinders - QUARTZ III



dog bolts - QUARTZ III



reinforced three-part hinge





Portasynchro 3D	***
Natural Select Natural Oak, Ash, Walnut Natural Oak Satin	****
Portaperfect 3D CPL HQ 0,2 mm	****
CPL HQ 0,7 mm Gladstone/Halifax	*****

NOTE! Natural veneers (except Ash and Walnut) are available in vertical or horizontal grain direction (applies only to door leaf)

NOTE! It is recommended to choose CPL or Gladstone/Halifax laminate for entrance door, especially if they are used in public buildings.

Finishes charts see page 220 - 226.



TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Core: Multilayer construction which provides fire-resistance of 30 min and acoustic insulation of Rw=34dB*. Thanks to a layer of aluminium sheet door leaves are extremely resistant to adverse conditions of use that are characteristic for communal areas. A door leaf finished with CPL HQ or Gladstone/Halifax has lipping ABS on the side edges.

ACCESSORIES INCLUDED IN DOOR PRICE

- A mortise cylinder lock with a rectangular deadbolt and (QUARTZ Type I)
- Two cylinder mortise locks with rectangular deadbolts (QUARTZ Type II)
- A 4-point lock with two cylinders and three dog bolts (QUARTZ Type III)
- Reinforced, silver three-part hinges (3 PCs)
- An intumescent seal in a door leaf rebate
- A door frame with a standard stainless steel threshold (90 mm)

DOOR FRAMES

- Corner profile steel door frame, profile 105mm wide. Made from both sides galvanized steel sheet 1,5 mm thick. Equipped with self-extinguishing gasket, three 3-part hinges, stainless steel threshold - standard 90 mm, reinforcement for a door closer. QUARTZ I has one lock strike, QUARTZ II - two lock strikes, QUARTZ III multipoint lock strike, six dowel pins and receivers for dog bolts.
- PROJECT BIS, PROJECT Premium door frames (p.190)

NOTES

- Technical Assessment ITB-KOT-2017/0007 issue 1.
- National certification of constancy of performance No 020-UWB-0567/W
- In order to meet the requirements of building law, regarding fire-rating and/or smoke control, it is necessary to use a door closer.
- In case of using different hardware to offered by PORTA, guarantee cards guidelines must be followed.
- Fire rated doors should be equipped with an escutcheon and a handle with a steel spindle
- Acoustic rating Rw=32 dB (32-36 dB)

- door viewer
- size '100'
 door leaf: CPL 0.2 mm and 0.7 mm veneers GROUP II
- door leaf: Gladstone/Halifax finish, vertical graining
- decorative inlays for synthetic veneers (for 1 side, for both sides the price x 2)
- decorative inlays for natural veneers (for 1 side, for both sides the price x 2)
- door leaf: Natural veneer, White Oak, Satin
- door leaf: Natural veneer, Oak, Satin (other colours)
- door leaf: Natural veneer, Walnut
- door leaf: Natural veneer, Select Black
- steel door frame: polyester paint- GROUP II
- steel door frame: polyester paint- GROUP III
- steel door frame profile for PROJECT BIS cover
- steel door frame profile for PROJECT PREMIUM cover
- steel door frame profile from 101 to 150 mm
- steel door frame profile from 151 to 270 mm
- steel door frame profile from 271 to 390 mm
- door leaf: model with crossed graining, Natural Select veneer
- door leaf: model with crossed graining, Natural veneer Oak, Ash, Walnut
- a handle with an escutcheon



EXTREME RC 3 anti-burglary doors, class RC 3, El 30, 37 dB



Burglary resistance class RC 3 Acoustic rating Rw=40 dB* Fire-resistance El 30 Smoke control

EXTREME RC 3, Sand Oak with a reinforced PS door frame (bespoke solution Porta CONTRACT, see p. 226)

All available models - see page 126



EXTREME RC3, Sand Oak with a reinforced PS door frame

EXTREME doors

we offer two types:

- Type I RC 3 burglary resistance class according to PN EN 1627-2012 Acoustic rating Rw=37 dB (37-41 dB)
- smoke control
- Type II
- Type I qualities fire-resistance El 30

2 anti-burglary hooks



4 dog bolts intumescent seal (Type II)



Winkhaus multipoint lock with hooks



Porta SYSTEM door frame



Spring loaded door closer with a steel door frame





P





Natural Select Natural Oak, Ash, Walnut Natural Oak Satin	****
CPL HQ 0,2 mm	****
CPL HQ 0,7 mm Gladstone/Halifax	*****

NOTE! Natural veneers (except Ash and Walnut) are available in vertical or horizontal grain direction (applies only to door leaf)

NOTE! It is recommended to choose CPL or Gladstone/Halifax laminate for entrance door, especially if they are used in public buildings.

Finishes charts see page 220 - 226.



TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Core: special 5-layer construction with rails and stiles made of glued laminated softwood, skinned with HDF. Available in rebated option.

A door leaf finished with CPL HQ or Gladstone/Halifax has lipping ABS on the side edges.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- Winkhaus STV hook lock with a pressure adjustment and an additional upper lock
- Two anti-burglary cylinders
- · A handle with an anti-burglary escutcheon, SAFE'
- An upper escutcheon,SAFE'
- 3 PCs of three-part hinges (steel door frame) or 2 PCs of heavy duty hinges (reinforced PS frame). Both options silver.
- Four dog bolts
- Additionally: type II hight temperature intumescent seal on door leaf edges
 (apart from bottom edge)
- Door frame is equipped with a standard stainless steel threshold (90 mm) and reinforcement for a door closer

DOOR FRAMES

- Corner profile steel door frame, profile 100mm wide. Made from both sides galvanized steel sheet 1,5 mm thick. Equipped with self-adhesive gasket, eight dowel pins and a stainless steel threshold (120 mm).
- Reinforced Porta system door frame with an adjustment range 120-300 mm. Architraves 80 mm wide
- PROJECT BIS door frame (see p. 192).
- Modified PROJECT door frame, order processing: PORTA contracts department. Details available in Investment Catalogue and at Sales Departments.

NOTES

- Technical Assessment ITB-KOT-2017/0007 issue 1.
- National certification of constancy of performance No 020-UWB-0567/W
- In order to meet the requirements of building law, regarding fire-rating and/or smoke control, it is necessary to use a door closer.
- Fire rated doors should be equipped with an escutcheon and a handle with a steel spindle.

- In case of using different hardware to offered by PORTA, guarantee cards guidelines
 must be followed.
- A fire-rated door decorative inlays are available only as an option for both sides
 Thanks to TechnoPORTA AQUA STOP technology door leaves finished with
- CPL HQ have lower edges protected against humidity..

- door viewer
- panoramic door viewer
- size '100'
- spring loaded door closer
 door leaf: CPL 0,2 mm and 0,7 mm veneers GROUP II
- door frame: CPL 0.2 mm veneer GROUP II
- door leaf: Gladstone/Halifax finish, vertical graining
- decorative inlays for synthetic veneers (for 1 side, for both sides the price x 2)
- decorative inlays for natural veneers (for 1 side, for both sides the price x 2)
- door leaf: Natural veneer, White Oak, Satin
- door leaf: Natural veneer, Oak, Satin (other colours)
- door leaf: Natural veneer, Walnut
- door leaf: Natural veneer, Select Black
- door frame: Natural veneer, White Oak, Satin
- door frame: Natural veneer, Oak, Satin (other colours)
 door frame: Natural veneer: Walnut
- door frame: Natural veneer: Select Black
- steel door frame: polyester paint GROUP II
- steel door frame: polyester paint GROUP III
- steel door frame profile for PROJECT BIS cover
- steel door frame profile for PROJECT Premium cover
- steel door frame profile from 101 to 150 mm
- steel door frame profile from 151 to 270 mm
- steel door frame profile from 271 to 390 mm
- · door leaf: model with crossed graining, Natural Select veneer
- door leaf: model with crossed graining, Natural veneer Oak, Ash, Walnut
- a handle with an escutcheon, SAFE'
 (see p. 203)



EXTREME RC 4 anti-burglary doors, class RC 4, El 30, 37 dB



Burglary resistance class RC 4 Acoustic rating Rw=37dB Fire-resistance El 30 Smoke control

EXTREME RC 4, Anthracite

All available models - see page 126



EXTREME RC 4, Anthracite

EXTREME RC4 doors

we offer two types:

- Type I

 • RC4 burglary resistance class according to PN EN 1627-2012

 • Acoustic rating Rw=37 dB (37–41 dB)*

 • smoke control

- Type II Type I qualities fire-resistance EI 30



dedicated handle and multipoint lock



reinforced object hinges



interlocking hooks



lock hook movable catches



stainless steel threshold





Natural Select Natural Oak, Ash, Walnut Natural Oak Satin	****
CPL HQ 0,2 mm	****
CPL HQ 0,7 mm Gladstone/Halifax	*****

Finishes charts see page 220 - 226.

NOTE! Natural veneers (except Ash and Walnut) are available in vertical or horizontal grain direction (applies only to door leaf)

NOTE! It is recommended to choose CPL or Gladstone/Halifax laminate for entrance door, especially if they are used in public buildings.

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Core: special 5-layer construction with rails and stiles made of glued laminated softwood, skinned with HDF and aluminium sheet. Core is also reinforced with steel rods.

ACCESSORIES INCLUDED IN THE DOOR PRICE

- FUHR brand multipoint hook lock
- Heavy duty technical hinges
- 5 PCs of dog bolts
- Cylinder insert
- Dedicated handle
- Additionally: type II high temperature intumescent seal on door leaf edges

DOOR FRAMES

Corner profile steel door frame. Made from both sides galvanized steel sheet 1,5 mm thick. Equipped with self-adhesive gasket, eight dowel pins and, adjustable catch of lock hooks and stainless steel threshold.

NOTES

- Norm PN EN 14351-2:2018 and PN EN 16034:2014-11
- In order to meet the requirements of building law, regarding fire-rating and/or smoke control, it is necessary to use a door closer or a closing device
- Door leaf and door frame are preared for a door closer
- In case of using different hardware to off ered by PORTA, guarantee cards guidelines must be followed

- spring loaded closer
- size '100'
- door leaf: CPL 0,2 mm and 0,7 mm veneers GROUP II
- door leaf: Gladstone/Halifax finish, vertical graining
- decorative inlays for synthetic veneers (for 1 side, for both sides the price x 2)
- decorative inlays for natural veneers (for 1 side, for both sides the price x 2)
 door leaf: Natural veneer, White Oak, Satin
- door leaf: Natural veneer, White Oak, Satin
 door leaf: Natural veneer, Oak, Satin (other colours)
- door leaf: Natural veneer, Oak, Satin (other colour
 door leaf: Natural veneer, Select black
- door leaf: Natural veneer: Walnut
- door leaf: model with crossed graining, Natural Select veneer
- door leaf: model with crossed graining, Natural veneer Oak, Ash, Walnut
- steel door frame: colours GROUP II
- steel door frame: colours GROUP III
- steel door frame profile for PROJECT BIS cover
- steel door frame profile for PROJECT Premium cover
- steel door frame profile from 101 to 150 mm
- steel door frame profile from 151 to 270 mm
- steel door frame profile from 271 to 390 mm
- door viewer
- panoramic door viewer

GRANITE class C anti-burglary doors, class C, El 30, 32 dB



GRANITE class C, Natural Walnut with a door frame and a PROJECT BIS door frame cover

Burglary resistance class RC 3 Acoustic rating Rw=36 dB* Fire-resistance El 30

All available models - see page 126



GRANITE Solid, Natural Walnut with a steel door frame

GRANITE DOORS cl. C

we offer two types:

Type I

- pe 1 ,C' burglary resistance class RC3 burglary resistance class according to PN EN 1627-2012 Acoustic rating Rw=32 dB (32-36 dB) Smoke control
- Type II
- Type I qualities Fire-resistance El 30





two cylinder multipoint lock with security pins







reinforced three-part hinge







Natural Select Natural Oak, Ash, Walnut Natural Oak Satin	****
CPL HQ 0,2 mm	****
CPL HQ 0,7 mm	*****
Finishes charts see page 220 – 226	

NOTE! Natural veneers (except Ash and Walnut) are available in vertical or horizontal grain direction (applies only to door leaf)

NOTE! It is recommended to choose CPL or Gladstone/Halifax laminate for entrance door, especially if they are used in public buildings.

Finishes charts see page 220 – 226





How to install Granite doors, using dowel pins - see video www.porta.com.pl/dm/montazgranitnadyble.wmv

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Rails and stiles made of glued softwood. The construction is skinned with special double layer aluminium sheet and HDF. Silver decorative inlays available. Natural veneers are finished with semi-matt varnish

ACCESSORIES INCLUDED IN DOOR PRICE

- Multipoint lock with security pins, class 4
- Two anti-burglary cylinders, class 'C'
- · A handle with an anti-burglary escutcheon'GRANITE' or 'GRANITE PLUS' (at an additional charge)
- Upper escutcheon
- · Four dog bolts
- Preparation for shortening, maximum 60 mm (regards Granite type I)
- · Additionally: type II high temperature intumescent seal on door leaf edges Door frame equipped with a stainless steel threshold, (wider option- 120 mm) and reinforcement for a door closer

DOOR FRAMES

- Corner profile steel door frame, profile 100 mm wide. Made from galvanized steel
 sheet 1,5 mm thick. Equipped with self-adhesive gasket, eight dowel pins and a stainless steel threshold (120 mm).
- PROJECT BIS door frame (see p. 192).
- PROJECT Premium (see p. 192).

NOTES

- Technical Assessment ITB-KOT-2017/0242 issue 1.
- National certification of constancy of performance No 020-UWB-2618/W
- · In order to meet the requirements of building law, regarding fire-rating and/or smoke control, it is necessary to use a door closer.

- · Fire rated doors should be equipped with an escutcheon and a handle with a steel spindle
- In case of using different hardware to offered by PORTA, guarantee cards guidelines must be followed.
- Acoustic rating Rw=32 dB (32-36 dB).
- Thanks to TechnoPORTA AQUA STOP technology door leaves finished with CPL HQ have lower edges protected against humidity..

EXTRA CHARGES

- door viewer
- · panoramic door viewer
- size '100'
- an adjustable lock strike (Type I)
 door leaf: CPL 0,2 mm and 0,7 mm veneers GROUP II
- decorative inlays for synthetic veneers (for 1 side, for both sides the price x 2) decorative inlays for natural veneers (for 1 side, for both sides – the price x 2)
- · door leaf: Natural veneer, White Oak, Satin
- door leaf: Natural veneer, Oak, Satin (other colours)
- door leaf: Natural veneer, Walnut
- · door leaf: Natural veneer, Select Black
- steel door frame: polyester paint GROUP II
- steel door frame: polyester paint GROUP III
- steel door frame profile for PROJECT BIS cover
- steel door frame profile for PROJECT Premium
- · door leaf: model with crossed graining, Natural Select veneer
- · door leaf: model with crossed graining, Natural veneer Oak, Ash, Walnut
- steel door frame profile from 101 to 150 mm
 steel door frame profile from 151 to 270 mm
- steel door frame profile from 271 to 390 mm handle with escutcheon GRANITE PLUS

(see p. 203)

Steel SAFE, ENERGY PROTECT Burglar resistant locks, class 3 or 4. Anti-burglary glazing class P4



APARTMENT ENTRANCE DOOR AND ENTRANCE DOOR

Burglary resistance RC2/RC3* Thermal transmittance Ud=1.1÷1.7*

zirconium conversion

zinc coating (hot-dip galvanization)

coating



Steel ENERGY PROECT C.1, Oak Winchester

160









model D.1



PROTECTION SYSTEM OF STEEL SURFACES

powder coating (primer or paint)



model C.1



Polyester Premium Paint *****



Laminated steel sheet (PVC) ★★★★☆






Steel door frame Thermo



3 PCs of three-part hinges



Hook - upper/lower bolting. SAFE type III, ENERGY PROTECT



Infill - expanded polystyrene



Multipoint lock SAFE type III, ENERGY PROTECT



Triple glazing - class P4



4 dog bolts



Thermal barrier threshold - it

reduces heat transfer coefficient along with,Thermo' door frame

Steel SAFE

ENERGY PROTECT

TECHNICAL INFORMATION

BASIC INFORMATION

- 'SAFE' doors (door leaf thickness 54 mm)
- Burglar resistance class RC2 or RC 3 (regards solid door leaves)
- Two independent LOB locks or WInkhaus STV hook lock
- Corner profile frame 'LARGE' or Thermo' door frame · Stainless steel perforated threshold or a thermal barrier threshold
- 3 PCs of three-part hinges
- Four dog bolts
 Handle: OPAL (RC2) or SAFE (RC3)
- LOB or WILKA cylinders
- Adjustable lock strike

EXTRA CHARGES - SAFE DOORS TYPE II, III, ENERGY PROTECT

- size '100'
- door viewer
- bottom drip cap (door leaf colour)
- stainless steel kick panel 150 mm, models: A0, B1, F1
- mineral wool infill
- reinforcement for a door closer for door leaf
- · reinforcement for a door closer for a door frame
- protecion set for the bottom edge in case of self-shortening
- two cylinders LOB, class B exchange for a standard set class A (SAFE TYPE II)
- lower cylinder WILKA class B exchange for a STD set, class A (SAFE TYPE III)
- upper cylinder WILKA class A (SAFE TYPE III)
- A lower cylinder WILKA class B exchange for std. set, class A (ENERGY PROTECT) Round or rectangular pull (see p. 204)

BASIC INFORMATION

- 'ENERGY PROTECT' door (door leaf thickness 66 mm)
- · Burglar resistance class RC 3 (regards solid door leaves)
- WInkhaus STV hook lock
- 'Thermo' door frame
- Stainless steel thermal barrier threshold 3 PCs of three-part hinges
- Four dog bolts
- 'SAFE' handle
- WILKA cylinder
- Adjustable lock strike

EXTRA CHARGES - TYPE III ENERGY PROTECT

- polyester paint GROUP II
- additional upper lock
- upper cylinder WILKA, cl. B
- upper escutcheon class C
- An upper cylinder WILKA, class B


Ρ 161 **NEW FINISH**

Multipurpose doors for utility rooms and storage rooms



Multipurpose, galvanized, robust doors are perfectly suitable for utility rooms, industrial rooms and also for basements, attics or storage rooms.

Multipurpose doors, model 2, Grey








Galvanized steel sheet ★★★☆☆



Premium polyester paint ★★★★☆





handle



ventilation grille



4 ADVANTAGES IN 1 → + SEE MORE www.porta.com.pl/dm/uniwersalne_montaz.wmv

TECHNICAL INFORMATION

A DOOR SET INCLUDES

- Door leaf (paint coated galvanized steel sheet)
- Ventilation grille (optional)
- Two standard barrel hinges
- Cylinder lock
- Hinges caps (set for 1 PCs)
- · Economical, plastic handle with a round escutcheon
- Corner profile frame

A DOOR FRAME

• A corner profile frame, profile 48 mm wide. Made of 0,8 mm thick steel sheet, both sides galvanized.

NOTES

- Norm PN EN 14351-2:2018-12.
- Thanks to symmetrical construction and reversible hardware (handle, hinges) doors can be installed as right or left-handed.
- Galvanized steel sheet, reinforced in three levels.

- polyester paint GROUP IIpolyester paint GROUP III

Steel BASIC, Steel BASIC PLUS



Steel BASIC, Grey



Steel BASIC PLUS, Coated steel sheet, Grey

,Steel BASIC'. The price of the internal door set includes:

a door leaf a door frame a handle galvanized steel construction

,Steel BASIC PLUS'. The price of the external door set includes:

a door leaf a door frame threshold a handle a galvanized steel constructior



handle and lock



powder paint coated threshold (Steel BASIC PLUS)



ventilation grille



drip cap (STEEL BASIC PLUS)

An economical solution with a sufficient level of performance features.

Galvanized steel construction guarantees durability and reliability.





Galvanized steel sheet ★★★☆☆



Coated steel sheet ★★★☆☆







honeycomb core

expanded polystyrene infill

TECHNICAL INFORMATION

DOOR SET INCLUDES

- A door leaf (steel sheet 0,5 mm, galvanized or galvanized and coated with a polyester paint)
- Two standard barrel hinges
- A cylinder lock
- A set of handles with escutcheons
- A corner profile frame (galvanized steel)
- A threshold (steel BASIC PLUS)
- A drip cap (steel BASIC PLUS) (see extra charges)

DOOR LEAF INCLUDES

- A door leaf
- Two standard barrel hinges
- A cylinder lock

DOOR FRAME

- A corner profile frame, profile 64 mm wide (like Corner profile SMALL PLUS). Made of 1,2 mm thick steel sheet, galvanized or powder paint coated.
- Steel BASIC door frame has a seal. Steel BASIC PLUS has a seal set circumferentially.
- Door frame- right or left, ready to me mounted on a finished floor level.

NOTES

- STEEL BASIC Norm PN EN 14351-2:2018-12, internal doors.
- Steel BASIC PLUS: PN-EN 14351-1+A1:2010 external doors.
 Steel BASIC doors available only in 'investment norm' (see dimensions)
- see p. 212, tab 3). • Steel BASIC door leaf is produced in Polish norm and investment norm
- Steel BASIC PLUS doors, inward opening, are equipped with a drip cap.
- Due to the specifics of used material (coated steel), colours of the products are similar to colours of RAL pallete.

- drip cap (Steel BASIC PLUS)
- ventilation grille (Steel BASIC)

Steel SOLID



Steel SOLID, solid, Grey

INDICATIONS FOR USE:

- harsh conditions of use
- utility rooms
- industrial rooms
- backup facilities
- basement
- garages
- workshops
- industrial buildings
- modern residential interiors
- and offices (loft design)

PROTECTION SYSTEM OF STEEL SURFACES




Steel SOLID 1, Grey

model 3

model 4

model 5






Galvanized steel sheet ★★★☆☆



Premium polyester paint ★★★★☆





honeycomb core



expanded polystyrene infill



mineral wool infill

TECHNICAL INFORMATION

DOOR LEAF INCLUDES

- A door leaf (galvanized steel sheet 0,6 mm, powder paint coated)
- Two standard barrel hinges (three hinges for size '100')
- Cylinder lock
- · Frosted or transparent glass panel

SUGGESTED DOOR FRAMES

- Corner profile frame SMALL PLUS, LARGE
- Steel ADJUSTABLE (standard), ADJUSTABLE 'PS' with 'sharp edges'
- Porta SYSTEM steel door frame

NOTES

- · Norm PN EN 14351-2:2018-12
- · Door leaves with expanded polystyrene infill are available only in polyester premium paint finish.
- · Door leaves skinned with laminated steel sheet glazing available only with flat stainless steel glazing bead.

- Double doors are available in any door leaf size combinations. ٠
- Stainless steel door leaves are available only in Porta CONTRACT offer (as a bespoke order).

EXTRA CHARGES

- size '100' (galvanized steel doors)
- size '100' (stainless steel doors)
 polyester paint GROUP II

Stainless steel ★★★★★

Golden Oak

* until stocks last

K Q.

Laminated steel sheet (PVC) ★★★★☆

Anthracite

Custom colours available through Porta CONTRACT,

details regarding bespoke orders, see page 230.

Mahogan

Walnut

- polyester paint GROUP III •
- Premium polyester paint and laminated steel (PCV): anthracite
- ventillation sleeves or ventillation grill (door leaves made of galvanized steel sheet)
- K stainless steel ventilation grille •
- reinforcement for a door closer •
- · handle with an escutcheon

(see p. 199)



Steel EI 30 PLUS, EI 60 PLUS




Steel El 60 PLUS, double leaf, solid, model 3, Grey Matt

EI 30 Fire-resistance 30 min.

EI 60 Fire-resistance 60 min. Smoke control Acoustic rating Rw=40 dB*

PROTECTION SYSTEM OF STEEL SURFACES





Steel El 30 PLUS, Grey

Ρ

solid

Detailed tests results are available on our website tab DOWNLOAD on www.porta.com.pl

Р

GALVANIZED SHEET

PORTA STEEL PRODUCT





STEEL EI 30 AND EI 60 - INDICATIONS FOR USE:

- public buildings
- hotels, guesthouses • boiler rooms
- garages





automatic shoot bolt



top/bottom lock bolt



intumescent seal

TECHNICAL INFORMATION

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICEE

- 2PCs of technical hinges. One is load-bearing, another, thanks to a spring in it, enables door to self-closing.
- A mortise cylinder lock
- Two dog bolts
- A set of handles with escutcheons (order separately)
- Transparent, fireproof glass panel

DOOR FRAMES

- Corner profile steel frame. Made out of both sides hot-dip galvanized steel, 1,5 mm thick. Welded joint of frame corners (single leaf doors) and folded door frame (double leaf doors). Equipped with astragal.
- · A door frame can be ordered in two options:
- right or left door frame to install on a finished fl oor level '0', threshold at an additional charge (El 30 and El 60)
- right or left door frame to install below a fl oor level '-30', threshold at an additional charge (El 30 and El 60)

NOTES

- Norm PN-EN 14351-2:2018-12, Norm PN-EN 16034:2014-11.
- Technical Assessment, ITB Warsaw
- In case of using different hardware to offered by PORTA, guarantee cards guidelines must be followed.


EXTRA CHARGES

- size '100' (El 30)
- size '100' (El 60)
- colours GROUP II*
- colours GROUP III*
- a stainless steel threshold* a reinforcement for door closer*

*Price for double leaf door x2

DOOR FRAMES

There is no complete door set without a door frame. For each of offered door leaf we recommend door frame which is suitable for the door you choose, both technically and aesthetically.





Porta SYSTEM door frame see page 174

MINIMAX

FIXED DOOR FRAME. REBATED

Door frames recommended for interiors where adjustments to a wall is not required. Door frames of 100 mm profile are compatible with any door leaf. Door frames of 60 mm profile are compatible with door leaves finished with Portadecor

AVAILABLE FINISHES

Portadecor Portasynchro 3D	***
Portadur Premium veneer Natural Select Natural Oak, Walnut, Ash Natural Oak Satin UV acrylic paint	***
Portaperfect 3D Portalamino CPL HQ 0,2 mm Gladstone/Halifax	****



60 mm, basic option without architraves



60 mm, synthetic veneer (with architraves)



100 mm synthetic veneer (architraves joined at 90° angle) or natural veneers (architraves joined at 45° angle)



100 mm, synthetic or natural veneer (with rounded architraves)





Door frames, architraves and quaterrounds are also available in a synthetic veneer for self-painting.

TECHNICAL INFORMATION

DOOR FRAME CONSTRUCTION

A door frame consists of:

hardened under UV lamp.

- Door frame head and two jambs, made of MDF, with hardware and accessories
- Architraves (at additional charge)
 Quater round (at additional charge)
- Quater round (at additional charge)
- Door frame is produced and delivered as a set of elements to assemble on site.
 MINIMAX door frame for Porta GRANDE door leaf is finished with primer foil and paint

ACCESSORIES- IN THE PRICE OF MINIMAX 60 MM

(available only in Portadecor and Portasynchro 3D finishes)

- Two or three standard barrel hinges or PRIME hinges (optionally at extra charge)
- Door stops
- Dowel pins, hole plugs
- Humidity protecting plugs for bottom part of a door frame

ACCESSORIES- IN THE PRICE OF MINIMAX 100 MM

Synthetics veneers:

- Two or three standard barrel hinges or PRIME hinges (optionally at extra charge) Natural veneers:
- Three standard barrel hinges or PRIME hinges
- A rubber seal set circumferentially
- · Humidity protecting plugs for bottom part of a door frame

DOOR FRAME SIZE, SEE PAGE 210 TABLE 1

Profile width 60 mm and 100 mm

Available sizes '60', '70', '80', '90' and '100', and any combination of these sizes for double leaf doors.

NOTES

- Technical Assessment ITB-KOT-2018/0358, issue 1
- Door frames should be installed on finished walls (e.g. wall papers) and on a finished floor (e.g. floor panels)
- 100 mm door frame is also available in a,tunnel' option (without a rebate, a seal, hinges or a strike plate)
- Door frames and architraves are available in unpainted option (for self-fi nishing).
 Size,100' requires third hinge

- door frame: CPL 0,2 mm finish GROUP II
- door frame: Natural veneer: Walnut
- door frame: Natural veneer, White Oak, Satin
- architraves: Natural veneer, White Oak, Satin
- quaterround: Natural veneer, White Oak, Satin
- PRIME hinges

Porta SYSTEM, **Porta SYSTEM GK**

PORTA SYSTEM

Adjustable door frame with architraves - 60 or 80 mm. Porta System is easy to install and Thanks to the availability of the Retro Module you can achieve completely new and very

PORTA SYSTEM GK

Adjustable door frame for glass door leaves, guarantees high performance and satisfaction with your purchase.

AVAILABLE FINISHES

Portasynchro 3D	
Portadur Premium veneer Natural Select Natural Oak, Walnut, Ash Natural Oak Satin UV acrylic paint	***
Portaperfect 3D Portalamino CPL HQ 0,2 mm Gladstone/Halifax	****

174

DOOR FRAME - CROSS SECTION



panel

Porta SYSTEM

Porta SYSTEM + Adjusting Panel®

Porta SYSTEM + the Retro Module (crown + decorative pilasters)



ADJUSTNG PANEL WIDTH

80 mm (lub 160 mm)







maximum door frame with a wider tongue optional at an extra charge



Installation of Porta SYSTEM, see video: https://www.youtube.com/watch?v=w71vINxFg2Y



ADJUSTMENT RANGES

A	75 ÷ 95
В	95 ÷ 115
С	120 ÷ 140
D	140 ÷ 160
E	160 ÷ 180
F G	180 ÷ 200 200 ÷ 220
н	220 ÷ 240
Ļ	240 ÷ 260
J	260 ÷ 280
к	280 ÷ 300
L M N*	300 ÷ 320 320 ÷ 340 340 ÷ 360

* Zakres N niedostępny w wykończeniu Farba Akrylowa UV i Okleiny Naturalne

Moduł RETRO (set)	=	crown	+	vertical decorative pilasters (set)
-------------------	---	-------	---	--

TECHNICAL INFORMATION

DOOR FRAME CONSTRUCTION

A door frame consists of:

- A door frame head and two jambs, made of wood-based material. It comes with hardware and accessories
- Architraves (60, 80 mm).

The door frame is produced and delivered as a set of elements to be assembled on site. PORTA SYSTEM door frame for Porta GRANDE door leaf is finished with primer foil and paint hardened under UV lamp.

ACCESSORIES INCLUDED IN THE DOOR FRAME PRIC

Porta SYSTEM

- Synthetic veneers:
- Two or three standard barrel hinges or PRIME hinges (optionally at extra charge) A rubber seal set circumferentially
- Natural veneers:
- Two or three standard barrel hinges or PRIME hinges
- A rubber seal set circumferentially
- Porta SYSTEM GK
- A strike plate (small)
- A rubber seal set circumferentially
 Hinge receivers, 2 PCs for size '60'-'90', 3 PCs for size '100'
- NOTE! Hinges are not included in a door frame set.

DOOR FRAME SIZE, SEE PAGE 210, TABLE 1

Porta SYSTEM

• Wall thicknesses (A-K) '60', '70', '80', '90', '100', '110', and '120'-'200' and single leaf '60'-'90' with a side panel '40'*

Porta SYSTEM GK

Wall thicknesses (A-K) '60', '70', '80', '90', '100'

NOTES

- Technical Assessment ITB-KOT-2018/0358, issue 1
- Door frames should be installed on finished walls (e.g. wall papers) and on a finished floor (e.g. floor panels)
- The door frame is also available in a, tunnel' option (without a rebate, a seal, hinges or a strike plate)
- Module RETRO is not available in following finishes: CPL HQ, Premium veneer and Gladstone/Halifax.
- Size,100' requires third hinge
- PORTA SYSTEM TRANSOMS- information available on porta.com.pl/do-pobrania.
- Height, 220': finishes Premium veneer, UV acrylic paint, natural veneer, three hinges as a standard • Range M finished with UV Acrylic paint and with Natural veneers consists of beam
- for L range and architrave with long tongue

- · door frame: CPL 0,2 mm finish GROUP II
- door frame: Natural veneer: Walnut
- door frame: Natural veneer: Black
- door frame: Natural veneer, White Oak, Satin
- · adjusting panel: Natural veneer, White Oak, Satin crown: Natural veneer, White Oak, Satin
- · decorative pilasters: Natural veneer, White Oak, Satin
- PRIME hinges investment set
- · reinforcement for a door closer
- · electric strike: fail safe or fail secure



Porta SYSTEM ELEGANCE, Porta SYSTEM ELEGANCE 90 degrees

ADJUSTABLE DOOR FRAME WITH 80 MM ARCHITRAVES. NON-REBATED.

Internal door frame which is compatible with non-rebated door leaves. Easy to install. Possibility of joining architraves at 45 degrees (Porta SYSTEM ELEGANCE) and 90 degrees (Porta SYSTEM ELEGANCE 90 degrees).

AVAILABLE FINISHES

Portadecor Portasynchro 3D	***
Portadur Premium veneer Natural Select Natural Oak, Walnut, Ash Natural Oak Satin UV acrylic paint	***
Portaperfect 3D Portalamino CPL HQ 0,2 mm Gladstone/Halifax	****

DOOR FRAME - CROSS SECTION



door frame profile - wide architrave 80 mm





minimum

maximum

ARCHITRAVES JOINING Porta SYSTEM ELEGANCE 90 degrees



Illustrative drawings





How to install Porta SYSTEM ELEGANCE









Flush surface. Door frame finished with Natural veneer.



How to install and adjust 3D hinge: https://www.youtube.com/watch?v=2vavrJrZ9Kc



PORTA SYSTEM ELEGANCE ADJUSTMENT RANGES

PORTA SYSTEM ELEGANCE 90 DEGREES ADJUSTMENT RANGES

B	95 ÷ 115	B	95 ÷ 115
C	120 ÷ 140	C	120 ÷ 140
D	140 ÷ 160	D	140 ÷ 160
E	160 ÷ 180	E	160 ÷ 180
F	180 ÷ 200	F	180 ÷ 200
G	200 ÷ 220	G	200 ÷ 220
H	220 ÷ 240	H	220 ÷ 240
N K	240 ÷ 260 260 ÷ 280 280 ÷ 300	K I	240 ÷ 260 260 ÷ 280 280 ÷ 300







3D hinge (opened door)

KEY FEATURES OF THE NEW SIMONSWERK 3D HINGE: -

- CONVENIENT 3DADJUSTMENT
- 200.000 TEST CYCLES IN CONTINUOUS OPERATION LOAD CAPACITY 60 KG (2 HINGES),

 - ALL VISIBLE ELEMENTS ARE FINISHED WITH POLYESTER COATING

WE RECOMMEND!

SKIRTINGS BOARD see page 205

TECHNICAL INFORMATION

DOOR FRAME CONSTRUCTION

A door frame consists of:

- A door frame head and two jambs, made of wood-based material. It comes with hardware and accessories
- Architraves 80 mm
- · Architrave edge radius, arris', for natural veneers Standard, Select, Satin.
- Architrave edge radius 1,5 mm for synthetic finishes: Portadecor, Portasynchro 3D, Portadur and Portaperfect 3D. 3mm radius for CPL HQ 0,2 mm.
- · PS ELEGANCE is produced and delivered as a set of elements to assemble on site. · PS ELEGANCE door frame for Porta GRANDE door leaf is finished with primer foil and paint hardened under UV lamp.

ACCESSORIES INCLUDED IN THE DOOR FRAME PRICE

- Two sets of adjustable 3D hinges
- · A rubber seal set circumferentially

DOOR FRAME SIZE, SEE PAGE 210, TABLE 1

• Ten adjustment ranges from 95 mm to 300 mm; '60', '70', '80', '90', '100', and '120'-'200'

NOTES

- Technical Assessment ITB-KOT-2018/0358, issue 1
- Porta SYSTEM ELEGANCE 90 degrees is available in following finishes: Premium veneer, UV acrylic paint, Natural veneer
- Door frames should be installed on finished walls (e.g. wall papers) and on a finished floor (e.g. floor panels)

- The door frame is also available in a,tunnel' option (without a rebate, a seal, hinges or a strike plate)
- Height 220 cm is available in following finishes: Premium veneer, UV acrylic paint, Natural veneer. Three hinges as a standard.
- Range M finished with UV Acrylic paint and with Natural veneers consists of beam for L range and architrave with long tongue

- door frame: CPL 0,2 mm finish GROUP II (applies to PS ELEGANCE)
- · door frame: Natural veneer: Walnut
- door frame: Natural veneer: Black
- door frame: Natural veneer, White Oak, Satin
- gold 3D hinges (extra charge added to a door frame price)
- third 3D hinge silver, white, black(extra charge added to a door frame price)
- third 3D hinge gold (extra charge added to a door frame price)
- reinforcement for a door closer (applies to PS ELEGANCE)
- door frame 220 Acrylic Paint
- door frame 220 Natural veneer
- door frame 220 Premium veneer
- architraves 100 mm (apply to height 220 cm, PS ELEGANCE finished with Natural veneer)
 - 177


PORTA SYSTEM with reversed rebate

NON-REBATED ADJUSTABLE DOOR FRAME WITH 80 MM ARCHITRAVES AND REVERSED REBATE

Complement to non-rebated collections. Closed door with Porta SYSTEM ELEGANCE frame and Porta SYSTEM frame with reversed rebate look the same and allow you to open the door in different directions: Porta SYSTEM ELEGANCE outwards, and Porta SYSTEM with reversed rebate inwards.

AVAILABLE FINISHES

Finishes charts see page 220 - 226.



DOOR FRAME - CROSS SECTION








door frame profile - wide architrave 80 mm



door frame profile - wide architrave 80 mm







ADJUSTMENT RANGES

B	95 ÷ 115
C	120 ÷ 140
D	140 ÷ 160
E	160 ÷ 180
F	180 ÷ 200
G	200 ÷ 220
H	220 ÷ 240
I	240 ÷ 260
J	260 ÷ 280
K	280 ÷ 300





Door frame corner from hinges side

Door frame corner from hinges side

— KEY FEATURES OF THE NEW SIMONSWERK 3D HINGE	:	
---	---	--

- CONVENIENT 3DADJUSTMENT
- 200.000 TEST CYCLES IN CONTINUOUS OPERATION
 LOAD CAPACITY 60 KG (2 HINGES),
- ALL VISIBLE ELEMENTS ARE FINISHED WITH POLYESTER COATING

WE RECOMMEND! -

SKIRTINGS BOARDS FINISHED WITH UV ACRYLIC PAINT see page 220

TECHNICAL INFORMATION

DOOR FRAME CONSTRUCTION

The door frame consists of:

- A door frame head and two jambs, made of wood-based material. It comes with hardware, accessories and architraves 80 mm on both sides
- Architrave edge radius, arris', for natural veneers Standard, Select, Satin.
- · Architrave edge radius 1,5 mm for Premium veneer and UV acrylic paint
- The door frame is produced and delivered as a set of elements to assemble on site.

APPLICATION

- Door leaves dedicated for Porta SYSTEM door frames with reversed rebate:
- · painted collections: Porta VECTOR Premium, Porta DESIRE, Porta FOCUS Premium, . Porta GRANDE.
- · collections finished with natural veneers: Nature CLASSIC, Nature GRANDE, Nature LINE.

ACCESSORIES INCLUDED IN THE DOOR FRAME PRICE

- Two sets of adjustable 3D hinges
- · A rubber seal set circumferentially

DOOR FRAME SIZE

• Ten adjustment ranges from 95 mm to 300 mm; '60', '70', '80', '90', '100'

NOTES

- Technical Assessment ITB KOT-2018/0358, issue 1
- · Door frames should be installed on finished walls (e.g. wall papers) and on a finished floor (e.g. floor panels)
- Height, 220' 3 hinges in standard

- door frame,220': Premium veneer
- door frame,220': UV acrylic paint
- door frame,220": Natural veneer
- door frame: Natural veneer Walnut
- · door frame: Natural veneer Black • door frame: Natural veneer Satin white
- execution of a chosen door leaf in the reversed rebate system (extra charge is added to door leaf price)

LEVEL

UNIQUE AND INNOVATIVE ADJUSTABLE DOOR FRAME


Adjustable foor frame with 80 mm architraves. Non-rebated with an upper panel - 20 or 100 cm high.

AVAILABLE FINISHES




Finishes charts see page 220 - 226.





ADJUSTMENT RANGE





ADJUSTMENT RANGES


B	95 ÷ 115
C	120 ÷ 140
D	140 ÷ 160
E	160 ÷ 180
F	180 ÷ 200
G	200 ÷ 220
H	220 ÷ 240
l	240 ÷ 260
J	260 ÷ 280
K	280 ÷ 300

UPPER PANELS

200 mm (2x)

1000 mm (2x)

200 and 1000 mm (1/1)



TECHNICAL INFORMATION

DOOR FRAME CONSTRUCTION

A door frame consists of:

- A door frame head and two jambs, made of wood-based material. It comes with hardware and accessories
- Architraves 80 mm
- Two vertical panels (order separately)
- Vertical grain direction for a LEVEL panel. For chosen finishes horizontal grain direction available (see p. 78)
- Architrave edge radius 1,5 mm. LEVEL door frame is produced and delivered as a set of elements to be assembled on site. LEVEL door frame for UV painted door leaves is finished with primer foil and paint hardened under UV lamp.

ACCESSORIES INCLUDED IN THE DOOR FRAME PRICE

- Two sets of adjustable 3D hinges
- A rubber seal set circumferentially

DOOR FRAME SIZE, SEE PAGE 210, TABLE 1

Ten adjustment ranges from 95 mm to 300 mm; '60', '70', '80', '90', '100'

NOTES

- Technical Assessment ITB-KOT-2018/0358, issue 1
- Door frames should be installed on finished walls (e.g. wall papers) and on a finished floor (e.g. floor panels)
- Door frame is also available in a,tunnel'option (without a rebate, a seal, hinges or a strike plate)

EXTRA CHARGES


- gold 3D hinges (extra charge added to a door frame price)
 - third 3D hinge silver, white, black (extra charge added to a door frame price)
 - third 3D hinge gold (extra charge added to a door frame price)

Porta RENOVA


GIVE YOUR APARTMENT UNIQUE CHARACTER

This solution gives you the possibility to change doors without dismantling the old door frame.

AVAILABLE FINISHES



Finishes charts see page 220 - 226.



DOOR FRAME - CROSS SECTION



ADJUSTMENT RANGE







ADJUSTMENT RANGES

5	55 ÷ 75
A	75 ÷ 95
B	95 ÷ 115
C	120 ÷ 140
D	140 ÷ 160
E	160 ÷ 180
F	180 ÷ 200
G	200 ÷ 220
H	220 ÷ 240
1	240 ÷ 260
I	260 ÷ 280

PORTA RENOVA' OFFER INCLUDES:

- Porta RENOVA door frame, adjustment range from'A' to 'J' + size '5' 55-75 mm
- 'tunnel' option, adjustment range from 'A' to 'J'
- head and jambs with a tongue (broadening PORTA RENOVA adjustment) from 'A' to 'J'

TECHNICAL INFORMATION

DOOR FRAME CONSTRUCTION

A door frame consists of:

- · A door frame head and two jambs, made of wood-based materials
- Architraves
- Architrave edge radius 'arris', for natural veneers Standard, Select, Satin.
- Porta RENOVA is produced and delivered as a set of elements to assemble on site.

ACCESSORIES INCLUDED IN DOOR FRAME PRICE

• Two or three standard barrel hinges

DOOR FRAME SIZE, SEE PAGE 210, TABLE 1

• For adjustment ranges ('5' + A-J) '60', '70', '80', '90', '100', '110'.

NOTES

- RENOVA door frame is available with Individual Approval Documentation
- Door frames should be installed on finished walls (e.g. wall papers) and on a finished floor (e.g. floor panels)
- Door frame is also available in a,tunnel' option (without a rebate, a seal, hinges or a strike plate)
- Additional broadening (head and jambs)
- The door frame is compatible with standard door leaves. If client chooses a handle with an escutcheon wider than 44 mm, they have to order a door leaf with a 60 mm lock.
- All crooks and unevenness of a wall and old door frame have to be taken into consideration during wall opening measurement.

Villadora RETRO

AVAILABLE FINISHES

Finishes charts see page 220 - 226.

ADJUSTABLE DOOR FRAME, **RETRO'**

the Villadora RETRO door leaves.



DOOR FRAME - CROSS SECTIONVILLADORA RETRO



door frame profile - wide architrave 80 mm



The Retro module. (crown and pilasters)

ADJUSTMENT RANGE







maximum



ADJUSTMENT RANGES

A	75 ÷ 95 mm
В	95 ÷ 115 mm
с	120 ÷ 140 mm
D	140 ÷ 160 mm
Е	160 ÷ 180 mm
F	180 ÷ 200 mm
G	200 ÷ 220 mm
н	220 ÷ 240 mm
I	240 ÷ 260 mm
J	260 ÷ 280 mm
к	280 ÷ 300 mm

• Extra charge for double leaf option +50%



TECHNICAL INFORMATION

DOOR FRAME CONSTRUCTION

A door frame consists of:

- A door frame head and two jambs, made of wood-based material. It comes with hardware and accessories
- Architraves
- Villadora RETRO is produced and delivered as a set of elements to be assembled on site.

ACCESSORIES INCLUDED IN THE DOOR FRAME PRICE

- Three sets fo adjustable barrel hinges (3D)
 A rubber seal set circumferentially

DOOR FRAME SIZE, SEE PAGE 210, TABLE 1

Adjustment ranges (A-K): '60', '70', '80', '90', '100' and '120' ÷ '200'.

NOTES

- Technical Assessment ITB-KOT-2018/0358, issue 1
- Door frames should be installed on finished walls (e.g. wall papers) and on a finished floor (e.g. floor panels)

Steel Porta SYSTEM ELEGANCE Steel Porta SYSTEM

INTERNAL STEEL DOOR FRAME

Adjustable steel door frame. It has the same advantages as wooden Porta SYSTEM and Porta SYSTEM ELEGANCE door frame when it comes to installation, design and adjustment. At the same time steel construction and galvanic varnished surface protection makes this product perfect for use in demanding areas with increased humidity or temperature changes. Ideal as an internal door frame for use in residential buildings.

AVAILABLE FINISHES







WALL THICKNESSES

A	95 ÷ 120 mm
В	121 ÷ 145 mm
с	146 ÷ 170 mm
D	171 ÷ 195 mm

STEEL PORTA SYSTEM - ADJUSTMENT RANGES	HOW TO ADJUST PORTA SYSTEM STEEL DOOR FRAME
D (175) A (100) S S A (100) S S A (100) S S C S S C S S S S S S S S S S S S S	
STEEL PORTA SYSTEM ELEGANCE - ADJUSTMENT RANGES D (175) A (100) G (175) C (175)	HOW TO ADJUST PORTA SYSTEM ELEGANCE STEEL DOOR FRAME

TECHNICAL INFORMATION

DOOR FRAME CONSTRUCTION

This adjustable door frame is made out of the best quality galvanized steel, 1,2 mm thick. A door frame consists of:

- standard barrel hinges (steel Porta SYSTEM)
- adjustable 3D hinges (steel Porta SYSTEM ELEGANCE)
- adjustable part, wrapping the wall -5, +20 mm
- A rubber seal
- fixed part mounted on a wall (with necessary accessories)
- · Reinforcement for the lock strike

ACCESSORIES INCLUDED IN THE DOOR FRAME PRICE

- Two or three standard barrel hinges (steel Porta SYSTEM)
- Two adjustable 3D hinges (Porta SYSTEM ELEGANCE)
- An allen key
- A rubber seal available in following colours: white, grey, brown, beige and anthracite
- An anchoring plate
- · Reinforcement for the lock strike

DOOR FRAME SIZE, SEE PAGE 210, TABLE 2

- '60', '70', '80', '90', '100' and '120' ÷ '200'
- To be installed on a finished floor level '0'.

NOTES

- Technical Assessment ITB-KOT-2017/0245 issue 1.
- Certificate of conformity no. ITB-2617/W, ITB Warsaw.
 Door frames should be installed on finished walls (e.g. wall papers) and on a finished floor (e.g. floor panels).
- Polyester Premium paint Anthracite HPL/CPL id dedicated for door leaves finished with HPL/CPL Anthracite.
- Size '80' and '90' in the 'Investment Norm' (clear opening width 800, 900 mm) available as a standard - without extra charge.

EXTRA CHARGES

- polyester paint GROUP II
- polyester paint GROUP III
- door frame 220
- investment set*
- · reinforcement for a door closer • third 3D hinge, silver, white, black

*accessories and extra charge applies to steel Porta SYSTEM

Ρ

Adjustable non-rebated steel, Adjustable, Adjustable PS with, sharp edges'

INTERNAL STEEL DOOR FRAME

Main benefits of these products are: precise design of all elements and easy installation as well as value for money. Adjustment feature allows for installation to almost any wall width. The door frame can be used in virtually all types of buildings: apartments, offices, hotels, factories, industrial buildings and any other place where high durability is required. AVAILABLE FINISHES



 Adjustable

 Adjustable

 Adjustable

 Adjustable

 Adjustable

 Adjustable






Adjust WALL ⁻	able THICKNESSES	'sharp	able PS with edges' [HICKNESSES
Α	95 ÷ 120 mm	Α	95 ÷ 120 mm
В	121 ÷ 145 mm	В	121 ÷ 145 mm
с	146 ÷ 170 mm	с	146 ÷ 170 mm
D	171 ÷ 195 mm	D	171 ÷ 195 mm
Е	196 ÷ 220 mm	E	196 ÷ 220 mm
F	221 ÷ 245 mm	F	221 ÷ 245 mm
G	246 ÷ 270 mm	G	246 ÷ 270 mm
н	271 ÷ 295 mm	н	271 ÷ 295 mm




You will find more information in the catalogue of STEEL DOOR FRAMES porta.com.pl/do-pobrania


ZADJUSTABLE FRAME - ADJUSTMENT RANGES




ADJUSTABLE NON-REBATED FRAME - ADJUSTMENT RANGES





HOW TO ADJUST ADJUSTABLE DOOR FRAME





HOW TO ADJUST ADJUSTABLE NON-REBATED DOOR FRAME





TECHNICAL INFORMATION

DOOR FRAME CONSTRUCTION

The adjustable door frame is made out of the best quality galvanized steel, 1,5 mm thick (the Adjustable, Adjustable non-rebated) or 1,2 mm thick (the Adjustable with 'sharp edges').

A door frame consists of:

- fixed part mounted on a wall (with hinges and lock strike)
- adjustable part, wrapping the wall
- a rubber seal set circumferentially
- barrel hinges (rebated door frames)
- adjustable 3D hinges (adjustable non-rebated door frame)

ACCESSORIES INCLUDED IN THE DOOR FRAME PRICE

- Two or three standard barrel hinges (ADJUSTABLE frame)
- Three hinges (size '100' and '110') (ADJUSTABLE frame)
- Two adjustable 3D hinges (ADJUSTABLE NON-REBATED frame)
- An allen key*
- A rubber seal available in following colours: white, grey, brown, beige, anthracite or black
- Rawlplugs for a door frame anchored to a concrete wall
- · Self-tapping screws for a door frame anchored to a plasterboard wall

DOOR FRAME SIZE, SEE PAGE 210, TABLE 2

- '60', '70', '80', '90', '100', '110' and '120' ÷ '200'
- To be installed on a finished floor level '0'.

NOTES

- Technical Assessment ITB-KOT-2017/0245 issue 1.
- Certificate of conformity no. ITB-2617/W, ITB Warsaw
- Door frames should be installed on finished walls (e.g. wall papers) and on a finished floor (e.g. floor panels)
- Polyester Premium paint Anthracite HPL/CPL id dedicated for door leaves finished with HPL/CPL Anthracite
- Size '80' and '90' in the 'Investment Norm' (clear opening width 800, 900 mm) available as a standard without an extra charge.


EXTRA CHARGES

- polyester paint: group ll
- polyester paint: group II
 polyester paint: group III
- adjustable lock strike*
- investment set*
- · reinforcement for a door closer
- stainless steel threshold
- electric strike: fail-safe or fail secure
- third 3D hinge, silver white, black
- third 3D hinge, gold

Corner profile Non-rebated, Steel - LARGE Corner profile - SMALL PLUS, LARGE

INTERNAL STEEL DOOR FRAMES

Thanks to the highest world standards, the latest technologies and excellent materials we produce galvanized steel or stainless steel door frames. These are the highest quality products which are often used when robust doors are required. Thanks to the powder coating process used during production, the surface of the steel sheet is perfectly smooth and protected against corrosion. AVAILABLE FINISHES












DOOR FRAME CROSS SECTION CORNER PROFILE STEEL- SMALL PLUS



DOOR FRAME CROSS SECTION CORNER PROFILE - LARGE



DOOR FRAME CROSS SECTION CORNER PROFILE NON-REBATED - LARGE



TECHNICAL INFORMATION

DOOR FRAME CONSTRUCTION

Corner profile door frames (LARGE, SMALL PLUS and Non-rebated - LARGE) are made out of galvanized steel, 1,2 mm thick. They are available as reversible* door frames or as right/left door frames. Profile width: 64 mm (SMALL PLUS) and 105 mm (LARGE, Non-rebated LARGE).

ACCESSORIES INCLUDED IN THE DOOR FRAME PRICE

'LARGE', 'SMALL PLUS':

- Two or three standard barrel hinges
- Three hinges (size '100' and '110')
- An allen key
- A rubber seal set circumferentially. Colours: white, grey, brown, beige, anthracite and black
 Special anchors to ease an installation (SMALL PLUS)

'LARGE' for plasterboard walls:

- Two or three standard barrel hinges
- Three hinges (size '100' and '110')
- An allen key
- · A rubber seal available in following colours: white, grey, brown, beige, anthracite and black
- Special anchors to ease an installation (max. for a wall width 150 mm)

Non-rebated,LARGE' • Two adjustable 3D hinges

A rubber seal available in following colours: white, grey, brown, beige, anthracite and black

DOOR FRAME SIZE, SEE PAGE 210, TABLE 2

'60', '70', '80', '90', '100', '110' and '120' ÷ '200'

Two options:

- To be installed on a finished floor level '0'
- To be installed under floor level '-30'

NOTES

- Technical Assessment ITB-KOT-2017/0245 issue 1.
- Certificate of conformity no. ITB-2617/W, ITB Warsaw
- Polyester Premium paint Anthracite HPL/CPL id dedicated for door leaves finished with HPL/CPL Anthracite

EXTRA CHARGES

- polyester paint: GROUP II
- polyester paint: GROUP III
- adjustable lock strike (LARGE)
- dowel pins (LARGE)
- investment set*
- door frame profile extension from 110 to 150 mm
- door frame profile extension from 155 mm to 270 mm
- door frame profile extension from 275 to 390 mm
- reinforcement for a door closer
- third 3D hinge silver, white, blackthird 3D hinge, gold
- stainless steel threshold

.

electric strike: fail secure or fail-safe

* does not apply to Non-rebated door frame - 'LARGE

(see p. 205)

(see p. 205)

PROJECT BIS, PROJECT Premium®

[®] Porta proprietary solution, all rights reserved

DOOR FRAME COVER FOR APARTMENT ENTRANCE DOORS.

Considering aesthetically pleasing design of various rooms, we have complemented our offer with PROJECT BIS and PROJECT Premium steel door frame covers.

Thanks to a specially designed profile of a steel door frame, the cover can be easily installed. Covers match the door leaf and facades.

AVAILABLE FINISHES



DOOR FRAME - CROSS SECTION DRAWINGS (ILLUSTRATIVE)

adjustment + 20 mm*


mm / 80 mm

90

12

Finishes charts see page 220 - 226.







PROJECT Premium door frame


PROJECT BIS cross section 45 mm * for A range, adjustment +15 mm

В

15

55

15



A – maximum

A – minimum

PROJECT Premium cross section

MODELS	PROJE	CT BIS	PROJECT PREMIUM				
MODELS	А	В	А	В			
Rw=27 dB	138 ÷ 363 mm	89 mm	133 ÷ 333 mm	95 mm			
Rw=32 dB	138 ÷ 363 mm	89 mm	133 ÷ 333 mm	95 mm			
AGATE, OPAL	138 ÷ 363 mm	89 mm	133 ÷ 333 mm	95 mm			
QUARTZ	138 ÷ 363 mm	89 mm	133 ÷ 333 mm	95 mm			
Granite kl. C	143 ÷ 368 mm	94 mm	138 ÷ 338 mm	100 mm			
EI 30	143 ÷ 368 mm	94 mm	138 ÷ 338 mm	100 mm			
Granite RC 3, Extreme RC 2, RC 3	147 ÷ 372 mm	98 mm	142÷ 342 mm	104 mm			
Silence 37 dB, rebated	147 ÷ 372 mm	98 mm	142÷ 342 mm	104 mm			
Silence 37 dB, non-rebated	164 ÷ 389 mm	115 mm	159÷ 359 mm	121 mm			
Rw=42 dB	162 ÷ 387 mm	113 mm	157 ÷ 357 mm	119 mm			
EI 60	155 ÷ 380 mm	106 mm	-	_			











PROJECT BIS DOOR FRAME COVER

Adjustment range	AGATE, OPAL, QUARTZ, 27 dB, 32 dB	GRANITE, EI 30	Silence 37 dB rebated, Extreme RC2 and RC3	Silence 37 dB non-rebated	Rw = 42 dB	EI 60
A	138 ÷ 153 mm	143 ÷ 158 mm	147 ÷ 162 mm	164 ÷ 179 mm	162 ÷ 177 mm	155 ÷ 170 mm
В	158 ÷ 178 mm	163 ÷ 183 mm	167 ÷ 187 mm	184 ÷ 204 mm	182 ÷ 202 mm	175 ÷ 195 mm
с	183 ÷ 203 mm	188 ÷ 208 mm	192 ÷ 212 mm	209 ÷ 229 mm	207 ÷ 227 mm	200 ÷ 220 mm
D	203 ÷ 223 mm	208 ÷ 228 mm	212 ÷ 232 mm	229 ÷ 249 mm	227 ÷ 247 mm	220 ÷ 240 mm
E	223 ÷ 243 mm	228 ÷ 248 mm	232 ÷ 252 mm	249 ÷ 269 mm	247 ÷ 267 mm	240 ÷ 260 mm
F	243 ÷ 263 mm	248 ÷ 268 mm	252 ÷ 272 mm	269 ÷ 289 mm	267 ÷ 287 mm	260 ÷ 280 mm
G	263 ÷ 283 mm	268 ÷ 288 mm	272 ÷ 292 mm	289 ÷ 309 mm	287 ÷ 307 mm	280 ÷ 300 mm
н	283 ÷ 303 mm	288 ÷ 308 mm	292 ÷ 312 mm	309 ÷ 329 mm	307 ÷ 327 mm	300 ÷ 320 mm
I	303 ÷ 323 mm	308 ÷ 328 mm	312 ÷ 332 mm	329 ÷ 349 mm	327 ÷ 347 mm	320 ÷ 340 mm
J	323 ÷ 343 mm	328 ÷ 348 mm	332 ÷ 352 mm	349 ÷ 369 mm	347 ÷ 367 mm	340 ÷ 360 mm
к	343 ÷ 363 mm	348 ÷ 368 mm	352 ÷ 372 mm	369 ÷ 386 mm	367 ÷ 387 mm	360 ÷ 380 mm

PROJECT PREMIUM DOOR FRAME COVER

Adjustment range	AGAT, OPAL, KWARC, 27 dB, 32 dB	GRANIT, EI 30	EXTREME RC 2, RC 3, Silence 37 dB, przylgowe	Silence 37 dB, bezprzylgowe	Rw=42 dB
В	133 ÷ 153 mm	138 ÷ 158 mm	142 ÷ 162 mm	159 ÷ 179 mm	157 ÷ 177 mm
с	153 ÷ 173 mm	158 ÷ 178 mm	162 ÷ 182 mm	179 ÷ 199 mm	177 ÷ 197 mm
D	173 ÷ 193 mm	178 ÷ 198 mm	182 ÷ 202 mm	199 ÷ 219 mm	197 ÷ 217 mm
E	193 ÷ 213 mm	198 ÷ 218 mm	202 ÷ 222 mm	219 ÷ 239 mm	217 ÷ 237 mm
F	213 ÷ 233 mm	218 ÷ 238 mm	222 ÷ 242 mm	239 ÷ 259 mm	237 ÷ 257 mm
G	233 ÷ 253 mm	238 ÷ 258 mm	242 ÷ 262 mm	259 ÷ 279 mm	257 ÷ 277 mm
н	253 ÷ 273 mm	258 ÷ 278 mm	262 ÷ 282 mm	279 ÷ 299 mm	277 ÷ 297 mm
I	273 ÷ 293 mm	278 ÷ 298 mm	282 ÷ 302 mm	299 ÷ 319 mm	297 ÷ 317 mm
ſ	293 ÷ 313 mm	298 ÷ 318 mm	302 ÷ 322 mm	319 ÷ 339 mm	317 ÷ 337 mm
к	313 ÷ 333 mm	318 ÷ 338 mm	322 ÷ 342 mm	339 ÷ 359 mm	337 ÷ 357 mm



Covers in natural veneer available through Porta CONTRACT

TECHNICAL INFORMATION

DOOR FRAME CONSTRUCTION

Complete PROJECT BIS and PROJECT BIS PREMIUM door frames consist of:

- corner profile steel door frame, made out of galvanized steel 1,2 thick (AGATE) or 1,5 mm thick (OPAL, QUARTZ, EXTREME RC2, RC3, GRANITE class C, Rw=27 dB, Rw=32 dB, Silence Rw=37 dB, Rw=42 dB, El 30, El 60), with a special
- profile for PROJECT covers
 specially milled elements, consisting of a head beam and two jambs and architraves made of wood-based materials
- PROJECT covers are produced and delivered as a set of elements to be assembled on site.

ACCESSORIES INCLUDED IN THE DOOR FRAME PRICE

Standard accessories, depending on type of door frame and type of door leaf.

DOOR FRAME SIZE, SEE PAGE 210, TABLE 2

• '80', '90', '100'

- Two options:
- To be installed on a finished floor level '0'
- To be installed under floor level '-30'

NOTES

- Technical Assessment ITB-KOT-2017/0245 issue 1.
- Certificate of conformity no. ITB-2617/W, ITB Warsaw
- Minimum wall thickness -,A'range
- A project door frame requires wall opening to be enlarged S $_0$ +30 mm (±10) and H $_0$ +15 (±5) in comparison to STD sizes of steel door frames, see page 209, Table 3.

EXTRA CHARGES

• Door frame cover - CPL 0,2 mm finish - GROUP II



ACCESSORIES, DIMENSIONS & ADDITIONAL INFORMATION

At PORTA, we also offer a wide selection of door handles and accessories. These have been designed by our experts to complement your Porta Door.





Handles

Due to printing technology, the colour of presented products in the catalogue may slightly differ from the actual product.







Р

Handles

Due to printing technology, the colour of presented products in the catalogue may slightly differ from the actual product.






Handles

Due to printing technology, the colour of presented products in the catalogue may slightly differ from the actual product.






HANDLES

Ρ



Due to printing technology, the colour of presented products in the catalogue may slightly differ from the actual product.











stainless steel

blocked position of the handle

unblocked position of the handle



Due to printing technology, the colour of presented products in the catalogue may slightly differ from the actual product.






P



Due to printing technology, the colour of presented products in the catalogue may slightly differ from the actual product.





titanium

inox


Due to printing technology, the colour of presented products in the catalogue may slightly differ from the actual product.



AXA

Ρ





Additional accessories

Wide-angle door viewer silver, black

Two euro cylinders, class, B' silver, aolden

Stainless steel threshold, compatible with Porta door frames:

standard (90 mm)

widened (120 mm)

BLUESMART ELECTRONIC HANDLE

Communication is effected by means of identification cards, blueSmart keys or authorised key rings. Electronic handle is available for internal, acoustic and fire-rated doors - internal use. Escutcheons are available in two colours - white (RAL 9003) and black (RAL 9005). Other options and detailed information - check DOWNLOADS tab at www.portadoors.com



ENTRANCE DOOR HARDWARE



Electronic handle blueSmart system

Two or one side cylinder electronic control

User's passive key colour

white (RAL 9003)

100

black (RAL 9005)

ELECTRIC STRIKES



Electric strike for Porta

SYSTEM door frame:

fail-secure

fail-safe



Electric strike for a Corner profile steel door frame-LARGE and for an Adjustable steel door frame: fail-secure

fail-safe

DOOR CLOSER



DOOR CLOSER available finishes: silver and brown

STAINLESS STEEL PORTHOLE



- · Porthole is available only with door leaves with hollow chipboard core for following solid models: MINIMAX, Porta DECOR, Porta CPL, ENDURO, NatureCLASSIC, Porta RESIST
- Diameter: 350 mm
- · Available glass panels: transparent or laminated satin glass panel class 2, 6 mm thick

Ρ

Hook lock, key or WC with side and front pulls. For sliding doors.

ADDITIONAL HARDWARE

· Available in following colours: golden, matt gold, silver, matt silver



Round pull handle for sliding doors- for the price of

a door leaf. · colours: silver and gold

Oblong pull handles for sliding doors.Available in following colours: golden, matt golden, silver, matt silver, black



HANDLES

Additional accessories

LOCKS



Magnetic lock with stainless steel face plate for rebated and non-rebated doors Adjustable strike plate for non-rebated doors. We suggest choosing matt silver hinges.



PRIME lock with gold or silver face plate. • models finished with synthetic veneer lock latch - matt galvanized

HINGES









3D hinges. Door part, frame part. • golden, silver, white, black





Standard barrel hinges. Door part, frame part. • golden, silver



Hinges. • Door part, frame part.



NEW







Adjustable barrel hinges 3D. Door part, door frame part. srebrny



HINGES CAPS



Standard hinges caps for internal doors (a set for one hinge) golden, matt silver, gloss chrome, white




Villadora hinges caps (a set for one hinge)
golden gloss, old gold, silver gloss






Preparation for shortening • maximum 60 mm



Additional accessories



VENTILATION SLEEVES



Steel ventilation sleeves Available colours: golden, matt gold, silver, matt silver



Ventilation sleeves I row (various colours)



Ventilation slit



Ventilation sleeves • Il rows (various colours)



Ventilation undercut



Ventilation grille with a mounting frame (different

 This ventilation grille meets the building law regulations regarding bathroom ventilation.




207


Ρ

Technical drawings POLISH NORM (PN)

OPTIONS OF INSTALLATION - MINIMAX DOOR FRAMES




installation on a concrete wall with mounting foam and anchors



installation on a concrete wall with expanding foam



installation on a plasterboard wall with expanding foam



installation on a plasterboard wall with screws

OPTIONS OF INSTALLATION - CORNER PROFILE DOOR FRAMES



Corner profile door frame - SMALL PLUS



installation without anchoring elements



Corner profile door frame - LAR-GE, installation with dowel pins




Corner profile door frame - LARGE, installation on a plasterboard wall

OPTIONS OF INSTALLATION - ADJUSTABLE DOOR FRAME, ADJUSTABLE PS WITH, SHARP EDGES'

adjustment

range




wall thickness



wall thickness

ss adjustment range

EXAMPLES OF INSTALLATION - HIDE DOORS




reversed rebate (inward opening)




non-rebated (outward opening)


RETRO MODULE (WITH PORTA SYSTEM DOOR FRAME)




REBATED DOOR EDGE




Door dimensions




°Ωβ μ Ξ



FRAMELESS SLIDING SYSTEM









POLISH NORM (PN)

DIMENSIONS KEY

- S, total door leaf width (including rebates)
- H, total door leaf height (including rebate)
- door leaf thickness D,
- S₀ width of a wall opening prepared for installation
- height of a wall opening prepared for installation, measured from finished н。 floor level
- opening width (for Alfa and Beta this dimension is decreased by the door leaf O_s thickness)
- opening height (measured from finished floor level) **o**_w
- door frame width without architraves SB

Refer to architrave 60/80 mm in dimension tables (S,).

- H, door frame height, without architraves
- Sz total door frame width with architraves
- total height of door frame, including architraves Η,
- width of sliding door masking system M,
- M thickness of a rail cover (sliding systems)
- \mathbf{B}_{G} thickness of a door stop (jamb) (sliding systems)
- $\mathbf{T}_{\mathrm{s/w}}$ acceptable width and height tolerance (wall opening)
- S_c wall opening width for a metal cassette (pocket door system)
- wall opening height for a metal cassette (pocket door system), (measured H_c from finished floor level)

INTERNAL DOORS WITH WOODEN DOOR FRAMES

TABLE 1

Table with dimension for internal double doors you can find on: www.porta.com.pl/do-pobrania

DOOR FRAME TYPE	SIZE	S _s	H _s	D _s	S ₀	H _o	O _s	O _w	S _B	H _B	S _z (6)	S _z (8)	Hz	T _{sjw}
	60	644			710		602		690		800	-		
Minimax 60 mm,	70	744		40	810		702	2016	790		900	-	2115	+20/+10
Minimax 100 mm,	80	844	2030		910	2075	802		890	2060	1000	-		
MDF in natural veneer	90	944			1010		902		990		1100	-		
	100	1044			1110		1002		1090		1200	-		
	60	644			680		602		646		746	786		
Porta SYSTEM	70	744			780		702		746		846	886		
	80	844	2030	40	880	2060	802	2016	846	2020	946	986	architrave	. 20 / . 10
	90	944	2030	40	980	2060	902	2016	946	2038	1046	1086	(6) / (8) 2088 / 2108	+20/+10
	100	1044	1		1080		1002		1046		1146	1186		
	110	1144			1180		1102		1146		1246	1286		
	60	618			690		602		646		-	786		
	70	718			790		702		746		-	886	2108/	
Porta SYSTEM ELEGANCE LEVEL	80	818	2017	40	890	2060 / 2070	802	2016	846	2038/2046	-	986	top panel (20) / (100) 2228/3028	+10/+10
	90	918			990	2070	902		946		-	1086		
	100	1018			1090		1002		1046		-	1186		
	60	618			690		602		646		-	786		
	70	718	2017	40	790	2060	702		746	_	886			
Porta SYSYTEM ELEGANCE 90 degrees	80	818			890		802	2016	846	2038	-	986	2108	+10/+10
50 degrees	90	918			990		902		946		-	1086	$\left \right $	
	100	1018			1090		1002		1046		-	1186		
	60	639			720		626		691		-	831		
	70	739			820		726		791		-	931	2130	
Porta SYSTEM with reversed rebate*	80	839	2027	40	920	2080	826	2028	891	2061	-	1031		±10/±5
with reversed rebate	90	939			1020		926		991		-	1131		
	100	1039			1120		1026		1091		-	1231		
	60	644			596		558		584		746	-		
	70	744			696	1	658		684		846	-		
	80	844			796	1	758		784	1 1	946	-		
RENOVA**	90	944	2030	40	896	2016	858	1994	884	2007	1046	-	2088	+15/-6
	100	1044			996		958		984	1 1	1146	-	-	
	110	1144	1		1096	1	1058		1084		1246	-		
	60	644			680		602		646		-	789		
	70	744	1		780	1	702		746	1 1	-	889	1	
Villadora RETRO	80	844	2030	40	880	2060	802	2016	846	2038	-	989	2110	+20/+10
	90	944	1		980	1	902		946		-	1089	1	
	100	1044	1		1080	1	1002		1046	1 1	-	1189	1	

NOTE: S₂ and H₂ dimensions of door frame in natural veneers are given with tolerance -1 mm / + 3 mm. *Dimension S₂ and H₂ measured on the wider side of the door leaf. They are the same as dimensions of doors with PSE

**S $_0$ /H $_0$ width/height of clear opening of old steel frame. Ts/w - tolerance +15 mm depends on a construction of the old door frame

POLISH NORM (PN)

■ INTERNAL DOORS WITH STEEL DOOR FRAMES

TABLE 2

DOOR FRAME TYPE	SIZE	S _s	Hs	D _s	S _o	H _o	O _s	0 _w	S _B	H _B	Sz	Hz	T _{s/w}
	60	644			649		596		629		706		
Corner profile door frame	70	744			749		696		729		806		
- SMALL PLUS	80*	844	2030	40	849	2043	796	2016	829	2033	906	2071	±10/±5
	90*	944			949		896		929		1006		
	100	1044			1049		996		1029		1106		
	60	644 744			675		596		656		706		
Corner profile door frame - LARGE	70 80*	844			775 875		696 796		756 856		806 906		
for concrete walls and stainless	90*	944	2030	40	975	2055	896	2016	956	2046	1006	2071	±10/±5
steel LARGE folding	100	1044	•		1075		996		1056		1106		
	110	1144	ł		1175		1096		1156		1206		
	60	644			685		596		680		706		
	70	744			785		696		780		806		
Corner profile door frame	80*	844			885		796		880		906		
- LARGE, PVC finish	90*	944	2030	40	985	2055	896	2016	980	2046	1006	2071	+10/+5
	100	1044			1085		996		1080		1106		
	110	1144			1185		1096		1180		1206		
	60	644			690		596		670		716		
	70	744			790		696		770		816		
Adjustable steel door frame	80*	844	2030	40	890	2063	796	2016	870	2053	916	2076	-10/-5
Augustuble steel door nume	90*	944	2050	-10	990	2005	896	2010	970	2000	1016	20/0	107 5
	100	1044			1090		996		1070		1116		
	110	1144	───		1190		1096		1170		1216		
Adjustable PS with, sharp edges'	60	644	4	40	700	2070	596	2016	679	2058	736		
	70	744			800		696		779		836	2096	
	80*	844	2030		900		796		879		936	2086	-10/-5
	90* 100	944 1044			1000		896 996		979 1079		1036		
	60	644			675		596		646		736		
	70	744			775		696		746		836		
Steel Porta SYSTEM	80*	844	2030	40	875	2055	796	2016	846	2041	936	2086	±10/±5
Steerrorta STSTEM	90*	944	2050	40	975	2055	896	2016	946	2041	1036	2000	10/10
	100	1044	ł		1075		996		1046		1136		
	60	618			676		596		646		736		
	70	718	ł		776		696		746		836		
Steel	80	818	2017	40	876	2056	796	2016	846	2041	936	2086	±10/±5
Porta SYSTEM ELEGANCE**	90	918			976		896		946	2011	1036		
	100	1018			1076		996		1046		1136		
	60	618			676		596		656		736		
	70	718			776		696		756		836		
Corner profile non-rebated	80	818	2017	40	876	2056	796	2016	856	2046	936	2086	±10/±5
 LARGE for concrete walls** 	90	918	2017	40	976	2050	896	2010	956	2040	1036	2000	110/13
	100	1018			1076		996		1056		1136		
	110	1118			1176		1096		1156		1236		
	60	618			681		596		656		736		
so zárubňou	70	718			781		696		756		836		
Corner profile non-rebated	80	818	2017	40	881	2056	796	2016	856	2046	936	2086	+10/+5
- LARGE for plasterboard walls**	90	918	ļ		981		896		956		1036		
	100	1018			1081		996		1056		1136		
	110 60	1118			1181 690		1096 596		1156		1236 736		
1	60 70	618 718			690 790		596 696		670 770		/36		
Advertable was scheduld	70 80				890		796				936		
Adjustable, non-rebated steel door frame	80 90	818 918	2017	40	990	2063	796 896	2016	870 970	2053	1036	2086	-10/-5
See about name	90 100	1018	ł		990		896 996		970		1036		
	100	1018	ł		1090		1096		1070		1236		
	110	1110			1190		1090		1170		1230		

*NOTE! Investment norm (clear opening width 800,900 mm) is available as a standard without an extra charge - add 8 mm to 50 dimension. Please, remember to order suitable size of door leaves which are dedicated for the set. **If the back of the hinge does not fit in a wall opening, a little wall chasing has to be made.

POLISH NORM (PN)

TECHNICAL DOORS

TABLE 3

DOOR FRAME TYPE	SIZE	S _s	Hs	D _s	S ₀	H _o	O _s	0 _w	S _B	H _B	S _z (6)	S _z (8)	Hz	T _{s/w}
	60	644			680		602		646		746	786		
Rw=27 dB	70	744			780		702		746		846	886	architrave	
with Porta SYSTEM door frame	80	844	2030	40	880	2060	802	2016	846 2038	946	986	(6) / (8)	+20/+10	
	90	944			980	-	902		946		1046	1086	2088/2108	
	100	1044			1080		1002		1046		1146	1186		
	60 70	644 744			680 780		602 702		650 750		746 846	786 886		
Rw=32 dB	80	844	2030	44	880	2060	802	2016	850	2040	946	986	architrave (6) / (8)	+20/+10
with Porta SYSTEM door frame	90	952	2050		988	2000	910	2010	958	2040	1054	1094	2088 / 2108	1207 110
	100	1044			1080		1002		1050		1146	1186	1	
	80	844			880		802		850		946	986		
Porta SILENCE Rw=37 dB	90	968	2030	49/50	1004	2060	926	2016	974	2040	1070	1110	2088/2108	+20/+10
adjustable rebated	100	1044			1080		1002		1050		1146	1186		
Porta SILENCE Rw=37 dB	80	818			880		801		849		-	985		
adjustable non-rebated	90	968	2017	49/50	1030	2060	951	2016	999	2040	-	1135	-/2108	+20/+10
	100	1018			1080		1001		1049		-	1185		
Porta SILENCE Rw=37 dB	80	844	2020	40.450	950	2000	802	2017	922	2077	1024	1064	2120/21/0	10/15
fixed rebated	90	968 1044	2030	49 / 50	1074	2090	926 1002	2017	1046	2077	1148	1188	2128/2148	±10/±5
	100 80	818			1150 950		801		1122 921		1224	1264 1063		
Porta SILENCE Rw=37 dB	90	968	2017	49/50	1100	2090	951	2017	1071	2077	-	1213	-/2148	±10/±5
fixed non-rebated	100	1018	2017	497 50	1150	2050	1001	2017	1121	2077	-	1213	72140	107 10
	80	844			876		796		856		906	-		
Porta SILENCE Rw=37dB	90	968	2030	49/50	1000	2055	920	2013	980	2043	1030	-	2068	±10/±5
rebated with a steel door frame	100	1044			1076	1	996		1056		1106	-		
Porta SILENCE Rw=37dB	80	818			875		795		855		905	-		
non-rebated with a steel door	90	968	2017	49/50	1026	2055	945	2013	1005	2043	1055	-	2068	+10/+5
frame	100	1018			1075		995		1055		1105	-		
Rw=42 dB	80	868			915		802		872		968	1008	architrave	
with reinforced Porta SYSTEM	90	968	2047	68/69	1015	2080	902	2020	972	2056	1068	1108	(6) / (8)	+20/+10
door frame	100	1068			1115		1002		1072		1168	1208	2104/2124	
Rw=42 dB	80	868			975		802		946		1048	1088	architrave	
with MDF door frame	90	968	2047	68/69	1075	2105	902	2021	1046	2093	1148	1188	(6) / (8) 2144 / 2164	±10/±5
	100	1068			1175		1002		1146		1248	1288	214472104	
Rw=42 dB	80 90	888 988	2047	68/69	890 990	2055	810 910	2015	870 970	2045	950 1050	-	2085	+10/+5
with steel door frame*	100	1088	2047	08/09	1090	2055	1010	2015	1070	2045	1150	-	2065	±10/±5
	60	644			750	-	602		722		824	864	architrave (6) / (8)	
	70	744			850		702		822		924	964		
EI 30 with MDF door frame	80	844	2030	44/45	950	2090	802	2014	922	2077	1024	1064		±10/±5
	90	952			1060		910	-	1030		1132	1172	2128/2148	
	100	1044			1150	1	1002		1122		1224	1264	1	
51.20	60	644			675		596		656		706	-		
El 30, Rw=27 dB,	70	744		44/45	775		696		756		806	-		
Rw = 32 dB	80	844	2030	40/41	875	2055	796	2013	856	2043	906	-	2068	±10/±5
with a steel door frame*	90	952		44/45	985		904		964		1014	-		
	100	1044			1075		996		1056		1106	-		
Rw = 27 dB,	60	644			685		596		680		706	-	4	
Rw = 32 dB	70	744		40/41	785	0.050	696		780	0050	806	-		10 / 5
with a steel door frame for plaster-	80	844	2030	44/45	885	2058	796	2013	880	2058	906	-	2068	+10/+5
board walls	90 100	952 1044			993 1085	-	904 996		988 1080		1014 1106	-	-	
	60	668			775		628		747		858	-		
EI 60	70	768			875		728		847		958	-	1	
with a wooden door frame	80	868	2030	60/61	975	2090	828	2017	947	2077	1058	-	2133	±10/±5
	90	968			1075	1	928		1047		1158	-	1	
	60	668			700]	618		678		732	-		
EI 60	70	768	2030	60/61	800	2055	718	2011	778	2041	832	-	2068	±10/±5
with a steel door frame*	80	868	2000	00701	900		818	2011	878	2071	932	-	2300	
	90	968			1000		918		978		1032	-		
	60	644			675	4	596		656		706	-		
ENDUDO	70	744	2020	10	775	2055	696	2017	756	20.46	806	-	2071	10/15
ENDURO	80	844	2030	40	875	2055	796	2016	856	2046	906 1014	-	2071	±10/±5
	90 100	952 1044			985 1075	-	904 996		964 1056		1014	-	•	
L	60	618			750	1	638		728		728	-		
ENDURO	70	718	ł		850	1	738		828		828	-	1	
with a swinging door frame	80	818	2017	40	950	2085	838	2030	928	2075	928	-	2075	±10/±5
xooi name	90	918	ł		1050	1	938		1028		1028	-	1	
	60	618		İ	675		596		656		706	-	İ	İ
	70	718	Ī		775	1	696		756		806	-	1	
AQUA	80	818	2017	40	875	2055	796	2016	856	2046	906	-	2071	±10/±5
	90	926			983]	904		964		1014	-		
	100	1018			1075		996		1056		1106	-		
Multipurpose doors for utility	70	715			760		700		739		796	-		
rooms	80	815	2017	40***	860	2050	800	2018	839	2038	896	-	2066	$\pm 10 / \pm 5$
	90	915			960	I	900	L	939		996	-		
Steel BASIC and Steel BASIC PLUS	80	852			857	2043 - Basic	804		837		914	-	2071 - Basic	
and the second second of the second sec	90	952	2030	40	957	2047 - Basic	904	2016	937	2033	1014	-	2075 - Basic	±10/±5
with a corner profile door frame - SMALL PLUS	100	1052		-TU	1057	2047 - Basic 904 PLUS 1004		1037		1114	-	PLUS		

Project (BIS and Premium) requires enlarging the wall opening S₀ by 30 mm and H₀ by 15 mm (dimension tolerance +-10 mm/ +-5 mm)

Other Project door frame sizes, see drawing on page 190. ** Steel threshold decreases given dimension by 16 mm. *** Door leaf thickness is measured on vertical edges (door leaf without infill, opened from closing side).

POLISH NORM (PN)

TECHNICAL DOORS

TABLE 4

DOOR FRAME TYPE	SIZE	S _s	H _s	D _s	S ₀	H,	O _s	0 _w	S _B	H _B	S _z (6)	S _z (8)	H _z (8)	T _{s w}
	60	720			745		660		730		780	-		
	70	820			845	Į	760		830		880	-		
EI30 PLUS, EI60 PLUS	80	920	2040	62	945	2065	860	2023	930	2057	980	-	2083	±10/±5
	90	1020			1045		960		1030		1080	-		
	100	1120			1145		1060		1130		1180	-		
	90+30**	1423			1445	Į	1363		1431		1483			
	90+40**	1523			1545	Į	1463		1531		1583			
	90+50**	1623			1645	Į	1563		1631		1683	-		
EI30 PLUS, EI60 PLUS double	90+60	1723	2040	62	1745	2065	1663	2023	1731	2057	1783	-	2083	±10/±5
	90+70	1823			1845		1763		1831		1883	-		
	90+80	1923			1945		1863		1931		1983	-		
	90+90	2023			2045		1963		2031		2083	-		
	60	644			680	Į	602		650		746	786		
INNOVO 37 dB	70	744	l		780		702		750		846	886	architrave	Í
with Porta SYSTEM door frame	80	844	2030	44	880	2060	802	2016	850	2040	946	986	(6) / (8)	+20/+10
	90	968			1005		926		974		1070	1110	2088/2108	Í
	100	1044			1080		1002		1050		1146	1186		
	60	644			675	ļ	596	4	656		706	-		
	70	744			775		696		756		806	-		
INNOVO 37 dB with steel door frame	80	844	2030	44	875	2055	796	2013	856	2043	906	-	2068	+10/+5
intersteer abor manie	90	968			1000		920		980		1030	-		
	100	1044			1075		996		1056	1	1106	-		
INNOVO 42 dB	80	888			990	ļ	822		966		1068	1008	architrave	
with MDF door frame	90	988	2047	62	1090	2105	922	2021	1066	2093	1168	1108	(6) / (8)	±10/±5
internet accornance	100	1088			1190		1022		1166		1268	1208	2144/2164	
	80	888			925		822		894		990	1030	architrave	
INNOVO 42 dB with Porta SYSTEM door frame	90	988	2047	62	1025	2075	922	2020	994	2056	1090	1130	(6) / (8)	+20/+10
	100	1088			1125		1022		1094		1190	1230	2104/2124	
	80	888			890		810		870		950	-		
INNOVO 42 dB with steel dppr frame	90	988	2047	62	990	2055	910	2015	970	2045	1050	-	2085	±10/±5
warsteeruppinane	100	1088	I		1090		1010		1070		1150	-		
21125	80	868			915		802		872		968	1008	architrave	
PURE with Porta SYSTEM door frame	90	968	2047	68	1015	2080	902	2020	972	2056	1068	1108	(6) / (8)	+20/+10
	100	1068			1115		1002		1072		1168	1208	2104/2124	
	80	868			975		802		946		1048	1088	architrave	
PURE with MDF door frame	90	968	2047	68	1075	2105	902	2021	1046	2093	1148	1188	(6) / (8)	±10/±5
with MDF door name	100	1068	Î		1175	1	1002	1	1146	1	1248	1288	2144/2164	ĺ

** passive leaf - flush door (without glass)

APARTMENT ENTRANCE DOORS

DOOR FRAME TYPE	SIZE	Ss	Hs	Ds	S ₀	H _o	O _s	0 _w	S _B	Η _B	S _z (6)	S _z (8)	Hz	T _{s/w}
AGATE, OPAL,	80	844		40/41	876		796		856		906	-		
QUARTZ, GRANITE kl. C	90	952	2030*	44/45	986	2056	904	2016***	964	2046	1014	-	2071	±10/±5
with a steel door frame**	100	1044		48/49	1076]	996		1056		1106	-		
EXTREME RC2,	80	844			876		796		856		906	-		
EXTREME RC 3	90	968	2032	50	1000	2056	920	2016	980	2046	1030	-	2071	+10/+5
with a steel door frame**	100	1044	Ī		1076]	996		1056		1106	-		
	80	844			880		802		850		-	986		
EXTREME RC 3 with PS frame	90	968	2032	50	1005	2060	926	2018	974	2042	-	1110	2110	+20/+10
with FS frame	100	1044			1080		1002		1050		-	1186		
	80	844			880		798		858		908	-		
EXTREME RC 4 with a steel door frame**	90	968	2032	54	1005	2060	922	2016***	982	2046	1032	-	2071	±10/±5
with a steel door frame	100	1044	I		1080	1	998		1058		1108	-		
	80	868			900		820		880		930	-		
Steel SECURE	90	968	2040	54	1000	2065	920	2025	980	2055	1030	-	2080	±10/±5
	100	1068			1100]	1020		1080		1130	-		
	80	868			900	Į	820		880		930	-		
Steel SAFE	90	968	2037	54	1000	2065	920	2023***	980	2053	1030	-	2078	±10/±5
	100	1068			1100		1020		1080		1130	-		1

* for Granite class C Hs=2032
 ** Project (BIS and Premium) requires enlarging the wall opening So by 30 mm and Ho by 15 mm (dimension tolerance +-10 mm/ +-5 mm) Other Project door frame sizes, see drawing on page 190.
 *** Steel threshold decreases given dimension by 16 mm.

EXTERNAL DOORS

SIZE \mathbf{S}_{s} H_{s} \mathbf{D}_{s} S₀ \mathbf{H}_{o} \mathbf{O}_{s} O_w $\mathbf{S}_{_{\mathrm{B}}}$ ${\sf H}_{\scriptscriptstyle B}$ \mathbf{S}_{z} $\mathbf{H}_{\mathbf{z}}$ T_{s/w} Steel SAFE 2023* Steel SAFE with Thermo door frame 2023* ±10/±5 Steel ENERGY PROTECT 2023*

* Steel threshold decreases given dimension by 16 mm.

Ρ

DIMENSIONS

TABLE 6

POLISH NORM (PN)

SLIDING SYSTEMS, FOLDING DOORS

TABLE 7

	SIZE	Ss	I	Hs	D _s	S)	H _o		0 _s	O _w		Hz	M _s (6)/(8	3)	M _g	B _G	T _{sjw}
	60	644				68	0		6	i02				1413				
	70	744				78	0		7	'02				1613				
Porta sliding system	80	844	2	030	40	88	0	2060	8	302	2016		2119	1813	1	03	60	+20/+10
	90	944				98	0		ç	902				2013				
	100	1044				108	30		1	002				2213				
	SIZE	S _s	I	Hs	D _s	S ₀ (6)	/(8)	H _o	0	_s (6)	0 _s (8)		Ow	Hz	Ms	6)/(8)	M _g	$T_{s w}$
	60	744				680/	640		6	i02	560				1	448		
	70	844				780/	740		7	'02	660				1	648		
	80	944				880/	840		8	302	760				1	848		
ALU sliding system	90	1044	2	030	40	980/	940	2060	ç	902	860	2016		2114	2	048	68	+20/+10
····· ································	110	2 x 64	4			1220/			1	1145						452		
	130	2 x 74				1420/				345	1304					852		
	150	2 x 84				1620/				545	1504					252		
	170	2 x 94	4			1820/	1780		1	745	1704				3	652		
	SIZE	Ss	H _s		D _s	S ₀ (6)/(8)		H _o	O _s	O _w	:	S _B	H _B	Sz	(6)	S _z (8)	H _z (6)/(8)	T _{sjw}
	60	644				680			460		6	46		7	46	786		
	70 744		780			560		7	'46		8	46	886					
ALFA system	80	844	2000)	40	880	2	2060	660	2016	8	46	2043	9	46	986	2088/2108	+20/+10
	90	944				980		L	760		g	46	-	10		1086		
	100	1044				1080			860		10	046		11	46	1186		
	60	588				680			450		6	46		7	46	786		
ALFA system	70	688	1990		40	780		2070	550	2016	7	'46	2050	8	46	886	2088/2108	+20/+1
ALIASYSTEM	80	788	1550	,	40	880	ŕ	.070	650	2010	8	46	2050	9	46	986	2088/2108	1207110
	90	888				980			750		ç	46		10	146	1086		
	SIZE	S _s	Hs	Ds	s	" н,		O _s	0 _w	S _B	H _B		S _z (6)	S _z (8)	H _z (6)/(8) s _c	H _c	T _{sjw}
	60	644			66	50		600		654			744	784		1355		
	70	744			76	50		700		754		ſ	844	884		1555		
COMPACT pocket door system - single	80	844	2030	40	86	50 206	5	800	2018	854	2040		944	984	2090 /2110	1755	2130	+5/+10
-, single	90	944			96	50		900		954			1044	1084	,2.10	1955		
	100	1044			10	60		1000		1054			1144	1184		2155		
	2 x 60	644			12	65		1214		1258			1358	1398		2610		
COMPLET	2 x 70	744			14	65		1414]	1458			1558	1598	2000	3010		
COMPACT pocket door system - double	2 x 80	844	2030	40	16	65 206	5	1614	2018	1658	2040		1758	1798	2090 /2110	3410	2130	+5/+1
	2 x 90	944			18	65		1814]	1858		Ľ	1958	1998	,2.1.0	3810		
	2 x 100	1044			20	65	Г	2014	1	2058	3		2158	2198	8			

* For COMPACT pocket door system, H₀ and S₀ sizes refer to opening dimension of steel cassette to be installed with wood-based door frame.

	SIZE	S _s	Hs	Ds	s _o	H _o	Ms	T _{s/w}
	70	744			680			
BLACK sliding system*	80	844	2090	40	780	2060	2000	±10/±5
BLACK sliding system"	90	944	2090	40	880	2000	2000	±10/±5
	100	1044			980			
	70	744			680			
SLIDE sliding system	80	844	2200	40	780	2060	2010	±10/±5
SLIDE sliding system	90	944	2200	40	880	2000	2010	±10/±5
	100	1044			980			
	90	944			680		1665	
EFEKT sliding system	100	1044	2230	40	780	2060	1865	-10/±50
	110	1144]		880		2065	

* In case of installing different door leaf than Porta BLACK, wall opening should be decreased by 60 mm

	SIZE	Ss	Hs	Ds	S ₀	H _o	O _s	0 _w	S _B	Η _B	Sz	Hz	s _c	H _c	T _{s/w}
	70	744			1580		726		823		1560		1580		
Frameless system	80	844	2030	40	1780	2110	826	2036	923	2067	1760	2101	1780	2110	+10/+10
	90	944			1980		926		1023		1960		1980		

PORTA HIDE DOORS

DOOR FRAME I TPE	SIZE	⇒ _s	n _s	5 0	n ₀	U _s	0 _w	ъ _в	n _B
Porta HIDE non-rebated	70	718		800		703		787	
Porta HIDE non-rebated (opening outward)	80	818	2017	900	2070	803	2017	887	2059
(opening outward)	90	918		1000		903		987	
	70	718		800		703		787	
Porta HIDE with reversed rebate (inward opening)	80	818	2027	900	2080	803	2027	887	2069
result (initial d opening)	90	918		1000		903		987	

TABLE 8

Door dimensions tables - height '220'

POLISH NORM (PN)

INTERNAL DOORS WITH WOODEN DOOR FRAMES

TABLE 9

TABLE 10

DOOR FRAME TYPE	SIZE	s _s	H _s	Ds	S ₀	H _o	O _s	O _w	S _B	H _B	S _z (6)	S _z (8)	Hz	$\mathbf{T}_{\mathrm{s w}}$
	60	644			680		602		646		746	786		
	70	744			780		702		746		846	886	architrave (6) / (8) 2288 / 2308	+20/+10
Porta SYSTEM	80	844	2230	40	880	2260	802	2216	846	2238	946	986		
FOILE STSTEM	90	944	2230	40	980	2200	902	2216	946	2230	1046	1086		+207 +10
	100	1044			1080		1002		1046		1146	1186		
	110	1144			1180		1102		1146		1246	1286		
	60	618			690		602		646		-	786		
	70	718		40	790	2260	702	2216	746	2238	-	886	2308	+10/+10
Porta SYSTEM ELEGANCE	80	818	2217		890		802		846		-	986		
	90	918			990		902		946		-	1086		
	100	1018			1090		1002		1046		-	1186		
	60	618			690	-	602	2216	646		-	786	2308	+10/+10
	70	718			790		702		746	2238	-	886		
Porta SYSTEM ELEGANCE 90 degrees	80	818	2217	40	890	2260	802		846		-	986		
Jo degrees	90	918			990		902		946		-	1086		
	100	1018			1090		1002		1046		-	1186		
	60	639			720		626		691]	-	831		
	70	739			820		726		791]	-	931		
Porta SYSTEM with reversed rebate	80	839	2227	40	920	2280	826	2228	891	2261	-	1031	2330	±10/±5
	90	939			1020		926		991		-	1131		
	100	1039			1120	-	1026		1091		-	1231		

NOTE: SZ and HZ dimensions of dooor frame in natural veneers ae given with tolerance -1 mm/ + 3 mm. *Dimension Sz and Hz measured on the wider side of the door leaf. They are the same as dimensions of doors with PSE

INTERNAL DOORS WITH STEEL DOOR FRAMES

DOOR FRAME TYPE SIZE $\mathbf{H}_{\mathbf{z}}$ S, H, D, S_o н₀ 0, **O**_w $S_{_{\rm B}}$ $\mathbf{H}_{_{\mathrm{B}}}$ Sz T_{s∣w} steel Porta SYSTEM ±10/±5 steel Porta SYSTEM ELEGANCE* $\pm 10/\pm 5$

*If the back of the hinge does not fit in a wall opening, a little wall chasing has to be made.

HEIGHT, 220' IS AVAILABLE IN CHOSEN COLLECTIONS:

- Porta VECTOR
- Porta DESIRE
- Nature CLASSIC
- Nature LINE
- Nature VECTOR

NOTES

- Dimensions tolerance according to PN: to 1 m +=1mm, above 1 m +-2mm.
- Side door panels for rebated door sets are available in natural veneer in size '40', S_s=444, H_s=2030.
- Door frames are designed to be installed on finished floor level. For steel door frames there is a possibility to order them in lengthen option + 30 mm (to be mounted under floor level). In this case sizes H_g and Hz are enlarged by 30 mm (level -30). Given dimension refers to internal door leaves, both rebated and sliding
- •
- Porta SYSTEM integrated with an upper transom. Dimensions H₂, H₂, H₂ + 302 mm. Project (BIS and Premium) requires enlarging the wall opening 50 by 30 mm and H0 by 15 mm (dimension tolerance +-10 mm/ +-5 mm) .

CZECH NORM/GERMAN NORM (CN/DIN)

INTERNAL DOORS

TABLE 11

CN/DIN	SIZE	SS	HS	DS	S0	H0	OS	ow	SB	НВ	SZ (6)	SZ (8)	HZ (6) / (8)	TS W
	60	648/610			715/680		606/569		694/657		804/767	-		
Minimax 60 mm	70	748/735			815/805		706/694		794/782		904/892	-		
Minimax 100 mm	80	848/860	1985	40	915/930	2030	806/819	1971	894/907	2015	1004/1017	-	2070	+20/+10
MDF in natural veneer	90	948/985			1015/1055		906/944	1	994/1032		1104/1142	-		
	100	1048/-			1115/-		1006/-	1	1094/ -		1204/ -	-		
	60	648/610			685/650		606/567		650/611		750/711	790/751		
	70	748/735			785/775		706/692		750/736		850/836	890/876		
Porta SYSTEM	80	848/860	1985	40	885/900	2015	806/817	1971	850/861	1993	950/961	990/1001	profile	+20/+10
door frame	90	948/985	1965	40	985/1025	2015	906/942	1971	950/986	1995	1050/1086	1090/1126	(6) / (8) 2043/2063	+20/+10
	100	1048/-			1085/-		1006/-		1050/-		1150/-	1190/-		
	110	1148/-			1185/-		1106/-		1150/-		1250/-	1290/-		
	60	622/584			695/660		606/567		650/611		-	790/751		
Porta SYSTEM	70	722/709			795/785	2015/	706/692		750/736	1993/	-	890/876	-/2063/ LEVEL 2183/2983	
ELEGANCE / LEVEL	80	822/834	1972	40	895/910	LEVEL 2025	806/817	1971	850/861	LEVEL 2001	-	990/1001	Upper panel	+20 / +10
door frames	90	922/959			995/1035		906/942		950/986	22001	-	1090/1126	(20)/(100)	
	100*	1022/-			1095/-		1006/-		1050/-		-	1190/-		
	60	622/584			695/660		606/567		650/611		-	790/751		
Porta SYSTEM	70	722/709			795/785		706/692		750/736		-	890/876		
ELEGANCE 90°	80	822/834	1972	40	895/910	2015	806/817	1971	850/861	1993	-	990/1001	-/2065	+20/+10
door frames	90	922/959			995/1035		906/942		950/986		-	1090/1126		
	100	1022/-			1095/-		1006/-		1050/-		-	1190/-		
	60	643/-			725/-		630/-		695/-		-	835/-		
se zárubní	70	743/-			825/-		730/-		795/-		-	935/-		
Porta SYSTEM with	80	843/-	1982	40	925/-	2035	830/-	1983	895/-	2015	-	1035/-	-/2085	±10/±5
a reversed rebate*	90	943/-			1025/-		930/-	4	995/-		-	1135/-		1
	100	1043/-			1125/-		1030/-		1095/-		-	1235/-		I
	60	648/-			600/561		562/-	4	588/ -		750/-	-		1
	70	748/ -			700/686		662/-	4	688/ -		850/-	-		1
RENOVA** door	80	848/-	1985	40	800/811	1971	762/-	1949	788/ -	1962	950/-	-	2043	+15*
frame	90	948/-			900/936		862/-	•	888/-		1050/-	-		-6
	100	1048/-			1000/-		962/-		988/ -		1150/-	-		
	110	1148/-			1100/-		1062/-		1088/-		1250/-	-		
	60 70	648/610			655/615 755/740		600/561		633/594		710/671	-		
Corner profile door	80	748/735	1985	40		1995	700/686	1069	733/719	1985	810/796 910/921		2022	10/15
frame - SMALL PLUS	90	848/860 948/985	1985	40	855/865	1995	800/811	1968	833/844 933/969	1985	-	-	2023	±10/±5
	100	1048/-			955/990 1055/ -		900/936 1000/ -	-	1033/ -		1010/1046 1110/ -	_		
	60	648/610			680/640		600/561		660/621		710/671	_		
Corner profile door	70	748/735			780/765		700/686	-	760/746		810/796			
frame -LARGE for concrete walls	80	848/860	1985	40	880/890	2010	800/811	1968	860/871	1998	910/921	_	2023	±10/±5
and stainless	90	948/985	1905	40	980/1015	2010	900/936	1500	960/996	1550	1010/1046	-	2025	1107 15
steel LARGE folding	100	1048/-			1080/-		1000/-		1060/-		1110/ -	-		
	60	648/610			685/645		600/561		684/645		710/671	-		
Corner profile door	70	748/735			785/770		700/686		784/770		810/796	-		
frame - LARGE	80	848/860	1985	40	885/895	2010	800/811	1968	884/895	1998	910/921	-	2023	+10/+5
for plasterboard walls	90	948/985			985/1020		900/936	1	984/1020		1010/1046	-		
•	100	1048/-			1085/-		1000/-]	1084/ -		1110/-	-		
	60	648/610			695/655		600/561		674/635		720/681	-		
	70	748/735			795/780		700/686		774/760		820/806	-		
ADJUSTABLE door frame	80	848/860	1985	40	895/905	2015	800/811	1968	874/885	2005	920/931	-	2028	-10/-5
	90	948/985			995/1030		900/936		974/1010		1020/1056	-		
	100	1048/-			1095/-		1000/ -		1074/ -		1120/-	-		
	60	622/584			695/655		600/561		675/635		740/701	-		
Adjustable steel	70	722/709			795/780		700/686		775/760		840/826	-		
door frame, non-rebated	80	822/834	1972	40	895/905	2017	800/811	1970/1968	875/885	1995/1993	940/951	-	2040/2038	-10 / -5
non-repated	90	922/959			995/1030		900/936		975/1010		1040/1076	-		
	100	1022/ -			1095/-		1000/ -		1075/ -		1140/-	-		
	60	622/584			680/640		600/561	4	650/611		740/701	-		
Steel Porta SYSTEM	70 80	722/709	1972	40	780/765	2010	700/686	1070/1060	750/736	1005/1002	840/826	-	20/0/2020	+10/-5
ELEGANCE***	90	822/834 922/959	1972	40	880/890 980/1015	2010	800/811 900/936	1970/1968	850/861 950/986	1995/1993	940/951 1040/1076	-	2040/2038	±10/±5
	100	1022/-			1080/-		1000/-	1	1050/ -		1140/-	-		
	60	622/584			680/640		600/561		660/620		740/701	_		<u> </u>
Corner profile -	70	722/709			780/765		700/686	1	760/745		840/826	-		
LARGE,	80	822/834			880/890		800/811	1	860/870		940/951	-		
non-rebated,	90	922/959	1972	40	980/1015	2010	900/936	1970/1968	960/995	2000	1040/1076	-	2040/2038	±10/±5
for concrete walls***	100	1022/-			1080/ -		1000/-	1	1060/ -		1140/-	-		1
	110	1122/-			1180/-		1100/-	1	1160/-		1240/-	-		
				l	685/646		600/561	İ	684/645		740/701	-		
	60	622/584			785/771		700/686]	784/770		840/826	-		1
Corner profole	60 70	622/584 722/709			/03///1			1	884/895	2012	940/951	-	2040/2020	10/15
Corner profole LARGE,			1072	40	885/896	2010	800/811	1070/1011		2012	1040/1076		2040/2038	+10/+5
LARGE, non-rebated for	70	722/709	1972	40		2010	900/936	1970/1968	984/1020		1040/1076	-		
LARGE,	70 80 90 100	722/709 822/834 922/959 1022/-	1972	40	885/896 985/1021 1085/ -	2010	900/936 1000/ -	1970/1968	1084/ -		1140/-	-		
LARGE, non-rebated for	70 80 90 100 110	722/709 822/834 922/959 1022/- 1122/-	1972	40	885/896 985/1021 1085/- 1185/-	2010	900/936 1000/- 1100/-	1970/1968	1084/ - 1184/ -		1140/- 1240/-	- - -		
LARGE, non-rebated for	70 80 90 100 110 60	722/709 822/834 922/959 1022/- 1122/- 648/610	1972	40	885/896 985/1021 1085/ - 1185/ - 705/665	2010	900/936 1000/- 1100/- 600/561	1970/1968	1084/ - 1184/ - 684/645		1140/- 1240/- 740/701	-		
LARGE, non-rebated for plasterboard walls	70 80 90 100 110 60 70	722/709 822/834 922/959 1022/- 1122/- 648/610 748/735			885/896 985/1021 1085/ - 1185/ - 705/665 805/790		900/936 1000/- 1100/- 600/561 700/686		1084/ - 1184/ - 684/645 784/770		1140/- 1240/- 740/701 840/826			
LARGE, non-rebated for	70 80 90 100 110 60 70 80	722/709 822/834 922/959 1022/- 1122/- 648/610 748/735 848/860	1972	40	885/896 985/1021 1085/ - 1185/ - 705/665 805/790 905/915	2010	900/936 1000/- 1100/- 600/561 700/686 800/811	1970/1968	1084/ - 1184/ - 684/645 784/770 884/895	2010	1140/- 1240/- 740/701 840/826 940/951		2038	-10 / -5
LARGE, non-rebated for plasterboard walls Steel Adjustable PS	70 80 90 100 110 60 70 80 90	722/709 822/834 922/959 1022/- 1122/- 648/610 748/735 848/860 948/985			885/896 985/1021 1085/- 1185/- 705/665 805/790 905/915 1005/1040		900/936 1000/- 1100/- 600/561 700/686 800/811 900/936		1084/ - 1184/ - 684/645 784/770 884/895 984/1020	2010	1140/- 1240/- 740/701 840/826 940/951 1040/1076	- - - - -	2038	-10 / -5
LARGE, non-rebated for plasterboard walls Steel Adjustable PS	70 80 90 100 110 60 70 80 90 100	722/709 822/834 922/959 1022/- 1122/- 648/610 748/735 848/860 948/985 1048/-			885/896 985/1021 1085/ - 1185/ - 705/665 805/790 905/915 1005/1040 1105/ -		900/936 1000/- 1100/- 600/561 700/686 800/811 900/936 1000/-		1084/- 1184/- 684/645 784/770 884/895 984/1020 1084/-	2010	1140/- 1240/- 740/701 840/826 940/951 1040/1076 1140/-	- - - - - -	2038	-10 / -5
LARGE, non-rebated for plasterboard walls Steel Adjustable PS	70 80 90 100 110 60 70 80 90 100 60	722/709 822/834 922/959 1022/- 1122/- 648/610 748/735 848/860 948/985 1048/- 648/610			885/896 985/1021 1085/- 1185/- 705/665 805/790 905/915 1005/1040 1105/- 680/640		900/936 1000/- 1100/- 600/561 700/686 800/811 900/936 1000/- 600/561		1084/- 1184/- 684/645 784/770 884/895 984/1020 1084/- 650/611	2010	1140/- 1240/- 740/701 840/826 940/951 1040/1076 1140/- 740/701	-	2038	-10 / -5
LARGE, non-rebated for plasterboard walls Steel Adjustable PS with sharp edges*	70 80 90 100 110 60 70 80 90 100 60 70	722/709 822/834 922/959 1022/- 1122/- 648/610 748/735 848/860 948/985 1048/- 648/610 748/735	1985	40	885/896 985/1021 1085/- 1185/- 705/665 805/790 905/915 1005/1040 1105/- 680/640 780/765	2023	900/936 1000/- 1100/- 600/561 700/686 800/811 900/936 1000/- 600/561 700/686	1968	1084/- 1184/- 684/645 784/770 884/895 984/1020 1084/- 650/611 750/736		1140/- 1240/- 740/701 840/826 940/951 1040/1076 1140/- 740/701 840/826	- - - - - - - - - - -		
LARGE, non-rebated for plasterboard walls Steel Adjustable PS	70 80 90 100 110 60 70 80 90 100 60 70 80	722/709 822/834 922/959 1022/- 1122/- 648/610 748/735 848/860 948/985 1048/- 648/610 748/735 848/860			885/896 985/1021 1085/- 1185/- 705/665 805/790 905/915 1005/1040 1105/- 680/640 780/765 880/890		900/936 1000/- 1100/- 600/561 700/686 800/811 900/- 600/561 700/686 800/811		1084/ - 1184/ - 684/645 784/770 884/895 984/1020 1084/ - 650/611 750/736 850/861	2010	1140/- 1240/- 740/701 840/826 940/951 1040/1076 1140/- 740/701 840/826 940/951	- - - - - - - - - - - - - - - - -	2038 2040/2038	-10 / -5 ±10/±5
LARGE, non-rebated for plasterboard walls Steel Adjustable PS with sharp edges*	70 80 90 100 110 60 70 80 90 100 60 70	722/709 822/834 922/959 1022/- 1122/- 648/610 748/735 848/860 948/985 1048/- 648/610 748/735	1985	40	885/896 985/1021 1085/- 1185/- 705/665 805/790 905/915 1005/1040 1105/- 680/640 780/765	2023	900/936 1000/- 1100/- 600/561 700/686 800/811 900/936 1000/- 600/561 700/686	1968	1084/- 1184/- 684/645 784/770 884/895 984/1020 1084/- 650/611 750/736		1140/- 1240/- 740/701 840/826 940/951 1040/1076 1140/- 740/701 840/826	- - - - - - - - - - -		



* only Porta SYSTEM ELEGANCE ** S_0/H_0 width/height of clear opening of old steel frame. Ts/w - tolerance +15 mm depends on a construction of the old door frame

Door dimensions tables

CZECH NORM/GERMAN NORM (CN/DIN)

EXTERNAL DO	ORS														T/	ABLE 12
CN	SIZE	S	5	Hs	Ds	S ₀	H	Os	Ow	S _B	ŀ	H _B	S _z (6)	S _z (8)	Hz	T _{s/w}
Steel SAFE	80 90 100	84 94 104	8	1985	53	880 980 1080	2010	800 900 1000	1969**	860 960 1060	19	999	910 1010 1110		2024	±10/±5
FOLDING DOC	RS														T/	ABLE 13
CN/DIN	SIZE	S		Hs	Ds	S ₀	H	Os	Ow	S _B	н	I _B	S _z (6)	S _z (8)	H _z (6), (8)	T _{s/w}
ALFA	60 70 80 90 100	647/ 747/ 847/ 947/ 1047	734 859 985	1955	40	685/650 785/775 885/900 985/1025 1085/ –	2015	465/425 565/550 665/675 765/800 865/ –	1971	650/61 750/73 850/86 950/98 1050/-	5 1 19	93 93 10	750/711 850/836 950/961 050/1086 1150/ -	790/751 890/876 990/1001 1090/1126 1190/-	profile (6) / (8) 2043/2063	+20/+10
BETA	60 70 80 90	592/ 692/ 792/ 892/	680 806	1945	40	685/650 785/775 885/900 985/1025	2005	455/415 555/540 655/665 755/790	1971	650/61 750/73 850/86 950/98	5 1 20	04	750/711 850/836 950/961 050/1086	790/751 890/876 990/1001 1090/1126	profile (6) / (8) 2043/2063	+20/+10
SLIDING SYSTE	MS														T/	ABLE 14
CN/DIN	SIZE	Ss		H _s	Ds	S ₀	H	Os		0 _w	Hz	M _s (6),		M _g	B _G	T _{s/w}
PORTA sliding system PORTA	60 70 80 90 100	644 744 844 944 1044	1	985	40	684 784 884 984 1084	2015	606 706 806 906	i 19	971	2074	1413 1613 1813 2013 2213	3 3 3	103	60	+20/+10
CN	SIZE	S _s	H _s	D _s	s _o	н,	O _s	o _w	S _B	H _B	S _z (6)	S _z (8)	H _z (6),	(8) S _c	н _с	T _{s/w}
COMPACT sliding system - single	60 70 80 90 100	644 744 844 644 1044	1985	40	660 760 860 960 1060	2020	600 700 800 900 1000	1973	654 754 854 954 1054	1995	744 844 944 1044 1144	784 884 984 1084 1184	"204 <u></u> 2065	1355 1555		+10/+5
COMPACT sliding system -double	2x60 2x70 2x80 2x90	2x 644 2x 744 2x 844 2x 644 2x 1044	1985	40	1300 1500 1700 1900 2100	2020	1249 1449 1649 1849 2049	1973	1293 1493 1693 1893 2093	1995	1393 1593 1793 1993 2193	1433 1633 1833 2033 2233	"204 <u>9</u> 2065	2845 3045		+10/+5
For COMPACT pocket do			δ _o sizes ι	refer to o		nension o		sette to b		d with we			frame.	4245		
CN	SIZE	s,	Hs	D _s	s _o	н。	M	T _{s/w}								
BLACK sliding system/ SLIDE sliding system	70 80 90 100	744 844 944 1044	2045 Black 2155 Slide		680 780 880 980	2015	2000									
CN	SIZE	S _s	Hs	D _s	S ₀	H₀	0 _s	0 _w	S _B	н	в	s _z	Hz	s _c	Н _с	T _{s/w}
Frameless sliding system	70 80 90	744 844 944	1985	40	1580 1780 1980	2070	726 826 926	1991	823 923 102	20	22	1560 1760 1960	2056	1580 1780 199980	2070	+20/+10
PORTA HIDE D	OORS														T	ABLE 15
CN	SIZE		s _s	Hs	Ds	s _o	н _о	0	, (D _w	S _B	Η _B				
Porta HIDE non-rebated (openii outward)	ng 70 80 90	8	722 322 922	1972	40	804 904 1004	2025	70 80 90	7 19	972	791 891 991	2014				
Porta HIDE with reversed rebate (inward opening)	e 70 80 90	8	722 322 922	1982	40	804 904 1004	2035	70 80 90	7 19	982	791 891 991	2024				

P 217

Door dimensions tables

CZECH NORM/GERMAN NORM (CN/DIN)

TECHNICAL DOORS

TABLE 16

CN	SIZE	Ss	Hs	Ds	S ₀	н	O _s	O _w	S _B	H _B	S _z (6)	S _z (8)	H _z (6)	H _z (8)	T _{s/w}
Porta SILENCE Rw=37 dB adjustable rebated	80	848			885		806		854		951	991			
	90	948	1985	49÷50	985	2015	906	1971	954	1995	1051	1091	2044	2064	+20/+10
	100	1048			1085		1006		1054		1151	1191			
	80	822			885		806		854		951	991			
Porta SILENCE Rw=37 dB adjustable non-rebated	90	922	1972	49÷50	985	2015	906	1971	954	1995	1051	1091	2044	2064	+20/+10
-	100	1022			1085		1006		1054		1151	1191			
Porta SILENCE Rw=37 dB fixed, rebated	80	848			955		806		926		1031	1071			
	90	948	1985	49÷50	1055	2045	906	1971	1026	2031	1131	1171	2080	2100	±10/±5
	100	1048			1155		1006		1126		1231	1271			
Porta SILENCE Rw=37 dB	80	822			955		806		926		1031	1071			
fixed, non-rebated	90	922	1972	49÷50	1055	2045	906	1971	1026	2031	1131	1171	2080	2100	±10/±5
	100	1022			1155		1006		1126		1231	1271			
Porta SILENCE Rw=37dB	80	848			880		800		860		910	-			
rebated, with a steel door frame	90	948	1985	49÷50	980	2010	900	1968	960	1998	1010	-	2023	-	±10/±5
	100	1048			1080		1000		1060		1110	-			
Porta SILENCE Rw=37dB	80	822	1070	10 50	880	2010	800	4.070	860	1000	910	-			10/ 5
non-rebated, with a steel door frame	90	922	1972	49÷50	980	2010	900	1968	960	1998	1010	-	2023	-	+10/+5
	100 60	1022 648			1080		1000		1060 726		1110 831	- 871			
	70	748	-		755 855		606 706		826	•	931	971			
EI30 s (fixed) MDF	80	848	1985	44÷45	955	2045	806	1971	926	2031	1031	1071	2080	2100	±10/±5
EISUS (fixed) MDF	90	948	1962	44-45	1055	2045	906	1971	1026	2051	1131	1171	2080	2100	±10/±5
	100	1048			1155		1006		1126	1	1231	1271	-		
	60	648			680		600		660		710	=			
	70	748			780		700		760	•	810	_	-		
El 30 wooden, with corner	80	848	1985	44÷45	880	2010	800	1968	860	1998	910	-	2023	_	±10/±5
profile frame - LARGE	90	948	1905		980	2010	900	1500	960		1010	-	2023		110/10
	100	1048			1080		1000		1060	1	1110	-			
	80	848			880		800		860		910	-			
AGAT, OPAL*	90	948	1985	44÷45	980	2010	900	1968**	960	1998	1010	-	2023	-	±10/±5
	100	1048			1080		1000		1060	1	1110	-			
	80	848			880		800		860		910	-			
QUARTZ GRANITE cl. C	90	948	1985	44÷45	980	2010	900	1968	960	1998	1010	-	2023	-	±10/±5
divinite ci. c	100	1048			1080		1000		1060		1110	-			
GRANITE RC3,	80	848			880		800		860		910	-			
EXTREME	90	948	1985	50	980	2010	900	1968	960	1998	1010	-	2023	-	+10/+5
- steek door frame	100	1048			1080		1000		1060		1110	-			
CDANITE DC2	80	848			885		806		854		951	991			
GRANITE RC3, EXTREME - PS	90	948	1985	50	985	2015	906	1971	954	1995	1051	1091	2044	2064	+20/+10
	100	1048			1085		1006		1054		1151	1191			
	60	648	1		653		600		633		710	-			
Steel BASIC and Steel BASIC PLUS with corner	70	748	4		753	1997-Basic	700		733		810	-	2025- Basic		
profile steel door frame -	80	848	1985	40	853	2001-Basic	800	1970	833	1987	910	-	2029- Basic	-	±10/±5
SMALL PLUS	90	948	1		953	PLUS	900		933		810	-	PLUS		
	100	1048			1053		1000		1033		1010	-			

* Project (BIS and Premium) requires enlarging the wall opening S₀ by S₀ by 30 mm and H₀ o 15 mm (dimension tolerance ±10 mm / ±5 mm). Other Project door frame sizes, see drawing on page 192.
 ** Steel threshold decreases given dimension by 16 mm.


P

Durability levels of Porta finishes

CHECK THE NUMBER OF STARS NEXT TO EVERY FINISH

You can find six groups in below classification of Porta finishes. Finishes were grouped considering quality, durability and resistance to external conditions. We hope that this classification will help you to make the best possible choice. You can find the information about durability level next to each product.

★☆☆☆☆	★★☆☆☆	★★☆☆☆
ECONOMIC	STANDARD	STANDARD PLUS
The most advantageous combination of cost,	Basic durability level which provides the possibility	Improved STANDARD class with enhanced parame-
and quality.	of long-term use in household.	ters of resistance to abrasion and humidity.
★★★☆☆ PREMIUM A perfect combination of design and guaranteed high quality. Indications for use: residential buildings and offices.	PROFESSIONAL Durability level that combines great practicality and elegance in any place where doors are directly exposed to long-term external factors. Suggested indications for use: hotels, public buildings and offices.	EXTREME High durability level which guarantees door protection from intensive usage. Indications for use - places with heavy foot traffic, where hundreds of people pass daily.



Especially for you, basing on European standards, we have developed a classification of finishes (durability levels). We took into account various external factors which directly affects the durability of the door surface. Durability levels depends on the resistance to the following factors which make an impact on doors and finishes in everyday use.

ABRASION

Unavoidable during any door usage. Every day doors are exposed to lots of abrasions, caused by people walking through and opening doors inappropriately because of their hands occupied with documents or belongings

DETERGENTS

Housekeeping, both at home and in a workplace involves the use of detergents which make an impact on surface durability.

DAYLIGHT



The factor which changes the colour shade in long term use. We have checked all types of veneer for you. Especially their reaction to daylight during long year use. We are proud to emphasize that the finishes we chose, achieve very good results throughout the entire time of use.

HUMIDITY



Direct exposure to highly humid air influences veneer. Its resistance to this factor guarantees constancy of shape and solid surface throughout the whole time of use.

RAL colours

Standard paint ★★★☆☆☆	Premium paint ★★★☆☆
White - LBI	White - UBI

UV acrylic paint ★★★★☆☆

UV acrylic paint ★★★★☆

White - WBI

WHITE COLOUR IS COMPARABLE WITH RAL 9003

Due to technology and use of various materials for door frames and door leaves, there might appear slight difference between them.

Premium veneer ★★★☆☆

NEW Grey - WSA

GREY COLOUR IS COMPARABLE WITH RAL 7035

This finish is available only for Porta GRANDE collection and for door frames with UV acrylic paint finish

SUPER MATT veneer ★★★☆☆☆

White - UBI

Black - SCM

This finish is available only for Porta SYSTEM ELEGANCE


Portasynchro 3D veneer ★★★☆☆☆



At Porta we do our best to create a perfect colour match of offered doorsets. However due to technology and materials slight differences may appear.

Ρ

Portadecor veneer ★★★☆☆☆



Wenge * - DNG

* until stocks last GREY FINISH IS COMPARABLE WITH RAL 7047/ NCS S 2000-N

Portadur veneer ★★★☆☆



* until stocks last

Portalamino veneer ★★★★☆☆



Silvery Oak - IDU

Portaperfect 3D veneer ★★★★☆☆



Gladstone/Halifax board ★★★★★



At Porta we do our best to create a perfect colour match of offered doorsets. However due to technology and materials slight differences may appear.



P 223

Natural veneer - Oak ★★★☆☆

Natural veneer - Ash ★★★☆☆



Natural veneer - Walnut ★★★☆☆



Natural veneer - Oak Satin ★★★☆☆

Ash - KJ1

()


Natural veneer'Select'- is a specially prepared and selected natural veneer characterized by high repeatability of the wood grain and colour. Products finished with this type of veneer meet the high quality standards.

Natural veneers: Oak Ash, Walnut and Satin Oak - are characterized by a variety of colorus,

graining, etc. Their properties are the result of:

natural environment of trees, climate, habitat conditions.

These morphological properties of wood, which are characteristic for a natural material, distinguish it from synthetic finishes and aren't defective in any way.



Ρ

Laminated steel sheet (PVC) ★★★★☆☆



Mahogany * - GMA

* until stocks last

Coated steel sheet ★★★☆☆

	White - 0Bl	Grey - 0PO	
1			

Anthracite - 0NT

Due to type of used material, products colour are comparable to RAL colours.

White colour is comparable with RAL 9010 / Grey is comparable with RAL 7035 Anthracite is comparable with RAL 7024 / Brown is comparable with RAL 8017

Galvanized steel sheet ★★★☆☆




Stainless steel *****



At Porta we do our best to create a perfect colour match of offered doorsets. However due to technology and materials slight differences may appear.

Premium polyester paint ★★★★☆



* HPL/CPL marking was introduced considering dedicated veneer Anthracite HPL/CPL

White colour (LBM) is comparable with RAL 9003 / White (LBI) is comparable with RAL 9016 Grey (LPM, LPO) is comparable with RAL 7047/ Brown (LRM, LBR) is comparable with RAL 8028 Beige (LKM) is comparable with RAL 1019/ Black (LCM) is comparable with RAL 9017 Structured anthracite (LNT) is comparable with RAL 7024

Prime paint ★★★☆☆

Grey - LBP

Prime paint - Grey (LBP) is comparable with RAL 7035

At Porta we do our best to create a perfect colour match of offered doorsets. However due to technology and materials slight differences may appear.

GLASS PANELS

GLASS PANEL TYPES



Frosted glass panel



Frosted glass panel 'frame'

Glass panels dimensions are available at www.porta.com.pl/do-pobrania



'Chinchilla' glass panel



transparent glass panel

Select products with top quality mark



Manufacturer's identification is placed above the door lock.



5 YEAR* WARRANTY ON ALL PRODUCTS

36 MONTHS FOR DOOR LEAVES AND DOOR FRAMES



IF YOU ARE LOOKING FOR:

- HIGH QUALITY DOORS
- INNOVATIVE DESIGN
- PRODUCTS WITH CERTIFICATES AND TECHNICAL APPROVALS
- TESTED INVESTMENT SOLUTIONS
- EXTENSIVE DISTRIBUTION NETWORK IN POLAND AND
 ABROAD
- PROFESSIONAL AFTER-SALES SERVICE

YOU WILL FIND IT IN THE PORTA DOORS PORTFOLIO



DETAILED REGULATIONS OF THE PROGRAM ARE AVAILABLE AT: https://www.porta.com.pl/dm/regulamin5lat.pdf

* EXTERIOR, WOODEN DOORS warranty 24+12 months (with assembly)

CUSTOMISE DOORS TO MEET YOUR INDIVIDUAL

DESIGN

Customise the door design to match the style and functionality of your interior.

FUNCTION

Customise functional properties of The doors To a room and a building.

PARAMETERS

Customise parameters to meet the requirements of architectural design.

-

.



U



COLOUR Customise the door colour

to match the surroundings.



Wide range of products is available both in standard and non-standard options. More inspiration and and advices in Porta catalogues: www.portadoors.com/do-pobrania



PORTA KMI Poland Closed Joint-Stock Company

Szkolna 54, 84-239 Bolszewo, Poland e-mail: info@porta.com.pl

S.C. PORTA KMI România S.R.L.

Zona Industrială Arad Nord – Vest, Strada III, Nr. 11, 310491 Arad www.portadoors.ro, e-mail: info_doors@porta.com.pl CUI: RO15624380, J02/910/2003, Capital social: 49.949.090 RON



- PORTA's factories
- PORTA dealers network
- PORTA dealers network

